North Carolina State Library
Raleigh
AUG 27 1985
J2
401:B61
1984
c.2
N. C.
Doc.

Basic Automated Birth Yearbook

North Carolina Residents '84

Digitized by the Internet Archive
in 2016

https://archive.org/details/basicautomatedbi1984nort

BASIC AUTOMATED BIRTH YEARBOOK



NORTH CAROLINA RESIDENTS '84

BASIC AUTOMATED BIRTH YEARBOOK

This report, referred to as ***The Baby Book***, contains computerized tables showing statewide counts and percentages for 1984 resident live births classified according to selected infant and maternal characteristics. This volume and corresponding county microfiche are prepared and distributed for the use of family planning programs and other users of baseline birth data.

This year's cover features Kevin Wayne and Leslie Nicole Chappell, twins born December 18, 1984 to Jackie Chappell. Jackie is employed by DHS in the Office of Purchase of Care.

North Carolina Residents

1984

DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
STATE CENTER FOR HEALTH STATISTICS
POST OFFICE BOX 2091
RALEIGH, NORTH CAROLINA 27602

BASIC AUTOMATED BIRTH YEARBOOK
NORTH CAROLINA RESIDENTS
1984

DEFINITIONS

A ***'live birth'*** is the complete expulsion or extraction from its mother of a product of conception irrespective of the duration of pregnancy, which, after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or any definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached. (Definition adopted by the World Health Organization in 1950.)

A ***'not married'*** mother is one who has never been legally married or who has been widowed or legally divorced from her husband in excess of 280 days.

'Fetal death' is death prior to complete expulsion or extraction from its mother of the product of conception. A ***'previous fetal death'*** is delivery of a fetal death prior to the present delivery.

A ***'previous live born now dead'*** is a live born child who died prior to the present delivery.

'Birth order' is the sum of all previous deliveries (live births and fetal deaths) plus the present delivery.

'Birth weight' is expressed in grams. A premature birth is defined as a live born infant weighing 2500 grams (5 pounds, 8 ounces) or less at birth, regardless of the period of gestation. (Birth Weight Index recommended by the expert group on prematurity of the World Health Organization, 1950.)

'Age of mother' is reported age in completed years at last birthday.

'Education of mother' is the number of years of schooling completed at time of the birth.

The ***'Apgar score'*** is a system for rating the physical condition of newborns. Scores range 0-10 and are a summation of scores 0-2 assigned to each of 5 items: heart rate, respiratory effect, muscle tone, reflex irritability and color. Apgar scores of 0-2 represent severe asphyxia; 3-6, mild to moderate asphyxia; 7-10, rare need for resuscitation. Scores at 5 minutes, as tabulated here, are reportedly more highly associated with mortality and neurologic defects than are scores at 1 minute.

For State tables only, a ***'congenital malformation'*** is one of two possible malformations reported by the certifier. It is the first-mentioned condition except where the two conditions 'link' as per ICD linkage rules. In such cases, one or the other condition is 'preferred' or the two combined are represented by a third code.

The following categories are tabulated in State tables:

NOMENCLATURE	9TH ICD CODE
No malformation listed	None
Spina bifida	741
Cong. anom. of heart	745, 746
Cleft palate and cleft lip	749
Hypospadias and epispadias	752.6
Deformities of feet (includes clubfoot)	754.5-754.7
Polydactyly	755.0
Down's Syndrome	758.0
All other 740-759	All other

RESIDENCE ALLOCATION

Births are allocated to the usual residence of the mother regardless of the place of occurrence.

RACE ALLOCATION

Two broad categories, 'white' and 'nonwhite' are used. Where one parent is classified as white and the other nonwhite, the birth is classified as nonwhite.

COMPLETENESS OF BIRTH REGISTRATION

Counts and percentages in this report are based on live births filed with the local registrar prior to April and processed in the State office prior to May of the year following the birth. The number filed subsequently is considered negligible for statistical purposes.

INSTRUCTIONS FOR READING THE TABLES

The following page provides an example and instructions for reading the tables of this printout.

- C R O S S T A B U L A T I O N O F -

AGE AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..

MS MARITAL STATUS VALUE.. 1 LEGITIMATE

RACE VALUE.. 1 WHITE

- PAGE 2 OF 3

AGE	COUNT / ROW PCT / COL PCT	WT: 2500 GMS OR LESS (1)	WT: OVER 2500 GMS (2)	ROW TOTAL
	20	355	2150	2505
		14.2	85.8	9.5
		10.4	9.4	
	21	275	1855	2130
		12.9	87.1	8.1
		8.0	8.1	
	22	209	1615	1824
		11.5	88.5	6.9
		6.1	7.0	
	23	175	1420	1595
		11.0	89.0	6.1
		5.1	6.2	
	24	177	1190	1367
		12.9	87.1	5.2
		5.2	5.2	
25 - 29	25	503	3990	4493
		11.2	88.8	17.1
		14.7	17.4	
30 - 34	26	216	1678	1894
		11.4	88.6	7.2
		6.3	7.3	
35 - 39	27	97	685	782
		12.4	87.6	3.0
		2.8	3.0	
40 - 44	28	35	199	234
		15.0	85.0	0.9
		1.0	0.9	
	COLUMN TOTAL	3425	22925	26350
		13.0	87.0	100.0

(CONTINUED)

INSTRUCTIONS FOR READING THE TABLES

TABLES PRODUCED BY THE STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES (SPSS) HAVE THREE PARTITIONS WHICH ARE SEPARATED BY ROWS OF DASHES. THE FIRST PARTITION, ABOVE THE DASHES, INCLUDES A TITLE AND/OR OTHER INFORMATION. IN THIS EXAMPLE, WE HAVE RESIDENT BIRTHS FOR THE YEAR 0001.

THE SECOND PARTITION, BETWEEN THE TWO ROWS OF DASHES, SHOWS THE VARIABLES ASSOCIATED WITH THE TABLE. IN THIS EXAMPLE, THE TABLE CROSSTABULATES 'AGE OF MOTHER' AND 'BIRTH WEIGHT IN GRAMS' FOR LEGITIMATE WHITE BIRTHS. THIS TABLE WILL BE PRINTED ON 3 PAGES OF WHICH THIS IS THE SECOND (PAGE 2 OF 3).

THE THIRD PARTITION IS THE TABLE ITSELF. THE LOWER RIGHT HAND NUMBER IS THE TOTAL NUMBER OF EVENTS SHOWN IN THE ENTIRE TABLE. IN THIS EXAMPLE, A TOTAL OF 26350 BIRTHS ARE TABULATED IN THE 3-PAGE TABLE.

AT THE LEFT OF THE TABLE IS THE ROW VARIABLE 'AGE' (AGE OF MOTHER) AND ITS VALUES. AT THE RIGHT ARE THE ROW COUNTS AND PERCENTS. FOR EXAMPLE, THERE WERE 2505 LEGITIMATE WHITE BIRTHS TO WOMEN AGE 20 AND THESE CONSTITUTED 9.5 PERCENT OF 26350 LEGITIMATE WHITE BIRTHS.

AT THE TOP OF THE TABLE IS THE COLUMN VARIABLE 'WT' (BIRTH WEIGHT IN GRAMS) AND ITS VALUES. AT THE BOTTOM ARE THE COLUMN COUNTS AND PERCENTS. FOR EXAMPLE, THERE WERE 3425 LEGITIMATE WHITE BIRTHS THAT WEIGHED 2500 GMS OR LESS AND THESE CONSTITUTED 13.0 PERCENT OF THE 26350 LEGITIMATE WHITE BIRTHS.

THE BODY OF THE TABLE IS DIVIDED INTO CELLS, EACH CONTAINING THREE NUMBERS. THE FIRST NUMBER IS THE COUNT (E.G., THE NUMBER OF BIRTHS FOR THE SPECIFIED AGE AND BIRTH WEIGHT). THE SECOND NUMBER IS THE ROW PERCENT (E.G., THE PERCENTAGE OF THE SPECIFIED AGE GROUP THAT WERE OF A PARTICULAR BIRTH WEIGHT). THE THIRD NUMBER IS THE COLUMN PERCENT (E.G., THE PERCENTAGE OF THE SPECIFIED BIRTH WEIGHT GROUP THAT WERE BORN TO WOMEN OF A PARTICULAR AGE). TO ILLUSTRATE, IN THE UPPER LEFT CELL ARE THE NUMBERS 355, 14.2 AND 10.4. THIS MEANS THAT

- 355 LEGITIMATE WHITE BIRTHS TO WOMEN AGE 20 HAD A BIRTH WEIGHT OF 2500 GMS OR LESS.
- 14.2 PERCENT OF 2505 LEGITIMATE WHITE BIRTHS TO WOMEN AGE 20 HAD A BIRTH WEIGHT OF 2500 GMS OR LESS.
- 10.4 PERCENT OF 3425 LEGITIMATE WHITE BIRTHS WEIGHING 2500 GMS OR LESS WERE TO WOMEN AGE 20.

TABLE OF CONTENTS

LISTING OF CROSSTABULATIONS OF RESIDENT LIVE BIRTHS

TABLE		PAGE
1.	AGE OF MOTHER BY BIRTH ORDER BY MARITAL STATUS BY RACE (AGE/BTH ORDR/MS/RACE)	1
2.	AGE OF MOTHER BY BIRTH ORDER BY RACE (AGE/BTH ORDR/RACE)	12
3.	AGE OF MOTHER BY BIRTH WEIGHT BY RACE (AGE/BTH WT/RACE)	21
4.	EDUCATION OF MOTHER BY BIRTH ORDER BY RACE (ED/BTH ORDR/RACE)	30
5.	MONTH PRENATAL CARE BEGAN BY EDUCATION OF MOTHER BY RACE (MPCB/ED/RACE)	33
6.	MONTH PRENATAL CARE BEGAN BY AGE OF MOTHER BY RACE (MPCB/AGE/RACE)	39
7.	MONTH PRENATAL CARE BEGAN BY MARITAL STATUS BY RACE (MPCB/MS/RACE)	51
8.	MONTH PRENATAL CARE BEGAN BY BIRTH ORDER BY RACE (MPCB/BTH ORDR/RACE)	57
9.	MONTH PRENATAL CARE BEGAN BY BIRTH WEIGHT BY RACE (MPCB/BTH WT/RACE)	63
10.	NUMBER OF PRENATAL VISITS BY EDUCATION OF MOTHER BY RACE (PRENTL VSTS/ED/RACE)	69
11.	NUMBER OF PRENATAL VISITS BY AGE OF MOTHER BY RACE (PRENTL VSTS/AGE/RACE)	75
12.	NUMBER OF PRENATAL VISITS BY MARITAL STATUS BY RACE (PRENTL VSTS/MS/RACE)	87
13.	NUMBER OF PRENATAL VISITS BY BIRTH ORDER BY RACE (PRENTL VSTS/BTH ORDR/RACE)	93
14.	NUMBER OF PRENATAL VISITS BY BIRTH WEIGHT BY RACE (PRENTL VSTS/BTH WT/RACE)	99
15.	MONTH PRENATAL CARE BEGAN BY NUMBER OF PRENATAL VISITS BY RACE (MPCB/PRENTL VSTS/RACE)	105

16. PREVIOUS LIVE BORN NOW DEAD BY RACE
(PREV LB NOW DEAD/RACE) 117

17. PREVIOUS FETAL DEATHS BY RACE
(PREV FTL DTHS/RACE) 118

18. APGAR SCORE (5 MIN) BY AGE OF MOTHER BY RACE
(APGAR5/AGE/RACE) 120

19. APGAR SCORE (5 MIN) BY EDUCATION OF MOTHER BY RACE
(APGAR5/EDUC/RACE) 132

20. CONGENITAL MALFORMATION BY AGE OF MOTHER BY RACE *** IN STATE BABYBOOK ONLY ***
(MAL/AGE/RACE) 138

21. CONGENITAL MALFORMATION BY EDUCATION OF MOTHER BY RACE *** IN STATE BABYBOOK ONLY ***
(MAL/EDUC/RACE) 144

TABLE 1

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 1 MARRIED

RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
14		18										18
		100.0										.0
		.1										
15		130	12	1								143
		90.9	8.4	.7								.3
		.6	.1	.0								
16		349	46	1								396
		88.1	11.6	.3								.7
		1.6	.2	.0								
17		815	161	20	2							998
		81.7	16.1	2.0	.2							1.8
		3.7	.9	.2	.1							
18		1205	342	57	5	1						1610
		74.8	21.2	3.5	.3	.1						2.9
		5.4	1.8	.7	.2	.1						
19		1687	656	114	28	7	2					2494
		67.6	26.3	4.6	1.1	.3	.1					4.6
		7.6	3.5	1.3	.9	.6	.5					
20		1913	982	253	50	8	1				1	3208
		59.6	30.6	7.9	1.6	.2	.0				.0	5.9
		8.6	5.2	2.9	1.6	.7	.3				12.5	
21		1723	1199	348	103	15	3				1	3392
		50.8	35.3	10.3	3.0	.4	.1				.0	6.2
		7.8	6.4	4.0	3.3	1.3	.8				12.5	
22		1805	1221	433	100	30	5	3	1		1	3599
		50.2	33.9	12.0	2.8	.8	.1	.1	.0		.0	6.6
		8.1	6.5	5.0	3.2	2.5	1.3	1.7	1.5		12.5	
	COLUMN TOTAL	22206	18799	8688	3092	1195	395	177	67	86	8	54713
		40.6	34.4	15.9	5.7	2.2	.7	.3	.1	.2	.0	100.0

(CONTINUED)

TABLE 1

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 1 MARRIED

RACE VALUE.. 1 WHITE

AGE	BO COUNT ROW PCT COL PCT	1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	ROW TOTAL
	23	1690	1373	546	173	50	13	3				3848
		43.9	35.7	14.2	4.5	1.3	.3	.1				7.0
		7.6	7.3	6.3	5.6	4.2	3.3	1.7				
	24	1604	1408	579	176	64	15	2	1	2		3851
		41.7	36.6	15.0	4.6	1.7	.4	.1	.0	.1		7.0
		7.2	7.5	6.7	5.7	5.4	3.8	1.1	1.5	2.3		
	25	6530	6856	3128	1028	372	124	44	10	13	2	18107
25 - 29		36.1	37.9	17.3	5.7	2.1	.7	.2	.1	.1	.0	33.1
		29.4	36.5	36.0	33.2	31.1	31.4	24.9	14.9	15.1	25.0	
	26	2320	3726	2442	994	381	136	63	16	21	3	10102
30 - 34		23.0	36.9	24.2	9.8	3.8	1.3	.6	.2	.2	.0	18.5
		10.4	19.8	28.1	32.1	31.9	34.4	35.6	23.9	24.4	37.5	
	27	389	776	700	385	228	75	54	27	34		2668
35 - 39		14.6	29.1	26.2	14.4	8.5	2.8	2.0	1.0	1.3		4.9
		1.8	4.1	8.1	12.5	19.1	19.0	30.5	40.3	39.5		
	28	27	39	65	46	38	21	7	12	15		270
40 - 44		10.0	14.4	24.1	17.0	14.1	7.8	2.6	4.4	5.6		.5
		.1	.2	.7	1.5	3.2	5.3	4.0	17.9	17.4		
	29			1	2	1		1		1		6
45 AND OVER				16.7	33.3	16.7		16.7		16.7		.0
				.0	.1	.1		.6		1.2		
	30	1	2									3
NOT STATED		33.3	66.7									.0
		.0	.0									
	COLUMN TOTAL	22206	18799	8688	3092	1195	395	177	67	86	8	54713
		40.6	34.4	15.9	5.7	2.2	.7	.3	.1	.2	.0	100.0

TABLE 1

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 2 NOT MARRIED

RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
12		3										3
		100.0										.1
		.1										
13		5										5
		100.0										.1
		.2										
14		55	2									57
		96.5	3.5									1.2
		1.8	.2									
15		138	4	1								143
		96.5	2.8	.7								3.1
		4.6	.4	.2								
16		297	17	1								315
		94.3	5.4	.3								6.7
		9.8	1.8	.2								
17		458	48	5	1						1	513
		89.3	9.4	1.0	.2						.2	10.9
		15.2	5.0	1.2	.6						50.0	
18		393	74	7	2							476
		82.6	15.5	1.5	.4							10.2
		13.0	7.8	1.7	1.2							
19		429	95	24	4						1	553
		77.6	17.2	4.3	.7						.2	11.8
		14.2	10.0	5.7	2.5						50.0	
20		343	95	34	6	1	1					480
		71.5	19.8	7.1	1.3	.2	.2					10.2
		11.3	10.0	8.1	3.7	1.4	3.7					
COLUMN TOTAL		3023	953	421	162	74	27	15	6	2	2	4685
		64.5	20.3	9.0	3.5	1.6	.6	.3	.1	.0	.0	100.0

(CONTINUED)

TABLE 1

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 2 NOT MARRIED

RACE VALUE.. 1 WHITE

AGE	BO: 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL
21	243	104	51	8	4	1					411
	59.1	25.3	12.4	1.9	1.0	.2					8.8
	8.0	10.9	12.1	4.9	5.4	3.7					
22	157	93	29	10	6	2	1				298
	52.7	31.2	9.7	3.4	2.0	.7	.3				6.4
	5.2	9.8	6.9	6.2	8.1	7.4	6.7				
23	125	76	40	13	4	2					260
	48.1	29.2	15.4	5.0	1.5	.8					5.5
	4.1	8.0	9.5	8.0	5.4	7.4					
24	84	76	29	14	7						210
	40.0	36.2	13.8	6.7	3.3						4.5
	2.8	8.0	6.9	8.6	9.5						
25 - 29 25	201	178	121	67	24	11	2	2			606
	33.2	29.4	20.0	11.1	4.0	1.8	.3	.3			12.9
	6.6	18.7	28.7	41.4	32.4	40.7	13.3	33.3			
30 - 34 26	70	66	50	21	18	4	6	1	1		237
	29.5	27.8	21.1	8.9	7.6	1.7	2.5	.4	.4		5.1
	2.3	6.9	11.9	13.0	24.3	14.8	40.0	16.7	50.0		
35 - 39 27	21	23	26	15	10	3	4		1		103
	20.4	22.3	25.2	14.6	9.7	2.9	3.9		1.0		2.2
	.7	2.4	6.2	9.3	13.5	11.1	26.7		50.0		
40 - 44 28	1	2	3	1		3	2	2			14
	7.1	14.3	21.4	7.1		21.4	14.3	14.3			.3
	.0	.2	.7	.6		11.1	13.3	33.3			
45 AND OVER 29								1			1
								100.0			.0
								16.7			
COLUMN TOTAL	3023	953	421	162	74	27	15	6	2	2	4685
	64.5	20.3	9.0	3.5	1.6	.6	.3	.1	.0	.0	100.0

C R O S S T A B U L A T I O N O F

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..
STATUS MARITAL STATUS OF MOTHER VALUE.. 3 NOT STATED
RACE VALUE.. 1 WHITE

AGE	BO: COUNT / ROW PCT / COL PCT	2ND (2)	ROW TOTAL
30 - 34	26	1 100.0 100.0	1 100.0
COLUMN TOTAL		1 100.0	1 100.0

TABLE 1

CROSSTABULATION OF

AGE — AGE OF MOTHER — BY BO — BIRTH ORDER

CONTROLLING FOR..

STATUS — MARITAL STATUS OF MOTHER — VALUE.. 1 MARRIED

RACE — VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL
		1	2	3	4	5	6	7	8	9	10	
14		1	1									2
		50.0	50.0									.0
		.0	.0									
15		6										6
		100.0										.0
		.2										
16		22	9									31
		71.0	29.0									.2
		.7	.2									
17		55	22	12	2							91
		60.4	24.2	13.2	2.2							.7
		1.7	.5	.4	.1							
18		126	85	29	8	1						249
		50.6	34.1	11.6	3.2	.4						1.9
		4.0	2.0	1.0	.6	.1						
19		266	176	47	11	4						504
		52.8	34.9	9.3	2.2	.8						3.9
		8.5	4.1	1.7	.8	.6						
20		303	241	111	29		1					685
		44.2	35.2	16.2	4.2		.1					5.2
		9.6	5.6	4.0	2.0		.3					
21		318	316	146	51	15	6	1			1	854
		37.2	37.0	17.1	6.0	1.8	.7	.1			.1	6.5
		10.1	7.4	5.2	3.5	2.2	1.6	.6			16.7	
22		276	349	186	86	16	14	1			1	929
		29.7	37.6	20.0	9.3	1.7	1.5	.1			.1	7.1
		8.8	8.1	6.6	6.0	2.3	3.8	.6			16.7	
COLUMN TOTAL		3146	4290	2798	1444	692	366	156	81	100	6	13079
		24.1	32.8	21.4	11.0	5.3	2.8	1.2	.6	.8	.0	100.0

(CONTINUED)

TABLE 1

CROSSTABULATION OF

AGE — AGE OF MOTHER — BY BO — BIRTH ORDER

CONTROLLING FOR..

STATUS — MARITAL STATUS OF MOTHER — VALUE.. 1 MARRIED

RACE — VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL
		1	2	3	4	5	6	7	8	9	10	
25 - 29	23	280	403	206	82	33	8	1	1			1014
		27.6	39.7	20.3	8.1	3.3	.8	.1	.1			7.8
		8.9	9.4	7.4	5.7	4.8	2.2	.6	1.2			
	24	244	363	230	112	32	11	1				993
		24.6	36.6	23.2	11.3	3.2	1.1	.1				7.6
		7.8	8.5	8.2	7.8	4.6	3.0	.6				
	25	899	1483	1051	563	266	119	40	28	16	3	4468
		20.1	33.2	23.5	12.6	6.0	2.7	.9	.6	.4	.1	34.2
		28.6	34.6	37.6	39.0	38.4	32.5	25.6	34.6	16.0	50.0	
30 - 34	26	289	685	609	367	199	124	70	22	28		2393
		12.1	28.6	25.4	15.3	8.3	5.2	2.9	.9	1.2		18.3
		9.2	16.0	21.8	25.4	28.8	33.9	44.9	27.2	28.0		
35 - 39	27	59	149	146	111	96	63	33	26	38	1	722
		8.2	20.6	20.2	15.4	13.3	8.7	4.6	3.6	5.3	.1	5.5
		1.9	3.5	5.2	7.7	13.9	17.2	21.2	32.1	38.0	16.7	
40 - 44	28	2	8	24	21	30	17	8	2	14		126
		1.6	6.3	19.0	16.7	23.8	13.5	6.3	1.6	11.1		1.0
		.1	.2	.9	1.5	4.3	4.6	5.1	2.5	14.0		
45 AND OVER	29			1	1		3	1	2	4		12
				8.3	8.3		25.0	8.3	16.7	33.3		.1
				.0	.1		.8	.6	2.5	4.0		
	COLUMN TOTAL	3146	4290	2798	1444	692	366	156	81	100	6	13079
		24.1	32.8	21.4	11.0	5.3	2.8	1.2	.6	.8	.0	100.0

TABLE 1

C R O S S T A B U L A T I O N O F

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 2 NOT MARRIED

RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
11		1										1
		100.0										.0
		.0										
12		10										10
		100.0										.1
		.2										
13		73										73
		100.0										.5
		1.1										
14		193	10									203
		95.1	4.9									1.5
		3.0	.3									
15		409	42		1							452
		90.5	9.3		.2							3.3
		6.3	1.1		.1							
16		670	127	8	2						1	808
		82.9	15.7	1.0	.2						.1	6.0
		10.4	3.4	.4	.2						100.0	
17		878	247	39	3	2						1169
		75.1	21.1	3.3	.3	.2						8.7
		13.6	6.6	2.1	.4	.6						
18		958	368	77	13	1						1417
		67.6	26.0	5.4	.9	.1						10.5
		14.9	9.9	4.2	1.5	.3						
19		822	428	156	45	6	2					1459
		56.3	29.3	10.7	3.1	.4	.1					10.8
		12.8	11.5	8.5	5.3	1.7	1.3					
	COLUMN	6442	3731	1838	843	353	153	80	34	30	1	13505
(CONTINUED)	TOTAL	47.7	27.6	13.6	6.2	2.6	1.1	.6	.3	.2	.0	100.0

TABLE 1

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 2 NOT MARRIED

RACE VALUE.. 2 NONWHITE

AGE	COUNT / POW PCT / COL PCT	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL
		1	2	3	4	5	6	7	8	9	10	
	20	680	463	173	46	17	3	2				1384
		49.1	33.5	12.5	3.3	1.2	.2	.1				10.2
		10.6	12.4	9.4	5.5	4.8	2.0	2.5				
	21	466	386	210	72	17	6					1157
		40.3	33.4	18.2	6.2	1.5	.5					8.6
		7.2	10.3	11.4	8.5	4.8	3.9					
	22	327	335	187	76	24	9	2				960
		34.1	34.9	19.5	7.9	2.5	.9	.2				7.1
		5.1	9.0	10.2	9.0	6.8	5.9	2.5				
	23	244	257	170	80	35	9	4				799
		30.5	32.2	21.3	10.0	4.4	1.1	.5				5.9
		3.8	6.9	9.2	9.5	9.9	5.9	5.0				
	24	175	253	132	70	38	12	4	1			685
		25.5	36.9	19.3	10.2	5.5	1.8	.6	.1			5.1
		2.7	6.8	7.2	8.3	10.8	7.8	5.0	2.9			
	25	411	592	482	278	122	60	28	17	4		1994
25 - 29		20.6	29.7	24.2	13.9	6.1	3.0	1.4	.9	.2		14.8
		6.4	15.9	26.2	33.0	34.6	39.2	35.0	50.0	13.3		
	26	105	183	157	113	66	39	19	10	11		703
30 - 34		14.9	26.0	22.3	16.1	9.4	5.5	2.7	1.4	1.6		5.2
		1.6	4.9	8.5	13.4	18.7	25.5	23.8	29.4	36.7		
	27	18	36	46	38	22	10	16	5	11		202
35 - 39		8.9	17.8	22.8	18.8	10.9	5.0	7.9	2.5	5.4		1.5
		.3	1.0	2.5	4.5	6.2	6.5	20.0	14.7	36.7		
	28	2	3	1	6	3	3	5	1	4		28
40 - 44		7.1	10.7	3.6	21.4	10.7	10.7	17.9	3.6	14.3		.2
		.0	.1	.1	.7	.8	2.0	6.3	2.9	13.3		
	COLUMN	6442	3731	1838	843	353	153	80	34	30	1	13505
(CONTINUED)	TOTAL	47.7	27.6	13.6	6.2	2.6	1.1	.6	.3	.2	.0	100.0

TABLE 1

C R O S S T A B U L A T I O N O F

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 2 NOT MARRIED

RACE VALUE.. 2 NONWHITE

AGE	BO COUNT ROW PCT COL PCT	1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL
		1	2	3	4	5	6	7	8	9	10	
NOT STATED	30		1									1
			100.0									.0
			.0									
	COLUMN TOTAL	6442	3731	1838	843	353	153	80	34	30	1	13505
		47.7	27.6	13.6	6.2	2.6	1.1	.6	.3	.2	.0	100.0

C R O S S T A B U L A T I O N O F

AGE — AGE OF MOTHER, BY BO — BIRTH ORDER

CONTROLLING FOR..
STATUS — MARITAL STATUS OF MOTHER — VALUE.. 3 NOT STATED
RACE — VALUE.. 2 NONWHITE

BO: COUNT / ROW PCT / COL PCT

AGE	3RD (3)	NOT STATED (10)	ROW TOTAL
21	1 100.0 100.0		1 33.3
30 NOT STATED		2 100.0 100.0	2 66.7
COLUMN TOTAL	1 33.3	2 66.7	3 100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 2

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

RACE. VALUE = TOTAL

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
	11	1										1
		100.0										.0
		.0										
	12	13										13
		100.0										.0
		.0										
	13	78										78
		100.0										.1
		.2										
	14	267	13									280
		95.4	4.6									.3
		.8	.0									
	15	683	58	2	1							744
		91.8	7.8	.3	.1							.9
		2.0	.2	.0	.0							
	16	1338	199	10	2						1	1550
		86.3	12.8	.6	.1						.1	1.8
		3.8	.7	.1	.0						5.3	
	17	2206	478	76	8	2					1	2771
		79.6	17.3	2.7	.3	.1					.0	3.2
		6.3	1.7	.6	.1	.1					5.3	
	18	2682	869	170	28	3						3752
		71.5	23.2	4.5	.7	.1						4.4
		7.7	3.1	1.2	.5	.1						
	19	3204	1355	341	88	17	4				1	5010
		64.0	27.0	6.8	1.8	.3	.1				.0	5.8
		9.2	4.9	2.5	1.6	.7	.4				5.3	
	COLUMN TOTAL	34817	27774	13746	5541	2314	941	428	188	218	19	85986
(CONTINUED)		40.5	32.3	16.0	6.4	2.7	1.1	.5	.2	.3	.0	100.0

TABLE 2

CROSSTABULATION OF
AGE AGE OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR..
RACE. VALUE = TOTAL

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
	20	3239	1781	571	131	26	6	2			1	5757
		56.3	30.9	9.9	2.3	.5	.1	.0			.0	6.7
		9.3	6.4	4.2	2.4	1.1	.6	.5			5.3	
	21	2750	2005	756	234	51	16	1			2	5815
		47.3	34.5	13.0	4.0	.9	.3	.0			.0	6.8
		7.9	7.2	5.5	4.2	2.2	1.7	.2			10.5	
	22	2565	1998	835	272	76	30	7	1		2	5786
		44.3	34.5	14.4	4.7	1.3	.5	.1	.0		.0	6.7
		7.4	7.2	6.1	4.9	3.3	3.2	1.6	.5		10.5	
	23	2339	2109	962	348	122	32	8	1			5921
		39.5	35.6	16.2	5.9	2.1	.5	.1	.0			6.9
		6.7	7.6	7.0	6.3	5.3	3.4	1.9	.5			
	24	2107	2100	970	372	141	38	7	2	2		5739
		36.7	36.6	16.9	6.5	2.5	.7	.1	.0	.0		6.7
		6.1	7.6	7.1	6.7	6.1	4.0	1.6	1.1	.9		
	25	8041	9109	4782	1936	784	314	114	57	33	5	25175
25 - 29		31.9	36.2	19.0	7.7	3.1	1.2	.5	.2	.1	.0	29.3
		23.1	32.8	34.8	34.9	33.9	33.4	26.6	30.3	15.1	26.3	
	26	2784	4661	3258	1495	664	303	158	49	61	3	13436
30 - 34		20.7	34.7	24.2	11.1	4.9	2.3	1.2	.4	.5	.0	15.6
		8.0	16.8	23.7	27.0	28.7	32.2	36.9	26.1	28.0	15.8	
	27	487	984	918	549	356	151	107	58	84	1	3695
35 - 39		13.2	26.6	24.8	14.9	9.6	4.1	2.9	1.6	2.3	.0	4.3
		1.4	3.5	6.7	9.9	15.4	16.0	25.0	30.9	38.5	5.3	
	28	32	52	93	74	71	44	22	17	33		438
40 - 44		7.3	11.9	21.2	16.9	16.2	10.0	5.0	3.9	7.5		.5
		.1	.2	.7	1.3	3.1	4.7	5.1	9.0	15.1		
	COLUMN	34817	27774	13746	5541	2314	941	428	188	218	19	85986
(CONTINUED)	TOTAL	40.5	32.3	16.0	6.4	2.7	1.1	.5	.2	.3	.0	100.0

TABLE 2

CROSSTABULATION OF
AGE AGE OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR..
RACE. VALUE = TOTAL

AGE	BO COUNT ROW PCT COL PCT	1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	ROW TOTAL
45 AND OVER	29			2 10.5 .0	3 15.8 .1	1 5.3 .0	3 15.8 .3	2 10.5 .5	3 15.8 1.6	5 26.3 2.3		19 .0
NOT STATED	30	1 16.7 .0	3 50.0 .0								2 33.3 10.5	6 .0
	COLUMN TOTAL	34817 40.5	27774 32.3	13746 16.0	5541 6.4	2314 2.7	941 1.1	428 .5	188 .2	218 .3	19 .0	85986 100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 2

CROSSTABULATION OF

AGE — AGE OF MOTHER BY BO — BIRTH ORDER

CONTROLLING FOR..

RACE — VALUE.. 1 WHITE

AGE	BO: 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
12	3										3
	100.0										.0
	.0										
13	5										5
	100.0										.0
	.0										
14	73	2									75
	97.3	2.7									.1
	.3	.0									
15	268	16	2								286
	93.7	5.6	.7								.5
	1.1	.1	.0								
16	646	63	2								711
	90.9	8.9	.3								1.2
	2.6	.3	.0								
17	1273	209	25	3						1	1511
	84.2	13.8	1.7	.2						.1	2.5
	5.0	1.1	.3	.1						10.0	
18	1598	416	64	7	1						2086
	76.6	19.9	3.1	.3	.0						3.5
	6.3	2.1	.7	.2	.1						
19	2116	751	138	32	7	2				1	3047
	69.4	24.6	4.5	1.1	.2	.1				.0	5.1
	8.4	3.8	1.5	1.0	.6	.5				10.0	
20	2256	1077	287	56	9	2				1	3688
	61.2	29.2	7.8	1.5	.2	.1				.0	6.2
	8.9	5.5	3.2	1.7	.7	.5				10.0	
COLUMN TOTAL	25229	19753	9109	3254	1269	422	192	73	88	10	59399
	42.5	33.3	15.3	5.5	2.1	.7	.3	.1	.1	.0	100.0

(CONTINUED)

TABLE 2

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

AGE	BO: COUNT / ROW PCT / COL PCT	1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL
		1	2	3	4	5	6	7	8	9	10	
	21	1966	1303	399	111	19	4				1	3803
		51.7	34.3	10.5	2.9	.5	.1				.0	6.4
		7.8	6.6	4.4	3.4	1.5	.9				10.0	
	22	1962	1314	462	110	36	7	4	1		1	3897
		50.3	33.7	11.9	2.8	.9	.2	.1	.0		.0	6.6
		7.8	6.7	5.1	3.4	2.8	1.7	2.1	1.4		10.0	
	23	1815	1449	586	186	54	15	3				4108
		44.2	35.3	14.3	4.5	1.3	.4	.1				6.9
		7.2	7.3	6.4	5.7	4.3	3.6	1.6				
	24	1688	1484	608	190	71	15	2	1	2		4061
		41.6	36.5	15.0	4.7	1.7	.4	.0	.0	.0		6.8
		6.7	7.5	6.7	5.8	5.6	3.6	1.0	1.4	2.3		
	25	6731	7034	3249	1095	396	135	46	12	13	2	18713
25 - 29		36.0	37.6	17.4	5.9	2.1	.7	.2	.1	.1	.0	31.5
		26.7	35.6	35.7	33.7	31.2	32.0	24.0	16.4	14.8	20.0	
	26	2390	3793	2492	1015	399	140	69	17	22	3	10340
30 - 34		23.1	36.7	24.1	9.8	3.9	1.4	.7	.2	.2	.0	17.4
		9.5	19.2	27.4	31.2	31.4	33.2	35.9	23.3	25.0	30.0	
	27	410	799	726	400	238	78	58	27	35		2771
35 - 39		14.8	28.8	26.2	14.4	8.6	2.8	2.1	1.0	1.3		4.7
		1.6	4.0	8.0	12.3	18.8	18.5	30.2	37.0	39.8		
	28	28	41	68	47	38	24	9	14	15		284
40 - 44		9.9	14.4	23.9	16.5	13.4	8.5	3.2	4.9	5.3		.5
		.1	.2	.7	1.4	3.0	5.7	4.7	19.2	17.0		
	29			1	2	1		1	1	1		7
45 AND OVER				14.3	28.6	14.3		14.3	14.3	14.3		.0
				.0	.1	.1		.5	1.4	1.1		
	COLUMN TOTAL	25229	19753	9109	3254	1269	422	192	73	88	10	59399
(CONTINUED)		42.5	33.3	15.3	5.5	2.1	.7	.3	.1	.1	.0	100.0

TABLE 2

CROSSTABULATION OF AGE AGE OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
NOT STATED (30)		1	2									3
		33.3	66.7									.0
		.0	.0									
COLUMN TOTAL		25229	19753	9109	3254	1269	422	192	73	88	10	59399
		42.5	33.3	15.3	5.5	2.1	.7	.3	.1	.1	.0	100.0

TABLE 2

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
11		1										1
		100.0										.0
		.0										
12		10										10
		100.0										.0
		.1										
13		73										73
		100.0										.3
		.8										
14		194	11									205
		94.6	5.4									.8
		2.0	.1									
15		415	42		1							458
		90.6	9.2		.2							1.7
		4.3	.5		.0							
16		692	136	8	2						1	839
		82.5	16.2	1.0	.2						.1	3.2
		7.2	1.7	.2	.1						11.1	
17		933	269	51	5	2						1260
		74.0	21.3	4.0	.4	.2						4.7
		9.7	3.4	1.1	.2	.2						
18		1084	453	106	21	2						1666
		65.1	27.2	6.4	1.3	.1						6.3
		11.3	5.6	2.3	.9	.2						
19		1088	604	203	56	10	2					1963
		55.4	30.8	10.3	2.9	.5	.1					7.4
		11.3	7.5	4.4	2.4	1.0	.4					
	COLUMN	9588	8021	4637	2287	1045	519	236	115	130	9	26587
(CONTINUED)	TOTAL	36.1	30.2	17.4	8.6	3.9	2.0	.9	.4	.5	.0	100.0

TABLE 2

CROSSTABULATION OF

AGE — AGE OF MOTHER BY BO — BIRTH ORDER

CONTROLLING FOR..

RACE — VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
	20	983	704	284	75	17	4	2				2069
		47.5	34.0	13.7	3.6	.8	.2	.1				7.8
		10.3	8.8	6.1	3.3	1.6	.8	.8				
	21	784	702	357	123	32	12	1			1	2012
		39.0	34.9	17.7	6.1	1.6	.6	.0			.0	7.6
		8.2	8.8	7.7	5.4	3.1	2.3	.4			11.1	
	22	603	684	373	162	40	23	3			1	1889
		31.9	36.2	19.7	8.6	2.1	1.2	.2			.1	7.1
		6.3	8.5	8.0	7.1	3.8	4.4	1.3			11.1	
	23	524	660	376	162	68	17	5	1			1813
		28.9	36.4	20.7	8.9	3.8	.9	.3	.1			6.8
		5.5	8.2	8.1	7.1	6.5	3.3	2.1	.9			
	24	419	616	362	182	70	23	5	1			1678
		25.0	36.7	21.6	10.8	4.2	1.4	.3	.1			6.3
		4.4	7.7	7.8	8.0	6.7	4.4	2.1	.9			
	25	1310	2075	1533	841	388	179	68	45	20	3	6462
25 - 29		20.3	32.1	23.7	13.0	6.0	2.8	1.1	.7	.3	.0	24.3
		13.7	25.9	33.1	36.8	37.1	34.5	28.8	39.1	15.4	33.3	
	26	394	868	766	480	265	163	89	32	39		3096
30 - 34		12.7	28.0	24.7	15.5	8.6	5.3	2.9	1.0	1.3		11.6
		4.1	10.8	16.5	21.0	25.4	31.4	37.7	27.8	30.0		
	27	77	185	192	149	118	73	49	31	49	1	924
35 - 39		8.3	20.0	20.8	16.1	12.8	7.9	5.3	3.4	5.3	.1	3.5
		.8	2.3	4.1	6.5	11.3	14.1	20.8	27.0	37.7	11.1	
	28	4	11	25	27	33	20	13	3	18		154
40 - 44		2.6	7.1	16.2	17.5	21.4	13.0	8.4	1.9	11.7		.6
		.0	.1	.5	1.2	3.2	3.9	5.5	2.6	13.8		
	COLUMN	9588	8021	4637	2287	1045	519	236	115	130	9	26587
(CONTINUED)	TOTAL	36.1	30.2	17.4	8.6	3.9	2.0	.9	.4	.5	.0	100.0

TABLE 2

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

AGE	BO COUNT ROW PCT COL PCT	1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL
		1	2	3	4	5	6	7	8	9	10	
45 AND OVER	29			1 8.3 .0	1 8.3 .0		3 25.0 .6	1 8.3 .4	2 16.7 1.7	4 33.3 3.1		12 .0
NOT STATED	30		1 33.3 .0								2 66.7 22.2	3 .0
	COLUMN TOTAL	9588 36.1	8021 30.2	4637 17.4	2287 8.6	1045 3.9	519 2.0	236 .9	115 .4	130 .5	9 .0	26587 100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 3

CROSSTABULATION OF

AGE AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR..
RACE. VALUE = TOTAL

AGE	COUNT / ROW PCT / COL PCT	WT 0 UNDER 500 GMS	1 500 TO 999 GMS	2 1000 TO 1499 GMS	3 1500 TO 1999 GMS	4 2000 TO 2499 GMS	5 2500 TO 2999 GMS	6 3000 TO 3499 GMS	7 3500 TO 3999 GMS	8 4000 GMS AND OVER	9 NOT STATED	ROW TOTAL
11								1				1
								100.0				.0
								.0				
12				1		5	1	5	1			13
				7.7		38.5	7.7	38.5	7.7			.0
				.2		.1	.0	.0	.0			
13				1	4	4	26	29	12	2		78
				1.3	5.1	5.1	33.3	37.2	15.4	2.6		.1
				.2	.3	.1	.2	.1	.0	.0		
14			5	8	6	20	74	111	50	5	1	280
			1.8	2.9	2.1	7.1	26.4	39.6	17.9	1.8	.4	.3
			1.0	1.2	.4	.5	.5	.4	.2	.1	1.5	
15		2	13	5	19	42	161	296	168	38		744
		.3	1.7	.7	2.6	5.6	21.6	39.8	22.6	5.1		.9
		1.5	2.7	.8	1.4	1.0	1.1	.9	.7	.4		
16		2	15	22	37	120	355	594	323	80	2	1550
		.1	1.0	1.4	2.4	7.7	22.9	38.3	20.8	5.2	.1	1.8
		1.5	3.1	3.4	2.7	2.9	2.5	1.9	1.3	.9	2.9	
17		7	20	32	54	190	599	1099	625	144	1	2771
		.3	.7	1.2	1.9	6.9	21.6	39.7	22.6	5.2	.0	3.2
		5.3	4.1	5.0	4.0	4.6	4.2	3.5	2.6	1.7	1.5	
18		8	22	33	86	243	796	1484	854	221	5	3752
		.2	.6	.9	2.3	6.5	21.2	39.6	22.8	5.9	.1	4.4
		6.0	4.5	5.1	6.3	5.9	5.5	4.7	3.5	2.6	7.4	
19		5	26	35	88	276	1021	1931	1259	364	5	5010
		.1	.5	.7	1.8	5.5	20.4	38.5	25.1	7.3	.1	5.8
		3.8	5.3	5.4	6.5	6.7	7.1	6.1	5.2	4.2	7.4	
(CONTINUED)	COLUMN TOTAL	133	490	645	1358	4116	14422	31704	24409	8641	68	85986
		.2	.6	.8	1.6	4.8	16.8	36.9	28.4	10.0	.1	100.0

TABLE 3

CROSSTABULATION OF

AGE — AGE OF MOTHER — BY WT — BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..

RACE. — VALUE = — TOTAL

AGE	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
	20	22	34	52	97	302	1140	2227	1430	449	4	5757
		.4	.6	.9	1.7	5.2	19.8	38.7	24.8	7.8	.1	6.7
		16.5	6.9	8.1	7.1	7.3	7.9	7.0	5.9	5.2	5.9	
	21	10	38	39	106	296	1063	2248	1512	500	3	5815
		.2	.7	.7	1.8	5.1	18.3	38.7	26.0	8.6	.1	6.8
		7.5	7.8	6.0	7.8	7.2	7.4	7.1	6.2	5.8	4.4	
	22	10	28	35	83	252	1044	2184	1598	543	9	5786
		.2	.5	.6	1.4	4.4	18.0	37.7	27.6	9.4	.2	6.7
		7.5	5.7	5.4	6.1	6.1	7.2	6.9	6.5	6.3	13.2	
	23	10	39	25	87	272	979	2249	1713	543	4	5921
		.2	.7	.4	1.5	4.6	16.5	38.0	28.9	9.2	.1	6.9
		7.5	8.0	3.9	6.4	6.6	6.8	7.1	7.0	6.3	5.9	
	24	5	36	39	112	251	931	2088	1690	583	4	5739
		.1	.6	.7	2.0	4.4	16.2	36.4	29.4	10.2	.1	6.7
		3.8	7.3	6.0	8.2	6.1	6.5	6.6	6.9	6.7	5.9	
	25	29	129	185	334	1044	3858	9150	7624	2806	16	25175
25 - 29		.1	.5	.7	1.3	4.1	15.3	36.3	30.3	11.1	.1	29.3
		21.8	26.3	28.7	24.6	25.4	26.8	28.9	31.2	32.5	23.5	
	26	20	63	94	187	603	1794	4597	4298	1773	7	13436
30 - 34		.1	.5	.7	1.4	4.5	13.4	34.2	32.0	13.2	.1	15.6
		15.0	12.9	14.6	13.8	14.7	12.4	14.5	17.6	20.5	10.3	
	27	3	19	32	48	165	514	1256	1120	533	5	3695
35 - 39		.1	.5	.9	1.3	4.5	13.9	34.0	30.3	14.4	.1	4.3
		2.3	3.9	5.0	3.5	4.0	3.6	4.0	4.6	6.2	7.4	
	28		3	7	10	29	64	148	122	55		438
40 - 44			.7	1.6	2.3	6.6	14.6	33.8	27.9	12.6		.5
			.6	1.1	.7	.7	.4	.5	.5	.6		
	COLUMN	133	490	645	1358	4116	14422	31704	24409	8641	68	85986
(CONTINUED)	TOTAL	.2	.6	.8	1.6	4.8	16.8	36.9	28.4	10.0	.1	100.0

TABLE 3

CROSSTABULATION OF

AGE AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR..
RACE. VALUE = TOTAL

AGE	WT COUNT ROW PCT COL PCT	UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
45 AND OVER	29					2	2	4	9	2		19
						10.5	10.5	21.1	47.4	10.5		.0
						.0	.0	.0	.0	.0		
NOT STATED	30							3	1		2	6
								50.0	16.7		33.3	.0
								.0	.0		2.9	
	COLUMN TOTAL	133 .2	490 .6	645 .8	1358 1.6	4116 4.8	14422 16.8	31704 36.9	24409 28.4	8641 10.0	68 .1	85986 100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 3

CROSSTABULATION OF

AGE AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
12						2		1				3
						66.7		33.3				.0
						.1		.0				
13								2	3			5
								40.0	60.0			.0
								.0	.0			
14			1	2		2	20	32	14	3	1	75
			1.3	2.7		2.7	26.7	42.7	18.7	4.0	1.3	.1
			.5	.6		.1	.2	.1	.1	.0	2.7	
15		2	3	2	3	9	49	107	88	23		286
		.7	1.0	.7	1.0	3.1	17.1	37.4	30.8	8.0		.5
		3.8	1.4	.6	.4	.4	.6	.5	.5	.3		
16			4	7	20	40	135	262	183	59	1	711
			.6	1.0	2.8	5.6	19.0	36.8	25.7	8.3	.1	1.2
			1.8	2.2	2.6	1.8	1.6	1.2	1.0	.8	2.7	
17		3	9	12	22	93	244	592	427	109		1511
		.2	.6	.8	1.5	6.2	16.1	39.2	28.3	7.2		2.5
		5.8	4.1	3.8	2.9	4.1	2.9	2.8	2.3	1.5		
18		2	7	12	42	113	352	814	571	168	5	2086
		.1	.3	.6	2.0	5.4	16.9	39.0	27.4	8.1	.2	3.5
		3.8	3.2	3.8	5.5	4.9	4.2	3.8	3.0	2.3	13.5	
19			14	18	40	137	500	1166	877	293	2	3047
			.5	.6	1.3	4.5	16.4	38.3	28.8	9.6	.1	5.1
			6.3	5.7	5.3	6.0	6.0	5.5	4.7	4.1	5.4	
20		9	13	23	49	148	615	1409	1047	373	2	3688
		.2	.4	.6	1.3	4.0	16.7	38.2	28.4	10.1	.1	6.2
		17.3	5.9	7.3	6.5	6.5	7.4	6.6	5.6	5.2	5.4	
	COLUMN	52	221	317	757	2283	8304	21358	18843	7227	37	59399
(CONTINUED)	TOTAL	.1	.4	.5	1.3	3.8	14.0	36.0	31.7	12.2	.1	100.0

TABLE 3

CROSSTABULATION OF

AGE — AGE OF MOTHER BY WT — BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE — VALUE.. 1 WHITE

AGE	WT / COUNT / ROW PCT / COL PCT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
21	COUNT	6	17	22	56	160	580	1423	1115	424		3803
	ROW PCT	.2	.4	.6	1.5	4.2	15.3	37.4	29.3	11.1		6.4
	COL PCT	11.5	7.7	6.9	7.4	7.0	7.0	6.7	5.9	5.9		
22	COUNT	1	17	18	45	139	580	1444	1207	441	5	3897
	ROW PCT	.0	.4	.5	1.2	3.6	14.9	37.1	31.0	11.3	.1	6.6
	COL PCT	1.9	7.7	5.7	5.9	6.1	7.0	6.8	6.4	6.1	13.5	
23	COUNT	4	15	12	44	153	604	1506	1314	454	2	4108
	ROW PCT	.1	.4	.3	1.1	3.7	14.7	36.7	32.0	11.1	.0	6.9
	COL PCT	7.7	6.8	3.8	5.8	6.7	7.3	7.1	7.0	6.3	5.4	
24	COUNT	4	12	19	70	142	561	1431	1329	489	4	4061
	ROW PCT	.1	.3	.5	1.7	3.5	13.8	35.2	32.7	12.0	.1	6.8
	COL PCT	7.7	5.4	6.0	9.2	6.2	6.8	6.7	7.1	6.8	10.8	
25 - 29	COUNT	13	69	95	207	620	2461	6671	6162	2407	8	18713
	ROW PCT	.1	.4	.5	1.1	3.3	13.2	35.6	32.9	12.9	.0	31.5
	COL PCT	25.0	31.2	30.0	27.3	27.2	29.6	31.2	32.7	33.3	21.6	
30 - 34	COUNT	5	27	58	123	400	1199	3458	3550	1515	5	10340
	ROW PCT	.0	.3	.6	1.2	3.9	11.6	33.4	34.3	14.7	.0	17.4
	COL PCT	9.6	12.2	18.3	16.2	17.5	14.4	16.2	18.8	21.0	13.5	
35 - 39	COUNT	3	12	15	31	107	370	930	871	430	2	2771
	ROW PCT	.1	.4	.5	1.1	3.9	13.4	33.6	31.4	15.5	.1	4.7
	COL PCT	5.8	5.4	4.7	4.1	4.7	4.5	4.4	4.6	5.9	5.4	
40 - 44	COUNT		1	2	5	17	34	106	81	38		284
	ROW PCT		.4	.7	1.8	6.0	12.0	37.3	28.5	13.4		.5
	COL PCT		.5	.6	.7	.7	.4	.5	.4	.5		
45 AND OVER	COUNT					1		2	3	1		7
	ROW PCT					14.3		28.6	42.9	14.3		.0
	COL PCT					.0		.0	.0	.0		
(CONTINUED)	COLUMN TOTAL	52	221	317	757	2283	8304	21358	18843	7227	37	59399
		.1	.4	.5	1.3	3.8	14.0	36.0	31.7	12.2	.1	100.0

TABLE 3

CROSSTABULATION OF

AGE AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	WT: UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
NOT STATED	30							2	1			3
								66.7	33.3			.0
								.0	.0			
	COLUMN TOTAL	52	221	317	757	2283	8304	21358	18843	7227	37	59399
		.1	.4	.5	1.3	3.8	14.0	36.0	31.7	12.2	.1	100.0

TABLE 3

CROSSTABULATION OF

AGE AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
11								1				1
								100.0				.0
								.0				
12				1		3	1	4	1			10
				10.0		30.0	10.0	40.0	10.0			.0
				.3		.2	.0	.0	.0			
13				1	4	4	26	27	9	2		73
				1.4	5.5	5.5	35.6	37.0	12.3	2.7		.3
				.3	.7	.2	.4	.3	.2	.1		
14			4	6	6	18	54	79	36	2		205
			2.0	2.9	2.9	8.8	26.3	38.5	17.6	1.0		.8
			1.5	1.8	1.0	1.0	.9	.8	.6	.1		
15			10	3	16	33	112	189	80	15		458
			2.2	.7	3.5	7.2	24.5	41.3	17.5	3.3		1.7
			3.7	.9	2.7	1.8	1.8	1.8	1.4	1.1		
16		2	11	15	17	80	220	332	140	21	1	839
		.2	1.3	1.8	2.0	9.5	26.2	39.6	16.7	2.5	.1	3.2
		2.5	4.1	4.6	2.8	4.4	3.6	3.2	2.5	1.5	3.2	
17		4	11	20	32	97	355	507	198	35	1	1260
		.3	.9	1.6	2.5	7.7	28.2	40.2	15.7	2.8	.1	4.7
		4.9	4.1	6.1	5.3	5.3	5.8	4.9	3.6	2.5	3.2	
18		6	15	21	44	130	444	670	283	53		1666
		.4	.9	1.3	2.6	7.8	26.7	40.2	17.0	3.2		6.3
		7.4	5.6	6.4	7.3	7.1	7.3	6.5	5.1	3.7		
19		5	12	17	48	139	521	765	382	71	3	1963
		.3	.6	.9	2.4	7.1	26.5	39.0	19.5	3.6	.2	7.4
		6.2	4.5	5.2	8.0	7.6	8.5	7.4	6.9	5.0	9.7	
(CONTINUED)	COLUMN TOTAL	81	269	328	601	1833	6118	10346	5566	1414	31	26587
		.3	1.0	1.2	2.3	6.9	23.0	38.9	20.9	5.3	.1	100.0

TABLE 3

CROSSTABULATION OF

AGE — AGE OF MOTHER BY WT — BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..

RACE — VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	0 UNDER 500 GMS	1 500 TO 999 GMS	2 1000 TO 1499 GMS	3 1500 TO 1999 GMS	4 2000 TO 2499 GMS	5 2500 TO 2999 GMS	6 3000 TO 3499 GMS	7 3500 TO 3999 GMS	8 4000 GMS AND OVER	9 NOT STATED	ROW TOTAL
	20	13	21	29	48	154	525	818	383	76	2	2069
		.6	1.0	1.4	2.3	7.4	25.4	39.5	18.5	3.7	.1	7.8
		16.0	7.8	8.8	8.0	8.4	8.6	7.9	6.9	5.4	6.5	
	21	4	21	17	50	136	483	825	397	76	3	2012
		.2	1.0	.8	2.5	6.8	24.0	41.0	19.7	3.8	.1	7.6
		4.9	7.8	5.2	8.3	7.4	7.9	8.0	7.1	5.4	9.7	
	22	9	11	17	38	113	464	740	391	102	4	1889
		.5	.6	.9	2.0	6.0	24.6	39.2	20.7	5.4	.2	7.1
		11.1	4.1	5.2	6.3	6.2	7.6	7.2	7.0	7.2	12.9	
	23	6	24	13	43	119	375	743	399	89	2	1813
		.3	1.3	.7	2.4	6.6	20.7	41.0	22.0	4.9	.1	6.8
		7.4	8.9	4.0	7.2	6.5	6.1	7.2	7.2	6.3	6.5	
	24	1	24	20	42	109	370	657	361	94		1678
		.1	1.4	1.2	2.5	6.5	22.1	39.2	21.5	5.6		6.3
		1.2	8.9	6.1	7.0	5.9	6.0	6.4	6.5	6.6		
	25	16	60	90	127	424	1397	2479	1462	399	8	6462
25 - 29		.2	.9	1.4	2.0	6.6	21.6	38.4	22.6	6.2	.1	24.3
		19.8	22.3	27.4	21.1	23.1	22.8	24.0	26.3	28.2	25.8	
	26	15	36	36	64	203	595	1139	748	258	2	3096
30 - 34		.5	1.2	1.2	2.1	6.6	19.2	36.8	24.2	8.3	.1	11.6
		18.5	13.4	11.0	10.6	11.1	9.7	11.0	13.4	18.2	6.5	
	27		7	17	17	58	144	326	249	103	3	924
35 - 39			.8	1.8	1.8	6.3	15.6	35.3	26.9	11.1	.3	3.5
			2.6	5.2	2.8	3.2	2.4	3.2	4.5	7.3	9.7	
	28		2	5	5	12	30	42	41	17		154
40 - 44			1.3	3.2	3.2	7.8	19.5	27.3	26.6	11.0		.6
			.7	1.5	.8	.7	.5	.4	.7	1.2		
(CONTINUED)	COLUMN TOTAL	81	269	328	601	1833	6118	10346	5566	1414	31	26587
		.3	1.0	1.2	2.3	6.9	23.0	38.9	20.9	5.3	.1	100.0

TABLE 3

C R O S S T A B U L A T I O N O F

AGE AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

AGE	WT COUNT ROW PCT COL PCT	UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
45 AND OVER	29					1	2	2	6	1		12
						8.3	16.7	16.7	50.0	8.3		.0
						.1	.0	.0	.1	.1		
NOT STATED	30							1			2	3
								33.3			66.7	.0
								.0			6.5	
	COLUMN TOTAL	81 .3	269 1.0	328 1.2	601 2.3	1833 6.9	6118 23.0	10346 38.9	5566 20.9	1414 5.3	31 .1	26587 100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 4

CROSSTABULATION OF

EDUC EDUCATION OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..
RACE. VALUE = TOTAL

EDUC	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL
1 NONE OR ELEM.	1267	707	478	272	159	88	36	19	50		3076
	41.2	23.0	15.5	8.8	5.2	2.9	1.2	.6	1.6		3.6
	3.6	2.5	3.5	4.9	6.9	9.4	8.4	10.1	22.9		
2 H.S. 1-3 YEARS	7366	5227	2971	1438	693	313	165	71	77	1	18322
	40.2	28.5	16.2	7.8	3.8	1.7	.9	.4	.4	.0	21.3
	21.2	18.8	21.6	26.0	29.9	33.3	38.6	37.8	35.3	5.3	
3 H.S. 4 YEARS	13930	11982	5783	2326	871	333	147	71	56	1	35500
	39.2	33.8	16.3	6.6	2.5	.9	.4	.2	.2	.0	41.3
	40.0	43.1	42.1	42.0	37.6	35.4	34.3	37.8	25.7	5.3	
4 COL.1-3 YEARS	6600	5290	2524	870	375	124	58	18	21	1	15881
	41.6	33.3	15.9	5.5	2.4	.8	.4	.1	.1	.0	18.5
	19.0	19.0	18.4	15.7	16.2	13.2	13.6	9.6	9.6	5.3	
5 COL. 4+ YEARS	5609	4546	1984	634	212	79	22	8	13	1	13108
	42.8	34.7	15.1	4.8	1.6	.6	.2	.1	.1	.0	15.2
	16.1	16.4	14.4	11.4	9.2	8.4	5.1	4.3	6.0	5.3	
6 NOT STATED	45	22	6	1	4	4		1	1	15	99
	45.5	22.2	6.1	1.0	4.0	4.0		1.0	1.0	15.2	.1
	.1	.1	.0	.0	.2	.4		.5	.5	78.9	
COLUMN TOTAL	34817	27774	13746	5541	2314	941	428	188	218	19	85986
	40.5	32.3	16.0	6.4	2.7	1.1	.5	.2	.3	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 4

CROSSTABULATION OF

EDUC EDUCATION OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

EDUC	BO: 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL
1 NONE OR ELEM.	696	492	331	178	102	47	17	10	23		1896
	36.7	25.9	17.5	9.4	5.4	2.5	.9	.5	1.2		3.2
	2.8	2.5	3.6	5.5	8.0	11.1	8.9	13.7	26.1		
2 H.S. 1-3 YEARS	4606	3352	1720	719	305	102	51	12	21	1	10889
	42.3	30.8	15.8	6.6	2.8	.9	.5	.1	.2	.0	18.3
	18.3	17.0	18.9	22.1	24.0	24.2	26.6	16.4	23.9	10.0	
3 H.S. 4 YEARS	10056	8114	3526	1257	436	137	69	30	19	1	23645
	42.5	34.3	14.9	5.3	1.8	.6	.3	.1	.1	.0	39.8
	39.9	41.1	38.7	38.6	34.4	32.5	35.9	41.1	21.6	10.0	
4 COL.1-3 YEARS	5040	3961	1850	570	253	80	38	13	13	1	11819
	42.6	33.5	15.7	4.8	2.1	.7	.3	.1	.1	.0	19.9
	20.0	20.1	20.3	17.5	19.9	19.0	19.8	17.8	14.8	10.0	
5 COL. 4+ YEARS	4814	3820	1681	529	171	54	17	8	11	1	11106
	43.3	34.4	15.1	4.8	1.5	.5	.2	.1	.1	.0	18.7
	19.1	19.3	18.5	16.3	13.5	12.8	8.9	11.0	12.5	10.0	
6 NOT STATED	17	14	1	1	2	2			1	6	44
	38.6	31.8	2.3	2.3	4.5	4.5			2.3	13.6	.1
	.1	.1	.0	.0	.2	.5			1.1	60.0	
COLUMN TOTAL	25229	19753	9109	3254	1269	422	192	73	88	10	59399
	42.5	33.3	15.3	5.5	2.1	.7	.3	.1	.1	.0	100.0

TABLE 4

CROSSTABULATION OF

EDUC EDUCATION OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

EDUC	BO: 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL
1 NONE OR ELEM.	571	215	147	94	57	41	19	9	27		1180
	48.4	18.2	12.5	8.0	4.8	3.5	1.6	.8	2.3		4.4
	6.0	2.7	3.2	4.1	5.5	7.9	8.1	7.8	20.8		
2 H.S. 1-3 YEARS	2760	1875	1251	719	388	211	114	59	56		7433
	37.1	25.2	16.8	9.7	5.2	2.8	1.5	.8	.8		28.0
	28.8	23.4	27.0	31.4	37.1	40.7	48.3	51.3	43.1		
3 H.S. 4 YEARS	3874	3868	2257	1069	435	196	78	41	37		11855
	32.7	32.6	19.0	9.0	3.7	1.7	.7	.3	.3		44.6
	40.4	48.2	48.7	46.7	41.6	37.8	33.1	35.7	28.5		
4 COL.1-3 YEARS	1560	1329	674	300	122	44	20	5	8		4062
	38.4	32.7	16.6	7.4	3.0	1.1	.5	.1	.2		15.3
	16.3	16.6	14.5	13.1	11.7	8.5	8.5	4.3	6.2		
5 COL. 4+ YEARS	795	726	303	105	41	25	5		2		2002
	39.7	36.3	15.1	5.2	2.0	1.2	.2		.1		7.5
	8.3	9.1	6.5	4.6	3.9	4.8	2.1		1.5		
6 NOT STATED	28	8	5		2	2		1		9	55
	50.9	14.5	9.1		3.6	3.6		1.8		16.4	.2
	.3	.1	.1		.2	.4		.9		100.0	
COLUMN TOTAL	9588	8021	4637	2287	1045	519	236	115	130	9	26587
	36.1	30.2	17.4	8.6	3.9	2.0	.9	.4	.5	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 5

C R O S S T A B U L A T I O N O F

MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	ROW TOTAL
NONE	0	77	399	325	79	11	3	894
		8.6	44.6	36.4	8.8	1.2	.3	1.0
		2.5	2.2	.9	.5	.1	3.0	
FIRST MONTH	1	213	1349	4097	2564	2844	9	11076
		1.9	12.2	37.0	23.1	25.7	.1	12.9
		6.9	7.4	11.5	16.1	21.7	9.1	
SECOND MONTH	2	812	5556	15356	7952	7526	21	37223
		2.2	14.9	41.3	21.4	20.2	.1	43.3
		26.4	30.3	43.3	50.1	57.4	21.2	
THIRD MONTH	3	753	4492	8374	3194	2041	20	18874
		4.0	23.8	44.4	16.9	10.8	.1	22.0
		24.5	24.5	23.6	20.1	15.6	20.2	
FOURTH MONTH	4	450	2695	3579	1138	436	10	8308
		5.4	32.4	43.1	13.7	5.2	.1	9.7
		14.6	14.7	10.1	7.2	3.3	10.1	
FIFTH MONTH	5	314	1785	1886	490	131	9	4615
		6.8	38.7	40.9	10.6	2.8	.2	5.4
		10.2	9.7	5.3	3.1	1.0	9.1	
SIXTH MONTH	6	214	978	971	227	68	5	2463
		8.7	39.7	39.4	9.2	2.8	.2	2.9
		7.0	5.3	2.7	1.4	.5	5.1	
SEVENTH MONTH	7	135	633	568	138	33	3	1510
		8.9	41.9	37.6	9.1	2.2	.2	1.8
		4.4	3.5	1.6	.9	.3	3.0	
EIGHTH MONTH	8	71	293	240	67	12	2	685
		10.4	42.8	35.0	9.8	1.8	.3	.8
		2.3	1.6	.7	.4	.1	2.0	
(CONTINUED)	COLUMN TOTAL	3076	18322	35500	15881	13108	99	85986
		3.6	21.3	41.3	18.5	15.2	.1	100.0

TABLE 5

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	EDUC COUNT ROW PCT COL PCT	NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	ROW TOTAL
NINTH MONTH	9	25 10.8 .8	108 46.6 .6	79 34.1 .2	18 7.8 .1	2 .9 .0		232 .3
NOT STATED	10	12 11.3 .4	34 32.1 .2	25 23.6 .1	14 13.2 .1	4 3.8 .0	17 16.0 17.2	106 .1
	COLUMN TOTAL	3076 3.6	18322 21.3	35500 41.3	15881 18.5	13108 15.2	99 .1	85986 100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 5

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	ROW TOTAL
NONE	0	38	145	133	43	6	3	368
		10.3	39.4	36.1	11.7	1.6	.8	.6
		2.0	1.3	.6	.4	.1	6.8	
FIRST MONTH	1	138	865	2987	2052	2492	3	8537
		1.6	10.1	35.0	24.0	29.2	.0	14.4
		7.3	7.9	12.6	17.4	22.4	6.8	
SECOND MONTH	2	560	3858	11447	6362	6523	12	28762
		1.9	13.4	39.8	22.1	22.7	.0	48.4
		29.5	35.4	48.4	53.8	58.7	27.3	
THIRD MONTH	3	504	2755	5399	2243	1632	7	12540
		4.0	22.0	43.1	17.9	13.0	.1	21.1
		26.6	25.3	22.8	19.0	14.7	15.9	
FOURTH MONTH	4	281	1510	1972	672	310	3	4748
		5.9	31.8	41.5	14.2	6.5	.1	8.0
		14.8	13.9	8.3	5.7	2.8	6.8	
FIFTH MONTH	5	153	860	872	228	70	2	2185
		7.0	39.4	39.9	10.4	3.2	.1	3.7
		8.1	7.9	3.7	1.9	.6	4.5	
SIXTH MONTH	6	103	418	430	104	41	3	1099
		9.4	38.0	39.1	9.5	3.7	.3	1.9
		5.4	3.8	1.8	.9	.4	6.8	
SEVENTH MONTH	7	66	292	249	62	20	3	692
		9.5	42.2	36.0	9.0	2.9	.4	1.2
		3.5	2.7	1.1	.5	.2	6.8	
EIGHTH MONTH	8	33	119	103	32	7		294
		11.2	40.5	35.0	10.9	2.4		.5
		1.7	1.1	.4	.3	.1		
(CONTINUED)	COLUMN TOTAL	1896	10889	23645	11819	11106	44	59399
		3.2	18.3	39.8	19.9	18.7	.1	100.0

TABLE 5

C R O S S T A B U L A T I O N O F

MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9 NINTH MONTH		12	47	40	12	2		113
		10.6	41.6	35.4	10.6	1.8		.2
		.6	.4	.2	.1	.0		
10 NOT STATED		8	20	13	9	3	8	61
		13.1	32.8	21.3	14.8	4.9	13.1	.1
		.4	.2	.1	.1	.0	18.2	
	COLUMN TOTAL	1896	10889	23645	11819	11106	44	59399
		3.2	18.3	39.8	19.9	18.7	.1	100.0

TABLE 5

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	ROW TOTAL
NONE	0	39	254	192	36	5		526
		7.4	48.3	36.5	6.8	1.0		2.0
		3.3	3.4	1.6	.9	.2		
FIRST MONTH	1	75	484	1110	512	352	6	2539
		3.0	19.1	43.7	20.2	13.9	.2	9.5
		6.4	6.5	9.4	12.6	17.6	10.9	
SECOND MONTH	2	252	1698	3909	1590	1003	9	8461
		3.0	20.1	46.2	18.8	11.9	.1	31.8
		21.4	22.8	33.0	39.1	50.1	16.4	
THIRD MONTH	3	249	1737	2975	951	409	13	6334
		3.9	27.4	47.0	15.0	6.5	.2	23.8
		21.1	23.4	25.1	23.4	20.4	23.6	
FOURTH MONTH	4	169	1185	1607	466	126	7	3560
		4.7	33.3	45.1	13.1	3.5	.2	13.4
		14.3	15.9	13.6	11.5	6.3	12.7	
FIFTH MONTH	5	161	925	1014	262	61	7	2430
		6.6	38.1	41.7	10.8	2.5	.3	9.1
		13.6	12.4	8.6	6.5	3.0	12.7	
SIXTH MONTH	6	111	560	541	123	27	2	1364
		8.1	41.1	39.7	9.0	2.0	.1	5.1
		9.4	7.5	4.6	3.0	1.3	3.6	
SEVENTH MONTH	7	69	341	319	76	13		818
		8.4	41.7	39.0	9.3	1.6		3.1
		5.8	4.6	2.7	1.9	.6		
EIGHTH MONTH	8	38	174	137	35	5	2	391
		9.7	44.5	35.0	9.0	1.3	.5	1.5
		3.2	2.3	1.2	.9	.2	3.6	
(CONTINUED)	COLUMN TOTAL	1180	7433	11855	4062	2002	55	26587
		4.4	28.0	44.6	15.3	7.5	.2	100.0

TABLE 5

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	ROW TOTAL
9 NINTH MONTH	13	61	39	6			119
	10.9	51.3	32.8	5.0			.4
	1.1	.8	.3	.1			
10 NOT STATED	4	14	12	5	1	9	45
	8.9	31.1	26.7	11.1	2.2	20.0	.2
	.3	.2	.1	.1	.0	16.4	
COLUMN TOTAL	1180	7433	11855	4062	2002	55	26587
	4.4	28.0	44.6	15.3	7.5	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 6

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE.

VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
NONE	0		1	7	10	17	45	71	94	85	93	894
			.1	.8	1.1	1.9	5.0	7.9	10.5	9.5	10.4	1.0
			7.7	9.0	3.6	2.3	2.9	2.6	2.5	1.7	1.6	
FIRST MONTH	1		1	3	11	31	95	141	217	385	514	11076
			.0	.0	.1	.3	.9	1.3	2.0	3.5	4.6	12.9
			7.7	3.8	3.9	4.2	6.1	5.1	5.8	7.7	8.9	
SECOND MONTH	2		1	10	50	146	290	632	1072	1525	1912	37223
			.0	.0	.1	.4	.8	1.7	2.9	4.1	5.1	43.3
			7.7	12.8	17.9	19.6	18.7	22.8	28.6	30.4	33.2	
THIRD MONTH	3			12	49	164	380	676	918	1280	1537	18874
				.1	.3	.9	2.0	3.6	4.9	6.8	8.1	22.0
				15.4	17.5	22.0	24.5	24.4	24.5	25.5	26.7	
FOURTH MONTH	4		2	13	37	139	267	489	611	740	745	8308
			.0	.2	.4	1.7	3.2	5.9	7.4	8.9	9.0	9.7
			15.4	16.7	13.2	18.7	17.2	17.6	16.3	14.8	12.9	
FIFTH MONTH	5	1	2	8	54	115	221	349	393	503	453	4615
		.0	.0	.2	1.2	2.5	4.8	7.6	8.5	10.9	9.8	5.4
		100.0	15.4	10.3	19.3	15.5	14.3	12.6	10.5	10.0	7.9	
SIXTH MONTH	6		3	14	25	71	136	213	220	248	228	2463
			.1	.6	1.0	2.9	5.5	8.6	8.9	10.1	9.3	2.9
			23.1	17.9	8.9	9.5	8.8	7.7	5.9	5.0	4.0	
SEVENTH MONTH	7		1	7	21	38	69	120	132	148	175	1510
			.1	.5	1.4	2.5	4.6	7.9	8.7	9.8	11.6	1.8
			7.7	9.0	7.5	5.1	4.5	4.3	3.5	3.0	3.0	
EIGHTH MONTH	8		2	1	19	20	35	49	65	71	60	685
			.3	.1	2.8	2.9	5.1	7.2	9.5	10.4	8.8	.8
			15.4	1.3	6.8	2.7	2.3	1.8	1.7	1.4	1.0	
(CONTINUED)	COLUMN TOTAL	1	13	78	280	744	1550	2771	3752	5010	5757	85986
		.0	.0	.1	.3	.9	1.8	3.2	4.4	5.8	6.7	100.0

TABLE 6

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	AGE 21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	29	30	ROW TOTAL
NONE	0	85	49	72	40	135	54	27	7	2				894
		9.5	5.5	8.1	4.5	15.1	6.0	3.0	.8	.2				1.0
		1.5	.8	1.2	.7	.5	.4	.7	1.6	10.5				
FIRST MONTH	1	530	624	711	725	3992	2402	638	54	1	1			11076
		4.8	5.6	6.4	6.5	36.0	21.7	5.8	.5	.0	.0			12.9
		9.1	10.8	12.0	12.6	15.9	17.9	17.3	12.3	5.3	16.7			
SECOND MONTH	2	2158	2362	2587	2669	12732	7076	1827	170	3	1			37223
		5.8	6.3	7.0	7.2	34.2	19.0	4.9	.5	.0	.0			43.3
		37.1	40.8	43.7	46.5	50.6	52.7	49.4	38.8	15.8	16.7			
THIRD MONTH	3	1423	1402	1323	1291	5054	2521	740	103	1				18874
		7.5	7.4	7.0	6.8	26.8	13.4	3.9	.5	.0				22.0
		24.5	24.2	22.3	22.5	20.1	18.8	20.0	23.5	5.3				
FOURTH MONTH	4	741	646	620	536	1717	725	229	44	6	1			8308
		8.9	7.8	7.5	6.5	20.7	8.7	2.8	.5	.1	.0			9.7
		12.7	11.2	10.5	9.3	6.8	5.4	6.2	10.0	31.6	16.7			
FIFTH MONTH	5	389	346	302	224	785	317	118	32	3				4615
		8.4	7.5	6.5	4.9	17.0	6.9	2.6	.7	.1				5.4
		6.7	6.0	5.1	3.9	3.1	2.4	3.2	7.3	15.8				
SIXTH MONTH	6	232	153	157	131	391	169	52	17	2	1			2463
		9.4	6.2	6.4	5.3	15.9	6.9	2.1	.7	.1	.0			2.9
		4.0	2.6	2.7	2.3	1.6	1.3	1.4	3.9	10.5	16.7			
SEVENTH MONTH	7	157	132	87	67	215	92	41	7	1				1510
		10.4	8.7	5.8	4.4	14.2	6.1	2.7	.5	.1				1.8
		2.7	2.3	1.5	1.2	.9	.7	1.1	1.6	5.3				
EIGHTH MONTH	8	72	41	37	42	103	50	14	4					685
		10.5	6.0	5.4	6.1	15.0	7.3	2.0	.6					.8
		1.2	.7	.6	.7	.4	.4	.4	.9					
(CONTINUED)	COLUMN TOTAL	5815	5786	5921	5739	25175	13436	3695	438	19	6			85986
		6.8	6.7	6.9	6.7	29.3	15.6	4.3	.5	.0	.0			100.0

TABLE 6

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
NINTH MONTH	9			3	3	2	7	25	24	20	29	232
				1.3	1.3	.9	3.0	10.8	10.3	8.6	12.5	.3
				3.8	1.1	.3	.5	.9	.6	.4	.5	
NOT STATED	10				1	1	5	6	6	5	11	106
					.9	.9	4.7	5.7	5.7	4.7	10.4	.1
					.4	.1	.3	.2	.2	.1	.2	
(CONTINUED)	COLUMN TOTAL	1	13	78	280	744	1550	2771	3752	5010	5757	85986
		.0	.0	.1	.3	.9	1.8	3.2	4.4	5.8	6.7	100.0

TABLE 6

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	AGE 21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
NINTH MONTH	9	21	21	15	9	33	16	4				232
		9.1	9.1	6.5	3.9	14.2	6.9	1.7				.3
		.4	.4	.3	.2	.1	.1	.1				
NOT STATED	10	7	10	10	5	18	14	5			2	106
		6.6	9.4	9.4	4.7	17.0	13.2	4.7			1.9	.1
		.1	.2	.2	.1	.1	.1	.1			33.3	
	COLUMN TOTAL	5815	5786	5921	5739	25175	13436	3695	438	19	6	85986
		6.8	6.7	6.9	6.7	29.3	15.6	4.3	.5	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 6

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
NONE	0			3	4	15	29	46	30	44	38	368
				.8	1.1	4.1	7.9	12.5	8.2	12.0	10.3	.6
				4.0	1.4	2.1	1.9	2.2	1.0	1.2	1.0	
FIRST MONTH	1			4	11	40	79	115	243	368	363	8537
				.0	.1	.5	.9	1.3	2.8	4.3	4.3	14.4
				5.3	3.8	5.6	5.2	5.5	8.0	10.0	9.5	
SECOND MONTH	2			15	76	152	391	678	1049	1387	1560	28762
				.1	.3	.5	1.4	2.4	3.6	4.8	5.4	48.4
				20.0	26.6	21.4	25.9	32.5	34.4	37.6	41.0	
THIRD MONTH	3		2	10	67	190	402	545	840	979	961	12540
			.0	.1	.5	1.5	3.2	4.3	6.7	7.8	7.7	21.1
			40.0	13.3	23.4	26.7	26.6	26.1	27.6	26.5	25.3	
FOURTH MONTH	4			15	42	118	278	330	427	447	440	4748
				.3	.9	2.5	5.9	7.0	9.0	9.4	9.3	8.0
				20.0	14.7	16.6	18.4	15.8	14.0	12.1	11.6	
FIFTH MONTH	5			11	33	84	161	195	242	223	203	2185
				.5	1.5	3.8	7.4	8.9	11.1	10.2	9.3	3.7
				14.7	11.5	11.8	10.7	9.3	7.9	6.0	5.3	
SIXTH MONTH	6	2	2	6	26	68	78	89	119	105	112	1099
		.2	.2	.5	2.4	6.2	7.1	8.1	10.8	9.6	10.2	1.9
		66.7	40.0	8.0	9.1	9.6	5.2	4.3	3.9	2.8	2.9	
SEVENTH MONTH	7	1	1	5	18	26	58	52	60	84	73	692
		.1	.1	.7	2.6	3.8	8.4	7.5	8.7	12.1	10.5	1.2
		33.3	20.0	6.7	6.3	3.7	3.8	2.5	2.0	2.3	1.9	
EIGHTH MONTH	8			4	8	12	21	23	25	28	39	294
				1.4	2.7	4.1	7.1	7.8	8.5	9.5	13.3	.5
				5.3	2.8	1.7	1.4	1.1	.8	.8	1.0	
(CONTINUED)	COLUMN TOTAL	3	5	75	286	711	1511	2086	3047	3688	3803	59399
		.0	.0	.1	.5	1.2	2.5	3.5	5.1	6.2	6.4	100.0

TABLE 6

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	AGE 22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
NONE	0	23	30	10	56	22	14	3	1		368
		6.3	8.2	2.7	15.2	6.0	3.8	.8	.3		.6
		.6	.7	.2	.3	.2	.5	1.1	14.3		
FIRST MONTH	1	432	548	550	3236	1993	520	34		1	8537
		5.1	6.4	6.4	37.9	23.3	6.1	.4		.0	14.4
		11.1	13.3	13.5	17.3	19.3	18.8	12.0		33.3	
SECOND MONTH	2	1786	1973	2086	10200	5783	1492	131	2	1	28762
		6.2	6.9	7.3	35.5	20.1	5.2	.5	.0	.0	48.4
		45.8	48.0	51.4	54.5	55.9	53.8	46.1	28.6	33.3	
THIRD MONTH	3	920	885	879	3526	1792	477	65			12540
		7.3	7.1	7.0	28.1	14.3	3.8	.5			21.1
		23.6	21.5	21.6	18.8	17.3	17.2	22.9			
FOURTH MONTH	4	377	366	307	1010	426	142	21	2		4748
		7.9	7.7	6.5	21.3	9.0	3.0	.4	.0		8.0
		9.7	8.9	7.6	5.4	4.1	5.1	7.4	28.6		
FIFTH MONTH	5	185	152	107	352	152	66	19			2185
		8.5	7.0	4.9	16.1	7.0	3.0	.9			3.7
		4.7	3.7	2.6	1.9	1.5	2.4	6.7			
SIXTH MONTH	6	72	77	67	167	78	22	7	1	1	1099
		6.6	7.0	6.1	15.2	7.1	2.0	.6	.1	.1	1.9
		1.8	1.9	1.6	.9	.8	.8	2.5	14.3	33.3	
SEVENTH MONTH	7	65	46	28	99	48	25	2	1		692
		9.4	6.6	4.0	14.3	6.9	3.6	.3	.1		1.2
		1.7	1.1	.7	.5	.5	.9	.7	14.3		
EIGHTH MONTH	8	20	18	17	40	28	9	2			294
		6.8	6.1	5.8	13.6	9.5	3.1	.7			.5
		.5	.4	.4	.2	.3	.3	.7			
(CONTINUED)	COLUMN TOTAL	3897	4108	4061	18713	10340	2771	284	7	3	59399
		6.6	6.9	6.8	31.5	17.4	4.7	.5	.0	.0	100.0

TABLE 6

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
NINTH MONTH	9			1	1	3	12	7	9	16	10	113
				.9	.9	2.7	10.6	6.2	8.0	14.2	8.8	.2
				1.3	.3	.4	.8	.3	.3	.4	.3	
NOT STATED	10			1		3	2	6	3	7	4	61
				1.6		4.9	3.3	9.8	4.9	11.5	6.6	.1
				1.3		.4	.1	.3	.1	.2	.1	
	COLUMN	3	5	75	286	711	1511	2086	3047	3688	3803	59399
(CONTINUED)	TOTAL	.0	.0	.1	.5	1.2	2.5	3.5	5.1	6.2	6.4	100.0

TABLE 6

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

MPCB	AGE: 22	23	24	25	26	27	28	29	30	ROW TOTAL
9 NINTH MONTH	10	9	6	19	7	3				113
	8.8	8.0	5.3	16.8	6.2	2.7				.2
	.3	.2	.1	.1	.1	.1				
10 NOT STATED	7	4	4	8	11	1				61
	11.5	6.6	6.6	13.1	18.0	1.6				.1
	.2	.1	.1	.0	.1	.0				
COLUMN TOTAL	3897	4108	4061	18713	10340	2771	284	7	3	59399
	6.6	6.9	6.8	31.5	17.4	4.7	.5	.0	.0	100.0

COUNT
ROW PCT
COL PCT

25 - 29 30 - 34 35 - 39 40 - 44 45 AND OVER NOT STATED

TABLE 6

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	11	12	13	14	15	16	17	18	19	20	ROW TOTAL
NONE	0		1	7	7	13	30	42	48	55	49	526
			.2	1.3	1.3	2.5	5.7	8.0	9.1	10.5	9.3	2.0
			10.0	9.6	3.4	2.8	3.6	3.3	2.9	2.8	2.4	
FIRST MONTH	1		1	3	7	20	55	62	102	142	146	2539
			.0	.1	.3	.8	2.2	2.4	4.0	5.6	5.8	9.5
			10.0	4.1	3.4	4.4	6.6	4.9	6.1	7.2	7.1	
SECOND MONTH	2		1	10	35	70	138	241	394	476	525	8461
			.0	.1	.4	.8	1.6	2.8	4.7	5.6	6.2	31.8
			10.0	13.7	17.1	15.3	16.4	19.1	23.6	24.2	25.4	
THIRD MONTH	3			10	39	97	190	274	373	440	558	6334
				.2	.6	1.5	3.0	4.3	5.9	6.9	8.8	23.8
				13.7	19.0	21.2	22.6	21.7	22.4	22.4	27.0	
FOURTH MONTH	4		2	13	22	97	149	211	281	313	298	3560
			.1	.4	.6	2.7	4.2	5.9	7.9	8.8	8.4	13.4
			20.0	17.8	10.7	21.2	17.8	16.7	16.9	15.9	14.4	
FIFTH MONTH	5	1	2	8	43	82	137	188	198	261	230	2430
		.0	.1	.3	1.8	3.4	5.6	7.7	8.1	10.7	9.5	9.1
		100.0	20.0	11.0	21.0	17.9	16.3	14.9	11.9	13.3	11.1	
SIXTH MONTH	6		1	12	19	45	68	135	131	129	123	1364
			.1	.9	1.4	3.3	5.0	9.9	9.6	9.5	9.0	5.1
			10.0	16.4	9.3	9.8	8.1	10.7	7.9	6.6	5.9	
SEVENTH MONTH	7			6	16	20	43	62	80	88	91	818
				.7	2.0	2.4	5.3	7.6	9.8	10.8	11.1	3.1
				8.2	7.8	4.4	5.1	4.9	4.8	4.5	4.4	
EIGHTH MONTH	8		2	1	15	12	23	28	42	46	32	391
			.5	.3	3.8	3.1	5.9	7.2	10.7	11.8	8.2	1.5
			20.0	1.4	7.3	2.6	2.7	2.2	2.5	2.3	1.5	
(CONTINUED)	COLUMN TOTAL	1	10	73	205	458	839	1260	1666	1963	2069	26587
		.0	.0	.3	.8	1.7	3.2	4.7	6.3	7.4	7.8	100.0

TABLE 6

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
NONE	0	47	26	42	30	79	32	13	4	1		526
		8.9	4.9	8.0	5.7	15.0	6.1	2.5	.8	.2		2.0
		2.3	1.4	2.3	1.8	1.2	1.0	1.4	2.6	8.3		
FIRST MONTH	1	167	192	163	175	756	409	118	20	1		2539
		6.6	7.6	6.4	6.9	29.8	16.1	4.6	.8	.0		9.5
		8.3	10.2	9.0	10.4	11.7	13.2	12.8	13.0	8.3		
SECOND MONTH	2	598	576	614	583	2532	1293	335	39	1		8461
		7.1	6.8	7.3	6.9	29.9	15.3	4.0	.5	.0		31.8
		29.7	30.5	33.9	34.7	39.2	41.8	36.3	25.3	8.3		
THIRD MONTH	3	462	482	438	412	1528	729	263	38	1		6334
		7.3	7.6	6.9	6.5	24.1	11.5	4.2	.6	.0		23.8
		23.0	25.5	24.2	24.6	23.6	23.5	28.5	24.7	8.3		
FOURTH MONTH	4	301	269	254	229	707	299	87	23	4	1	3560
		8.5	7.6	7.1	6.4	19.9	8.4	2.4	.6	.1	.0	13.4
		15.0	14.2	14.0	13.6	10.9	9.7	9.4	14.9	33.3	33.3	
FIFTH MONTH	5	186	161	150	117	433	165	52	13	3		2430
		7.7	6.6	6.2	4.8	17.8	6.8	2.1	.5	.1		9.1
		9.2	8.5	8.3	7.0	6.7	5.3	5.6	8.4	25.0		
SIXTH MONTH	6	120	81	80	64	224	91	30	10	1		1364
		8.8	5.9	5.9	4.7	16.4	6.7	2.2	.7	.1		5.1
		6.0	4.3	4.4	3.8	3.5	2.9	3.2	6.5	8.3		
SEVENTH MONTH	7	84	67	41	39	116	44	16	5			818
		10.3	8.2	5.0	4.8	14.2	5.4	2.0	.6			3.1
		4.2	3.5	2.3	2.3	1.8	1.4	1.7	3.2			
EIGHTH MONTH	8	33	21	19	25	63	22	5	2			391
		8.4	5.4	4.9	6.4	16.1	5.6	1.3	.5			1.5
		1.6	1.1	1.0	1.5	1.0	.7	.5	1.3			
(CONTINUED)	COLUMN TOTAL	2012	1889	1813	1678	6462	3096	924	154	12	3	26587
		7.6	7.1	6.8	6.3	24.3	11.6	3.5	.6	.0	.0	100.0

TABLE 6

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

MPCB	AGE: 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
9 NINTH MONTH (COUNT / ROW PCT / COL PCT)			3 / 2.5 / 4.1	2 / 1.7 / 1.0	1 / .8 / .2	4 / 3.4 / .5	13 / 10.9 / 1.0	17 / 14.3 / 1.0	11 / 9.2 / .6	13 / 10.9 / .6	119 / .4
10 NOT STATED (COUNT / ROW PCT / COL PCT)					1 / 2.2 / .2	2 / 4.4 / .2	4 / 8.9 / .3		2 / 4.4 / .1	4 / 8.9 / .2	45 / .2
COLUMN TOTAL	1 / .0	10 / .0	73 / .3	205 / .8	458 / 1.7	839 / 3.2	1260 / 4.7	1666 / 6.3	1963 / 7.4	2069 / 7.8	26587 / 100.0

(CONTINUED)

TABLE 6

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

MPCB	AGE: COUNT / ROW PCT / COL PCT	21	22	23	24	25	26	27	28	29	30	ROW TOTAL
		25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED					
9 NINTH MONTH	COUNT	11	11	6	3	14	9	1				119
	ROW PCT	9.2	9.2	5.0	2.5	11.8	7.6	.8				.4
	COL PCT	.5	.6	.3	.2	.2	.3	.1				
10 NOT STATED	COUNT	3	3	6	1	10	3	4			2	45
	ROW PCT	6.7	6.7	13.3	2.2	22.2	6.7	8.9			4.4	.2
	COL PCT	.1	.2	.3	.1	.2	.1	.4			66.7	
COLUMN TOTAL	COUNT	2012	1889	1813	1678	6462	3096	924	154	12	3	26587
	PCT	7.6	7.1	6.8	6.3	24.3	11.6	3.5	.6	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 7

C R O S S T A B U L A T I O N O F

MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
NONE	0	280 31.3 .4	614 68.7 3.4		894 1.0
FIRST MONTH	1	9933 89.7 14.7	1143 10.3 6.3		11076 12.9
SECOND MONTH	2	32595 87.6 48.1	4628 12.4 25.4		37223 43.3
THIRD MONTH	3	14636 77.5 21.6	4236 22.4 23.3	2 .0 50.0	18874 22.0
FOURTH MONTH	4	5465 65.8 8.1	2843 34.2 15.6		8308 9.7
FIFTH MONTH	5	2518 54.6 3.7	2097 45.4 11.5		4615 5.4
SIXTH MONTH	6	1213 49.2 1.8	1250 50.8 6.9		2463 2.9
SEVENTH MONTH	7	691 45.8 1.0	819 54.2 4.5		1510 1.8
EIGHTH MONTH	8	302 44.1 .4	383 55.9 2.1		685 .8
(CONTINUED)	COLUMN TOTAL	67792 78.8	18190 21.2	4 .0	85986 100.0

TABLE 7

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..

RACE. VALUE = TOTAL

MPCB	STATUS: MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	ROW TOTAL
9 NINTH MONTH	95	137		232
	40.9	59.1		.3
	.1	.8		
10 NOT STATED	64	40	2	106
	60.4	37.7	1.9	.1
	.1	.2	50.0	
COLUMN TOTAL	67792	18190	4	85986
	78.8	21.2	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 7

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
NONE	0	174 47.3 .3	194 52.7 4.1		368 .6
FIRST MONTH	1	8279 97.0 15.1	258 3.0 5.5		8537 14.4
SECOND MONTH	2	27579 95.9 50.4	1183 4.1 25.3		28762 48.4
THIRD MONTH	3	11431 91.2 20.9	1108 8.8 23.6	1 .0 100.0	12540 21.1
FOURTH MONTH	4	4007 84.4 7.3	741 15.6 15.8		4748 8.0
FIFTH MONTH	5	1688 77.3 3.1	497 22.7 10.6		2185 3.7
SIXTH MONTH	6	784 71.3 1.4	315 28.7 6.7		1099 1.9
SEVENTH MONTH	7	463 66.9 .8	229 33.1 4.9		692 1.2
EIGHTH MONTH	8	193 65.6 .4	101 34.4 2.2		294 .5
(CONTINUED)	COLUMN TOTAL	54713 92.1	4685 7.9	1 .0	59399 100.0

N.C. RESIDENT BIRTHS, 1984
MPCB/MS/RACE

TABLE 7

CROSSTABULATION OF MARITAL STATUS OF MOTHER BY STATUS

MPCB MONTH PRENATAL CARE BEGAN
CONTROLLING FOR.. RACE
VALUE.. 1 WHITE

MPCB	STATUS: MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	ROW TOTAL
9 NINTH MONTH	72 63.7 .1	41 36.3 .9		113 .2
10 NOT STATED	43 70.5 .1	18 29.5 .4		61 .1
COLUMN TOTAL	54713 92.1	4685 7.9	1 .0	59399 100.0

TABLE 7

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	STATUS: MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	ROW TOTAL
NONE	0	106	420		526
		20.2	79.8		2.0
		.8	3.1		
FIRST MONTH	1	1654	885		2539
		65.1	34.9		9.5
		12.6	6.6		
SECOND MONTH	2	5016	3445		8461
		59.3	40.7		31.8
		38.4	25.5		
THIRD MONTH	3	3205	3128	1	6334
		50.6	49.4	.0	23.8
		24.5	23.2	33.3	
FOURTH MONTH	4	1458	2102		3560
		41.0	59.0		13.4
		11.1	15.6		
FIFTH MONTH	5	830	1600		2430
		34.2	65.8		9.1
		6.3	11.8		
SIXTH MONTH	6	429	935		1364
		31.5	68.5		5.1
		3.3	6.9		
SEVENTH MONTH	7	228	590		818
		27.9	72.1		3.1
		1.7	4.4		
EIGHTH MONTH	8	109	282		391
		27.9	72.1		1.5
		.8	2.1		
	COLUMN TOTAL	13079	13505	3	26587
		49.2	50.8	.0	100.0

(CONTINUED)

TABLE 7

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

MPCB	STATUS (COUNT / ROW PCT / COL PCT) 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
9 NINTH MONTH	23 19.3 .2	96 80.7 .7		119 .4
10 NOT STATED	21 46.7 .2	22 48.9 .2	2 4.4 66.7	45 .2
COLUMN TOTAL	13079 49.2	13505 50.8	3 .0	26587 100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 8

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
NONE	0	288	240	175	78	49	26	19	7	12		894
		32.2	26.8	19.6	8.7	5.5	2.9	2.1	.8	1.3		1.0
		.8	.9	1.3	1.4	2.1	2.8	4.4	3.7	5.5		
FIRST MONTH	1	4537	3764	1746	606	259	90	36	23	15		11076
		41.0	34.0	15.8	5.5	2.3	.8	.3	.2	.1		12.9
		13.0	13.6	12.7	10.9	11.2	9.6	8.4	12.2	6.9		
SECOND MONTH	2	15246	12598	5801	2192	861	283	139	53	48	2	37223
		41.0	33.8	15.6	5.9	2.3	.8	.4	.1	.1	.0	43.3
		43.8	45.4	42.2	39.6	37.2	30.1	32.5	28.2	22.0	10.5	
THIRD MONTH	3	7633	5974	3057	1265	545	231	84	34	50	1	18874
		40.4	31.7	16.2	6.7	2.9	1.2	.4	.2	.3	.0	22.0
		21.9	21.5	22.2	22.8	23.6	24.5	19.6	18.1	22.9	5.3	
FOURTH MONTH	4	3319	2565	1340	616	250	106	56	25	30	1	8308
		39.9	30.9	16.1	7.4	3.0	1.3	.7	.3	.4	.0	9.7
		9.5	9.2	9.7	11.1	10.8	11.3	13.1	13.3	13.8	5.3	
FIFTH MONTH	5	1928	1249	750	358	152	99	42	16	21		4615
		41.8	27.1	16.3	7.8	3.3	2.1	.9	.3	.5		5.4
		5.5	4.5	5.5	6.5	6.6	10.5	9.8	8.5	9.6		
SIXTH MONTH	6	943	705	421	186	108	39	24	16	21		2463
		38.3	28.6	17.1	7.6	4.4	1.6	1.0	.6	.9		2.9
		2.7	2.5	3.1	3.4	4.7	4.1	5.6	8.5	9.6		
SEVENTH MONTH	7	561	401	276	141	51	41	17	9	13		1510
		37.2	26.6	18.3	9.3	3.4	2.7	1.1	.6	.9		1.8
		1.6	1.4	2.0	2.5	2.2	4.4	4.0	4.8	6.0		
EIGHTH MONTH	8	241	189	131	66	23	19	11		4	1	685
		35.2	27.6	19.1	9.6	3.4	2.8	1.6		.6	.1	.8
		.7	.7	1.0	1.2	1.0	2.0	2.6		1.8	5.3	
(CONTINUED)	COLUMN TOTAL	34817	27774	13746	5541	2314	941	428	188	218	19	85986
		40.5	32.3	16.0	6.4	2.7	1.1	.5	.2	.3	.0	100.0

TABLE 8

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER

CONTROLLING FOR..

RACE. VALUE = TOTAL

MPCB	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
9 NINTH MONTH	83	61	39	27	13	4		3	2		232
	35.8	26.3	16.8	11.6	5.6	1.7		1.3	.9		.3
	.2	.2	.3	.5	.6	.4		1.6	.9		
10 NOT STATED	38	28	10	6	3	3		2	2	14	106
	35.8	26.4	9.4	5.7	2.8	2.8		1.9	1.9	13.2	.1
	.1	.1	.1	.1	.1	.3		1.1	.9	73.7	
COLUMN TOTAL	34817	27774	13746	5541	2314	941	428	188	218	19	85986
	40.5	32.3	16.0	6.4	2.7	1.1	.5	.2	.3	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 8

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	BO 1 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL
		1	2	3	4	5	6	7	8	9	10	
NONE	0	162	81	69	24	15	4	5	4	4		368
		44.0	22.0	18.8	6.5	4.1	1.1	1.4	1.1	1.1		.6
		.6	.4	.8	.7	1.2	.9	2.6	5.5	4.5		
FIRST MONTH	1	3577	2959	1312	423	170	56	24	10	6		8537
		41.9	34.7	15.4	5.0	2.0	.7	.3	.1	.1		14.4
		14.2	15.0	14.4	13.0	13.4	13.3	12.5	13.7	6.8		
SECOND MONTH	2	12229	9916	4268	1495	571	151	81	24	25	2	28762
		42.5	34.5	14.8	5.2	2.0	.5	.3	.1	.1	.0	48.4
		48.5	50.2	46.9	45.9	45.0	35.8	42.2	32.9	28.4	20.0	
THIRD MONTH	3	5343	4055	1984	730	263	105	30	12	17	1	12540
		42.6	32.3	15.8	5.8	2.1	.8	.2	.1	.1	.0	21.1
		21.2	20.5	21.8	22.4	20.7	24.9	15.6	16.4	19.3	10.0	
FOURTH MONTH	4	2018	1494	756	282	121	38	18	7	13	1	4748
		42.5	31.5	15.9	5.9	2.5	.8	.4	.1	.3	.0	8.0
		8.0	7.6	8.3	8.7	9.5	9.0	9.4	9.6	14.8	10.0	
FIFTH MONTH	5	971	608	357	127	62	35	17	3	5		2185
		44.4	27.8	16.3	5.8	2.8	1.6	.8	.1	.2		3.7
		3.8	3.1	3.9	3.9	4.9	8.3	8.9	4.1	5.7		
SIXTH MONTH	6	473	322	168	70	35	11	8	4	8		1099
		43.0	29.3	15.3	6.4	3.2	1.0	.7	.4	.7		1.9
		1.9	1.6	1.8	2.2	2.8	2.6	4.2	5.5	9.1		
SEVENTH MONTH	7	268	197	121	58	18	14	4	5	7		692
		38.7	28.5	17.5	8.4	2.6	2.0	.6	.7	1.0		1.2
		1.1	1.0	1.3	1.8	1.4	3.3	2.1	6.8	8.0		
EIGHTH MONTH	8	115	77	50	29	11	5	5		2		294
		39.1	26.2	17.0	9.9	3.7	1.7	1.7		.7		.5
		.5	.4	.5	.9	.9	1.2	2.6		2.3		
(CONTINUED)	COLUMN TOTAL	25229	19753	9109	3254	1269	422	192	73	88	10	59399
		42.5	33.3	15.3	5.5	2.1	.7	.3	.1	.1	.0	100.0

TABLE 8

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

MPCB	BO COUNT / ROW PCT / COL PCT	1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
9 NINTH MONTH		46	29	18	11	3	2		3	1		113
		40.7	25.7	15.9	9.7	2.7	1.8		2.7	.9		.2
		.2	.1	.2	.3	.2	.5		4.1	1.1		
10 NOT STATED		27	15	6	5		1		1		6	61
		44.3	24.6	9.8	8.2		1.6		1.6		9.8	.1
		.1	.1	.1	.2		.2		1.4		60.0	
COLUMN TOTAL		25229	19753	9109	3254	1269	422	192	73	88	10	59399
		42.5	33.3	15.3	5.5	2.1	.7	.3	.1	.1	.0	100.0

TABLE 8

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
NONE	0	126	159	106	54	34	22	14	3	8		526
		24.0	30.2	20.2	10.3	6.5	4.2	2.7	.6	1.5		2.0
		1.3	2.0	2.3	2.4	3.3	4.2	5.9	2.6	6.2		
FIRST MONTH	1	960	805	434	183	89	34	12	13	9		2539
		37.8	31.7	17.1	7.2	3.5	1.3	.5	.5	.4		9.5
		10.0	10.0	9.4	8.0	8.5	6.6	5.1	11.3	6.9		
SECOND MONTH	2	3017	2682	1533	697	290	132	58	29	23		8461
		35.7	31.7	18.1	8.2	3.4	1.6	.7	.3	.3		31.8
		31.5	33.4	33.1	30.5	27.8	25.4	24.6	25.2	17.7		
THIRD MONTH	3	2290	1919	1073	535	282	126	54	22	33		6334
		36.2	30.3	16.9	8.4	4.5	2.0	.9	.3	.5		23.8
		23.9	23.9	23.1	23.4	27.0	24.3	22.9	19.1	25.4		
FOURTH MONTH	4	1301	1071	584	334	129	68	38	18	17		3560
		36.5	30.1	16.4	9.4	3.6	1.9	1.1	.5	.5		13.4
		13.6	13.4	12.6	14.6	12.3	13.1	16.1	15.7	13.1		
FIFTH MONTH	5	957	641	393	231	90	64	25	13	16		2430
		39.4	26.4	16.2	9.5	3.7	2.6	1.0	.5	.7		9.1
		10.0	8.0	8.5	10.1	8.6	12.3	10.6	11.3	12.3		
SIXTH MONTH	6	470	383	253	116	73	28	16	12	13		1364
		34.5	28.1	18.5	8.5	5.4	2.1	1.2	.9	1.0		5.1
		4.9	4.8	5.5	5.1	7.0	5.4	6.8	10.4	10.0		
SEVENTH MONTH	7	293	204	155	83	33	27	13	4	6		818
		35.8	24.9	18.9	10.1	4.0	3.3	1.6	.5	.7		3.1
		3.1	2.5	3.3	3.6	3.2	5.2	5.5	3.5	4.6		
EIGHTH MONTH	8	126	112	81	37	12	14	6		2	1	391
		32.2	28.6	20.7	9.5	3.1	3.6	1.5		.5	.3	1.5
		1.3	1.4	1.7	1.6	1.1	2.7	2.5		1.5	11.1	
(CONTINUED)	COLUMN TOTAL	9588	8021	4637	2287	1045	519	236	115	130	9	26587
		36.1	30.2	17.4	8.6	3.9	2.0	.9	.4	.5	.0	100.0

TABLE 8

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

MPCB	BO: 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
NINTH MONTH (9) COUNT	37	32	21	16	10	2			1		119
ROW PCT	31.1	26.9	17.6	13.4	8.4	1.7			.8		.4
COL PCT	.4	.4	.5	.7	1.0	.4			.8		
NOT STATED (10) COUNT	11	13	4	1	3	2		1	2	8	45
ROW PCT	24.4	28.9	8.9	2.2	6.7	4.4		2.2	4.4	17.8	.2
COL PCT	.1	.2	.1	.0	.3	.4		.9	1.5	88.9	
COLUMN TOTAL	9588	8021	4637	2287	1045	519	236	115	130	9	26587
	36.1	30.2	17.4	8.6	3.9	2.0	.9	.4	.5	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 9

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
NONE	0	19	37	39	38	99	231	282	102	45	2	894
		2.1	4.1	4.4	4.3	11.1	25.8	31.5	11.4	5.0	.2	1.0
		14.3	7.6	6.0	2.8	2.4	1.6	.9	.4	.5	2.9	
FIRST MONTH	1	19	60	100	168	442	1682	3988	3362	1250	5	11076
		.2	.5	.9	1.5	4.0	15.2	36.0	30.4	11.3	.0	12.9
		14.3	12.2	15.5	12.4	10.7	11.7	12.6	13.8	14.5	7.4	
SECOND MONTH	2	50	200	244	524	1537	5613	13568	11314	4157	16	37223
		.1	.5	.7	1.4	4.1	15.1	36.5	30.4	11.2	.0	43.3
		37.6	40.8	37.8	38.6	37.3	38.9	42.8	46.4	48.1	23.5	
THIRD MONTH	3	25	110	125	308	934	3286	6955	5261	1855	15	18874
		.1	.6	.7	1.6	4.9	17.4	36.8	27.9	9.8	.1	22.0
		18.8	22.4	19.4	22.7	22.7	22.8	21.9	21.6	21.5	22.1	
FOURTH MONTH	4	7	46	63	143	484	1551	3188	2131	688	7	8308
		.1	.6	.8	1.7	5.8	18.7	38.4	25.6	8.3	.1	9.7
		5.3	9.4	9.8	10.5	11.8	10.8	10.1	8.7	8.0	10.3	
FIFTH MONTH	5	8	16	33	79	300	969	1786	1084	336	4	4615
		.2	.3	.7	1.7	6.5	21.0	38.7	23.5	7.3	.1	5.4
		6.0	3.3	5.1	5.8	7.3	6.7	5.6	4.4	3.9	5.9	
SIXTH MONTH	6	3	17	26	53	158	541	934	577	153	1	2463
		.1	.7	1.1	2.2	6.4	22.0	37.9	23.4	6.2	.0	2.9
		2.3	3.5	4.0	3.9	3.8	3.8	2.9	2.4	1.8	1.5	
SEVENTH MONTH	7		1	12	22	104	319	588	364	99	1	1510
			.1	.8	1.5	6.9	21.1	38.9	24.1	6.6	.1	1.8
			.2	1.9	1.6	2.5	2.2	1.9	1.5	1.1	1.5	
EIGHTH MONTH	8		2	2	15	38	169	275	141	43		685
			.3	.3	2.2	5.5	24.7	40.1	20.6	6.3		.8
			.4	.3	1.1	.9	1.2	.9	.6	.5		
(CONTINUED)	COLUMN TOTAL	133	490	645	1358	4116	14422	31704	24409	8641	68	85986
		.2	.6	.8	1.6	4.8	16.8	36.9	28.4	10.0	.1	100.0

TABLE 9

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	WT COUNT / POW PCT / COL PCT	0 UNDER 500 GMS	1 500 TO 999 GMS	2 1000 TO 1499 GMS	3 1500 TO 1999 GMS	4 2000 TO 2499 GMS	5 2500 TO 2999 GMS	6 3000 TO 3499 GMS	7 3500 TO 3999 GMS	8 4000 GMS AND OVER	9 NOT STATED	ROW TOTAL
NINTH MONTH	9				5	11	51	103	50	11	1	232
					2.2	4.7	22.0	44.4	21.6	4.7	.4	.3
					.4	.3	.4	.3	.2	.1	1.5	
NOT STATED	10	2	1	1	3	9	10	37	23	4	16	106
		1.9	.9	.9	2.8	8.5	9.4	34.9	21.7	3.8	15.1	.1
		1.5	.2	.2	.2	.2	.1	.1	.1	.0	23.5	
	COLUMN TOTAL	133	490	645	1358	4116	14422	31704	24409	8641	68	85986
		.2	.6	.8	1.6	4.8	16.8	36.9	28.4	10.0	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 9

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
NONE	0	6	6	11	16	39	74	132	50	33	1	368
		1.6	1.6	3.0	4.3	10.6	20.1	35.9	13.6	9.0	.3	.6
		11.5	2.7	3.5	2.1	1.7	.9	.6	.3	.5	2.7	
FIRST MONTH	1	9	44	64	121	308	1083	3019	2786	1102	1	8537
		.1	.5	.7	1.4	3.6	12.7	35.4	32.6	12.9	.0	14.4
		17.3	19.9	20.2	16.0	13.5	13.0	14.1	14.8	15.2	2.7	
SECOND MONTH	2	24	112	140	339	1007	3756	10240	9451	3683	10	28762
		.1	.4	.5	1.2	3.5	13.1	35.6	32.9	12.8	.0	48.4
		46.2	50.7	44.2	44.8	44.1	45.2	47.9	50.2	51.0	27.0	
THIRD MONTH	3	6	36	52	157	482	1907	4497	3886	1507	10	12540
		.0	.3	.4	1.3	3.8	15.2	35.9	31.0	12.0	.1	21.1
		11.5	16.3	16.4	20.7	21.1	23.0	21.1	20.6	20.9	27.0	
FOURTH MONTH	4	1	12	29	68	234	727	1786	1399	488	4	4748
		.0	.3	.6	1.4	4.9	15.3	37.6	29.5	10.3	.1	8.0
		1.9	5.4	9.1	9.0	10.2	8.8	8.4	7.4	6.8	10.8	
FIFTH MONTH	5	3	4	11	23	111	356	838	621	216	2	2185
		.1	.2	.5	1.1	5.1	16.3	38.4	28.4	9.9	.1	3.7
		5.8	1.8	3.5	3.0	4.9	4.3	3.9	3.3	3.0	5.4	
SIXTH MONTH	6	2	6	5	19	52	191	391	331	102		1099
		.2	.5	.5	1.7	4.7	17.4	35.6	30.1	9.3		1.9
		3.8	2.7	1.6	2.5	2.3	2.3	1.8	1.8	1.4		
SEVENTH MONTH	7			5	5	36	129	269	191	57		692
				.7	.7	5.2	18.6	38.9	27.6	8.2		1.2
				1.6	.7	1.6	1.6	1.3	1.0	.8		
EIGHTH MONTH	8				6	8	58	109	85	28		294
					2.0	2.7	19.7	37.1	28.9	9.5		.5
					.8	.4	.7	.5	.5	.4		
(CONTINUED)	COLUMN TOTAL	52	221	317	757	2283	8304	21358	18843	7227	37	59399
		.1	.4	.5	1.3	3.8	14.0	36.0	31.7	12.2	.1	100.0

TABLE 9

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	WT: UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
9 NINTH MONTH					2	3	17	55	29	7		113
					1.8	2.7	15.0	48.7	25.7	6.2		.2
					.3	.1	.2	.3	.2	.1		
10 NOT STATED		1	1		1	3	6	22	14	4	9	61
		1.6	1.6		1.6	4.9	9.8	36.1	23.0	6.6	14.8	.1
		1.9	.5		.1	.1	.1	.1	.1	.1	24.3	
COLUMN TOTAL		52	221	317	757	2283	8304	21358	18843	7227	37	59399
		.1	.4	.5	1.3	3.8	14.0	36.0	31.7	12.2	.1	100.0

TABLE 9

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	WT: UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
NONE	0	13	31	28	22	60	157	150	52	12	1	526
		2.5	5.9	5.3	4.2	11.4	29.8	28.5	9.9	2.3	.2	2.0
		16.0	11.5	8.5	3.7	3.3	2.6	1.4	.9	.8	3.2	
FIRST MONTH	1	10	16	36	47	134	599	969	576	148	4	2539
		.4	.6	1.4	1.9	5.3	23.6	38.2	22.7	5.8	.2	9.5
		12.3	5.9	11.0	7.8	7.3	9.8	9.4	10.3	10.5	12.9	
SECOND MONTH	2	26	88	104	185	530	1857	3328	1863	474	6	8461
		.3	1.0	1.2	2.2	6.3	21.9	39.3	22.0	5.6	.1	31.8
		32.1	32.7	31.7	30.8	28.9	30.4	32.2	33.5	33.5	19.4	
THIRD MONTH	3	19	74	73	151	452	1379	2458	1375	348	5	6334
		.3	1.2	1.2	2.4	7.1	21.8	38.8	21.7	5.5	.1	23.8
		23.5	27.5	22.3	25.1	24.7	22.5	23.8	24.7	24.6	16.1	
FOURTH MONTH	4	6	34	34	75	250	824	1402	732	200	3	3560
		.2	1.0	1.0	2.1	7.0	23.1	39.4	20.6	5.6	.1	13.4
		7.4	12.6	10.4	12.5	13.6	13.5	13.6	13.2	14.1	9.7	
FIFTH MONTH	5	5	12	22	56	189	613	948	463	120	2	2430
		.2	.5	.9	2.3	7.8	25.2	39.0	19.1	4.9	.1	9.1
		6.2	4.5	6.7	9.3	10.3	10.0	9.2	8.3	8.5	6.5	
SIXTH MONTH	6	1	11	21	34	106	350	543	246	51	1	1364
		.1	.8	1.5	2.5	7.8	25.7	39.8	18.0	3.7	.1	5.1
		1.2	4.1	6.4	5.7	5.8	5.7	5.2	4.4	3.6	3.2	
SEVENTH MONTH	7		1	7	17	68	190	319	173	42	1	818
			.1	.9	2.1	8.3	23.2	39.0	21.1	5.1	.1	3.1
			.4	2.1	2.8	3.7	3.1	3.1	3.1	3.0	3.2	
EIGHTH MONTH	8		2	2	9	30	111	166	56	15		391
			.5	.5	2.3	7.7	28.4	42.5	14.3	3.8		1.5
			.7	.6	1.5	1.6	1.8	1.6	1.0	1.1		
(CONTINUED)	COLUMN TOTAL	81	269	328	601	1833	6118	10346	5566	1414	31	26587
		.3	1.0	1.2	2.3	6.9	23.0	38.9	20.9	5.3	.1	100.0

TABLE 9

C R O S S T A B U L A T I O N O F

MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

MPCB	WT COUNT ROW PCT COL PCT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
9 NINTH MONTH					3 2.5 .5	8 6.7 .4	34 28.6 .6	48 40.3 .5	21 17.6 .4	4 3.4 .3	1 .8 3.2	119 .4
10 NOT STATED		1 2.2 1.2		1 2.2 .3	2 4.4 .3	6 13.3 .3	4 8.9 .1	15 33.3 .1	9 20.0 .2		7 15.6 22.6	45 .2
	COLUMN TOTAL	81 .3	269 1.0	328 1.2	601 2.3	1833 6.9	6110 23.0	10346 38.9	5566 20.9	1414 5.3	31 .1	26587 100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 10

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACE.

VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	ROW TOTAL
NONE	0	77	399	325	79	11	3	894
		8.6	44.6	36.4	8.8	1.2	.3	1.0
		2.5	2.2	.9	.5	.1	3.0	
ONE	1	38	182	152	31	9	3	415
		9.2	43.9	36.6	7.5	2.2	.7	.5
		1.2	1.0	.4	.2	.1	3.0	
TWO	2	62	289	242	48	11	2	654
		9.5	44.2	37.0	7.3	1.7	.3	.8
		2.0	1.6	.7	.3	.1	2.0	
THREE	3	76	406	278	71	24	1	856
		8.9	47.4	32.5	8.3	2.8	.1	1.0
		2.5	2.2	.8	.4	.2	1.0	
FOUR	4	126	515	464	125	36	5	1271
		9.9	40.5	36.5	9.8	2.8	.4	1.5
		4.1	2.8	1.3	.8	.3	5.1	
FIVE	5	123	668	654	163	73	8	1689
		7.3	39.6	38.7	9.7	4.3	.5	2.0
		4.0	3.6	1.8	1.0	.6	8.1	
SIX	6	177	852	935	252	107	5	2328
		7.6	36.6	40.2	10.8	4.6	.2	2.7
		5.8	4.7	2.6	1.6	.8	5.1	
SEVEN	7	159	834	1140	360	199	4	2696
		5.9	30.9	42.3	13.4	7.4	.1	3.1
		5.2	4.6	3.2	2.3	1.5	4.0	
EIGHT	8	213	1242	1684	602	329	7	4077
		5.2	30.5	41.3	14.8	8.1	.2	4.7
		6.9	6.8	4.7	3.8	2.5	7.1	
(CONTINUED)	COLUMN TOTAL	3076	18322	35500	15881	13108	99	85986
		3.6	21.3	41.3	18.5	15.2	.1	100.0

TABLE 10

CROSSTABULATION OF

PCVISTT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	ROW TOTAL
NINE	9	182	1006	1797	702	518	5	4210
		4.3	23.9	42.7	16.7	12.3	.1	4.9
		5.9	5.5	5.1	4.4	4.0	5.1	
TEN	10	361	2134	3697	1559	1081	10	8842
		4.1	24.1	41.8	17.6	12.2	.1	10.3
		11.7	11.6	10.4	9.8	8.2	10.1	
ELEVEN	11	211	1408	2804	1175	945	5	6548
		3.2	21.5	42.8	17.9	14.4	.1	7.6
		6.9	7.7	7.9	7.4	7.2	5.1	
TWELVE	12	497	3186	7338	3327	2834	7	17189
		2.9	18.5	42.7	19.4	16.5	.0	20.0
		16.2	17.4	20.7	20.9	21.6	7.1	
THIRTEEN	13	165	1244	3051	1498	1288	3	7249
		2.3	17.2	42.1	20.7	17.8	.0	8.4
		5.4	6.8	8.6	9.4	9.8	3.0	
FOURTEEN	14	178	1299	3961	2191	2168	5	9802
		1.8	13.3	40.4	22.4	22.1	.1	11.4
		5.8	7.1	11.2	13.8	16.5	5.1	
FIFTEEN	15	158	1202	3208	1729	1688	4	7989
		2.0	15.0	40.2	21.6	21.1	.1	9.3
		5.1	6.6	9.0	10.9	12.9	4.0	
SIXTEEN OR MORE	16	263	1423	3735	1956	1779	4	9160
		2.9	15.5	40.8	21.4	19.4	.0	10.7
		8.6	7.8	10.5	12.3	13.6	4.0	
NOT STATED	17	10	33	35	13	8	18	117
		8.5	28.2	29.9	11.1	6.8	15.4	.1
		.3	.2	.1	.1	.1	18.2	
	COLUMN TOTAL	3076	18322	35500	15881	13108	99	85986
		3.6	21.3	41.3	18.5	15.2	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 10

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
NONE	0	38	145	133	43	6	3	368
		10.3	39.4	36.1	11.7	1.6	.8	.6
		2.0	1.3	.6	.4	.1	6.8	
ONE	1	15	49	48	14	5	1	132
		11.4	37.1	36.4	10.6	3.8	.8	.2
		.8	.4	.2	.1	.0	2.3	
TWO	2	24	102	63	20	3	1	213
		11.3	47.9	29.6	9.4	1.4	.5	.4
		1.3	.9	.3	.2	.0	2.3	
THREE	3	34	155	91	23	12	1	316
		10.8	49.1	28.8	7.3	3.8	.3	.5
		1.8	1.4	.4	.2	.1	2.3	
FOUR	4	63	207	165	50	17		502
		12.5	41.2	32.9	10.0	3.4		.8
		3.3	1.9	.7	.4	.2		
FIVE	5	47	278	257	84	49	1	716
		6.6	38.8	35.9	11.7	6.8	.1	1.2
		2.5	2.6	1.1	.7	.4	2.3	
SIX	6	99	397	444	136	74	3	1153
		8.6	34.4	38.5	11.8	6.4	.3	1.9
		5.2	3.6	1.9	1.2	.7	6.8	
SEVEN	7	82	409	574	201	145	2	1413
		5.8	28.9	40.6	14.2	10.3	.1	2.4
		4.3	3.8	2.4	1.7	1.3	4.5	
EIGHT	8	126	634	862	385	252	2	2261
		5.6	28.0	38.1	17.0	11.1	.1	3.8
		6.6	5.8	3.6	3.3	2.3	4.5	
	COLUMN TOTAL	1896	10889	23645	11819	11106	44	59399
		3.2	18.3	39.8	19.9	18.7	.1	100.0

(CONTINUED)

TABLE 10

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	ROW TOTAL
9 NINE		110	574	1082	462	426	3	2657
		4.1	21.6	40.7	17.4	16.0	.1	4.5
		5.8	5.3	4.6	3.9	3.8	6.8	
10 TEN		219	1250	2247	1073	880	1	5670
		3.9	22.0	39.6	18.9	15.5	.0	9.5
		11.6	11.5	9.5	9.1	7.9	2.3	
11 ELEVEN		149	820	1812	836	805	2	4424
		3.4	18.5	41.0	18.9	18.2	.0	7.4
		7.9	7.5	7.7	7.1	7.2	4.5	
12 TWELVE		327	2123	5183	2615	2456	3	12707
		2.6	16.7	40.8	20.6	19.3	.0	21.4
		17.2	19.5	21.9	22.1	22.1	6.8	
13 THIRTEEN		114	880	2227	1153	1115	2	5491
		2.1	16.0	40.6	21.0	20.3	.0	9.2
		6.0	8.1	9.4	9.8	10.0	4.5	
14 FOURTEEN		134	952	3117	1771	1878	4	7856
		1.7	12.1	39.7	22.5	23.9	.1	13.2
		7.1	8.7	13.2	15.0	16.9	9.1	
15 FIFTEEN		128	863	2468	1379	1448	2	6288
		2.0	13.7	39.2	21.9	23.0	.0	10.6
		6.8	7.9	10.4	11.7	13.0	4.5	
16 SIXTEEN OR MORE		180	1031	2847	1566	1531	4	7159
		2.5	14.4	39.8	21.9	21.4	.1	12.1
		9.5	9.5	12.0	13.2	13.8	9.1	
17 NOT STATED		7	20	25	8	4	9	73
		9.6	27.4	34.2	11.0	5.5	12.3	.1
		.4	.2	.1	.1	.0	20.5	
COLUMN TOTAL		1896	10889	23645	11819	11106	44	59399
		3.2	18.3	39.8	19.9	18.7	.1	100.0

TABLE 10

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
NONE	0	39	254	192	36	5		526
		7.4	48.3	36.5	6.8	1.0		2.0
		3.3	3.4	1.6	.9	.2		
ONE	1	23	133	104	17	4	2	283
		8.1	47.0	36.7	6.0	1.4	.7	1.1
		1.9	1.8	.9	.4	.2	3.6	
TWO	2	38	187	179	28	8	1	441
		8.6	42.4	40.6	6.3	1.8	.2	1.7
		3.2	2.5	1.5	.7	.4	1.8	
THREE	3	42	251	187	48	12		540
		7.8	46.5	34.6	8.9	2.2		2.0
		3.6	3.4	1.6	1.2	.6		
FOUR	4	63	308	299	75	19	5	769
		8.2	40.1	38.9	9.8	2.5	.7	2.9
		5.3	4.1	2.5	1.8	.9	9.1	
FIVE	5	76	390	397	79	24	7	973
		7.8	40.1	40.8	8.1	2.5	.7	3.7
		6.4	5.2	3.3	1.9	1.2	12.7	
SIX	6	78	455	491	116	33	2	1175
		6.6	38.7	41.8	9.9	2.8	.2	4.4
		6.6	6.1	4.1	2.9	1.6	3.6	
SEVEN	7	77	425	566	159	54	2	1283
		6.0	33.1	44.1	12.4	4.2	.2	4.8
		6.5	5.7	4.8	3.9	2.7	3.6	
EIGHT	8	87	608	822	217	77	5	1816
		4.8	33.5	45.3	11.9	4.2	.3	6.8
		7.4	8.2	6.9	5.3	3.8	9.1	
(CONTINUED)	COLUMN TOTAL	1180	7433	11855	4062	2002	55	26587
		4.4	28.0	44.6	15.3	7.5	.2	100.0

TABLE 10

CROSSTABULATION OF

PCVISTT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

PCVISIT	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	ROW TOTAL
NINE (9)	72	432	715	240	92	2	1553
	4.6	27.8	46.0	15.5	5.9	.1	5.8
	6.1	5.8	6.0	5.9	4.6	3.6	
TEN (10)	142	884	1450	486	201	9	3172
	4.5	27.9	45.7	15.3	6.3	.3	11.9
	12.0	11.9	12.2	12.0	10.0	16.4	
ELEVEN (11)	62	588	992	339	140	3	2124
	2.9	27.7	46.7	16.0	6.6	.1	8.0
	5.3	7.9	8.4	8.3	7.0	5.5	
TWELVE (12)	170	1063	2155	712	378	4	4482
	3.8	23.7	48.1	15.9	8.4	.1	16.9
	14.4	14.3	18.2	17.5	18.9	7.3	
THIRTEEN (13)	51	364	824	345	173	1	1758
	2.9	20.7	46.9	19.6	9.8	.1	6.6
	4.3	4.9	7.0	8.5	8.6	1.8	
FOURTEEN (14)	44	347	844	420	290	1	1946
	2.3	17.8	43.4	21.6	14.9	.1	7.3
	3.7	4.7	7.1	10.3	14.5	1.8	
FIFTEEN (15)	30	339	740	350	240	2	1701
	1.8	19.9	43.5	20.6	14.1	.1	6.4
	2.5	4.6	6.2	8.6	12.0	3.6	
SIXTEEN OR MORE (16)	83	392	888	390	248		2001
	4.1	19.6	44.4	19.5	12.4		7.5
	7.0	5.3	7.5	9.6	12.4		
NOT STATED (17)	3	13	10	5	4	9	44
	6.8	29.5	22.7	11.4	9.1	20.5	.2
	.3	.2	.1	.1	.2	16.4	
COLUMN TOTAL	1180	7433	11855	4062	2002	55	26587
	4.4	28.0	44.6	15.3	7.5	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE.

VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
NONE	0		1	7	10	17	45	71	94	85	93	894
			.1	.8	1.1	1.9	5.0	7.9	10.5	9.5	10.4	1.0
			7.7	9.0	3.6	2.3	2.9	2.6	2.5	1.7	1.6	
ONE	1			1	6	9	13	36	46	45	42	415
				.2	1.4	2.2	3.1	8.7	11.1	10.8	10.1	.5
				1.3	2.1	1.2	.8	1.3	1.2	.9	.7	
TWO	2			1	15	16	34	44	59	70	73	654
				.2	2.3	2.4	5.2	6.7	9.0	10.7	11.2	.8
				1.3	5.4	2.2	2.2	1.6	1.6	1.4	1.3	
THREE	3			1	8	15	41	64	86	75	96	856
				.1	.9	1.8	4.8	7.5	10.0	8.8	11.2	1.0
				1.3	2.9	2.0	2.6	2.3	2.3	1.5	1.7	
FOUR	4		3	5	18	23	60	99	94	105	127	1271
			.2	.4	1.4	1.8	4.7	7.8	7.4	8.3	10.0	1.5
			23.1	6.4	6.4	3.1	3.9	3.6	2.5	2.1	2.2	
FIVE	5		2	5	18	39	74	101	166	151	144	1689
			.1	.3	1.1	2.3	4.4	6.0	9.8	8.9	8.5	2.0
			15.4	6.4	6.4	5.2	4.8	3.6	4.4	3.0	2.5	
SIX	6		1	5	18	41	95	148	178	221	229	2328
			.0	.2	.8	1.8	4.1	6.4	7.6	9.5	9.8	2.7
			7.7	6.4	6.4	5.5	6.1	5.3	4.7	4.4	4.0	
SEVEN	7		2	4	17	41	95	145	192	224	230	2696
			.1	.1	.6	1.5	3.5	5.4	7.1	8.3	8.5	3.1
			15.4	5.1	6.1	5.5	6.1	5.2	5.1	4.5	4.0	
EIGHT	8		2	6	20	75	133	218	274	325	345	4077
			.0	.1	.5	1.8	3.3	5.3	6.7	8.0	8.5	4.7
			15.4	7.7	7.1	10.1	8.6	7.9	7.3	6.5	6.0	
(CONTINUED)	COLUMN TOTAL	1	13	78	280	744	1550	2771	3752	5010	5757	85986
		.0	.0	.1	.3	.9	1.8	3.2	4.4	5.8	6.7	100.0

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
NONE	0	85	49	72	40	135	54	27	7	2		894
		9.5	5.5	8.1	4.5	15.1	6.0	3.0	.8	.2		1.0
		1.5	.8	1.2	.7	.5	.4	.7	1.6	10.5		
ONE	1	40	29	27	25	65	23	7	1			415
		9.6	7.0	6.5	6.0	15.7	5.5	1.7	.2			.5
		.7	.5	.5	.4	.3	.2	.2	.2			
TWO	2	67	37	40	35	115	37	7	4			654
		10.2	5.7	6.1	5.4	17.6	5.7	1.1	.6			.8
		1.2	.6	.7	.6	.5	.3	.2	.9			
THREE	3	75	58	62	41	141	62	30	1			856
		8.8	6.8	7.2	4.8	16.5	7.2	3.5	.1			1.0
		1.3	1.0	1.0	.7	.6	.5	.8	.2			
FOUR	4	119	88	89	86	241	79	33	2			1271
		9.4	6.9	7.0	6.8	19.0	6.2	2.6	.2			1.5
		2.0	1.5	1.5	1.5	1.0	.6	.9	.5			
FIVE	5	154	121	102	86	318	151	51	5		1	1689
		9.1	7.2	6.0	5.1	18.8	8.9	3.0	.3		.1	2.0
		2.6	2.1	1.7	1.5	1.3	1.1	1.4	1.1		16.7	
SIX	6	213	185	160	124	435	209	53	10	3		2328
		9.1	7.9	6.9	5.3	18.7	9.0	2.3	.4	.1		2.7
		3.7	3.2	2.7	2.2	1.7	1.6	1.4	2.3	15.8		
SEVEN	7	213	209	189	200	565	281	71	17	1		2696
		7.9	7.8	7.0	7.4	21.0	10.4	2.6	.6	.0		3.1
		3.7	3.6	3.2	3.5	2.2	2.1	1.9	3.9	5.3		
EIGHT	8	318	261	290	241	979	435	131	21	3		4077
		7.8	6.4	7.1	5.9	24.0	10.7	3.2	.5	.1		4.7
		5.5	4.5	4.9	4.2	3.9	3.2	3.5	4.8	15.8		
(CONTINUED)	COLUMN TOTAL	5815	5786	5921	5739	25175	13436	3695	438	19	6	85986
		6.8	6.7	6.9	6.7	29.3	15.6	4.3	.5	.0	.0	100.0

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
9 NINE			7 .2 9.0	22 .5 7.9	50 1.2 6.7	95 2.3 6.1	180 4.3 6.5	207 4.9 5.5	306 7.3 6.1	305 7.2 5.3	4210 4.9
10 TEN			13 .1 16.7	37 .4 13.2	96 1.1 12.9	187 2.1 12.1	345 3.9 12.5	432 4.9 11.5	605 6.8 12.1	639 7.2 11.1	8842 10.3
11 ELEVEN			4 .1 5.1	15 .2 5.4	66 1.0 8.9	120 1.8 7.7	227 3.5 8.2	308 4.7 8.2	404 6.2 8.1	443 6.8 7.7	6548 7.6
12 TWELVE			9 .1 11.5	39 .2 13.9	94 .5 12.6	225 1.3 14.5	463 2.7 16.7	647 3.8 17.2	915 5.3 18.3	1114 6.5 19.4	17189 20.0
13 THIRTEEN		1 .0 7.7	4 .1 5.1	7 .1 2.5	48 .7 6.5	90 1.2 5.8	166 2.3 6.0	247 3.4 6.6	311 4.3 6.2	466 6.4 8.1	7249 8.4
14 FOURTEEN	1 .0 100.0		1 .0 1.3	8 .1 2.9	33 .3 4.4	84 .9 5.4	164 1.7 5.9	240 2.4 6.4	385 3.9 7.7	490 5.0 8.5	9802 11.4
15 FIFTEEN			1 .0 1.3	7 .1 2.5	32 .4 4.3	79 1.0 5.1	141 1.8 5.1	228 2.9 6.1	360 4.5 7.2	423 5.3 7.3	7989 9.3
16 SIXTEEN OR MORE		1 .0 7.7	4 .0 5.1	15 .2 5.4	48 .5 6.5	75 .8 4.8	152 1.7 5.5	248 2.7 6.6	417 4.6 8.3	486 5.3 8.4	9160 10.7
17 NOT STATED					1 .9 .1	5 4.3 .3	7 6.0 .3	6 5.1 .2	6 5.1 .1	12 10.3 .2	117 .1
COLUMN TOTAL	1 .0	13 .0	78 .1	280 .3	744 .9	1550 1.8	2771 3.2	3752 4.4	5010 5.8	5757 6.7	85986 100.0

(CONTINUED)

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	AGE (COUNT / ROW PCT / COL PCT)	21	22	23	24	25	26	27	28	29	30	ROW TOTAL
		25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED					
9 NINE	317	285	274	246	1137	612	150	16		1		4210
	7.5	6.8	6.5	5.8	27.0	14.5	3.6	.4		.0		4.9
	5.5	4.9	4.6	4.3	4.5	4.6	4.1	3.7		16.7		
10 TEN	640	665	611	554	2372	1230	367	47	1	1		8842
	7.2	7.5	6.9	6.3	26.8	13.9	4.2	.5	.0	.0		10.3
	11.0	11.5	10.3	9.7	9.4	9.2	9.9	10.7	5.3	16.7		
11 ELEVEN	511	445	465	419	1852	977	262	29	1			6548
	7.8	6.8	7.1	6.4	28.3	14.9	4.0	.4	.0			7.6
	8.8	7.7	7.9	7.3	7.4	7.3	7.1	6.6	5.3			
12 TWELVE	1047	1152	1170	1175	5379	2896	770	92	2			17189
	6.1	6.7	6.8	6.8	31.3	16.8	4.5	.5	.0			20.0
	18.0	19.9	19.8	20.5	21.4	21.6	20.8	21.0	10.5			
13 THIRTEEN	485	512	507	504	2338	1225	300	37	1			7249
	6.7	7.1	7.0	7.0	32.3	16.9	4.1	.5	.0			8.4
	8.3	8.8	8.6	8.8	9.3	9.1	8.1	8.4	5.3			
14 FOURTEEN	530	577	680	712	3398	1928	514	56	1			9802
	5.4	5.9	6.9	7.3	34.7	19.7	5.2	.6	.0			11.4
	9.1	10.0	11.5	12.4	13.5	14.3	13.9	12.8	5.3			
15 FIFTEEN	455	514	534	609	2647	1513	402	42	1	1		7989
	5.7	6.4	6.7	7.6	33.1	18.9	5.0	.5	.0	.0		9.3
	7.8	8.9	9.0	10.6	10.5	11.3	10.9	9.6	5.3	16.7		
16 SIXTEEN OR MORE	539	589	639	640	3029	1712	512	51	3			9160
	5.9	6.4	7.0	7.0	33.1	18.7	5.6	.6	.0			10.7
	9.3	10.2	10.8	11.2	12.0	12.7	13.9	11.6	15.8			
17 NOT STATED	7	10	10	2	29	12	8			2		117
	6.0	8.5	8.5	1.7	24.8	10.3	6.8			1.7		.1
	.1	.2	.2	.0	.1	.1	.2			33.3		
COLUMN TOTAL	5815	5786	5921	5739	25175	13436	3695	438	19	6		85986
	6.8	6.7	6.9	6.7	29.3	15.6	4.3	.5	.0	.0		100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	12	13	14	15	16	17	18	19	20	21	ROW TOTAL
NONE	0			3	4	15	29	46	30	44	38	368
				.8	1.1	4.1	7.9	12.5	8.2	12.0	10.3	.6
				4.0	1.4	2.1	1.9	2.2	1.0	1.2	1.0	
ONE	1				3	5	10	13	18	14	8	132
					2.3	3.8	7.6	9.8	13.6	10.6	6.1	.2
					1.0	.7	.7	.6	.6	.4	.2	
TWO	2			3	4	11	16	15	21	34	21	213
				1.4	1.9	5.2	7.5	7.0	9.9	16.0	9.9	.4
				4.0	1.4	1.5	1.1	.7	.7	.9	.6	
THREE	3				6	18	23	30	33	28	29	316
					1.9	5.7	7.3	9.5	10.4	8.9	9.2	.5
					2.1	2.5	1.5	1.4	1.1	.8	.8	
FOUR	4	1		5	4	16	42	38	38	53	52	502
		.2		1.0	.8	3.2	8.4	7.6	7.6	10.6	10.4	.8
		33.3		6.7	1.4	2.3	2.8	1.8	1.2	1.4	1.4	
FIVE	5	1		3	6	28	45	61	71	60	78	716
		.1		.4	.8	3.9	6.3	8.5	9.9	8.4	10.9	1.2
		33.3		4.0	2.1	3.9	3.0	2.9	2.3	1.6	2.1	
SIX	6	1	1	4	18	38	71	82	94	101	115	1153
		.1	.1	.3	1.6	3.3	6.2	7.1	8.2	8.8	10.0	1.9
		33.3	20.0	5.3	6.3	5.3	4.7	3.9	3.1	2.7	3.0	
SEVEN	7			4	15	42	69	79	120	118	110	1413
				.3	1.1	3.0	4.9	5.6	8.5	8.4	7.8	2.4
				5.3	5.2	5.9	4.6	3.8	3.9	3.2	2.9	
EIGHT	8			3	28	52	113	126	177	184	171	2261
				.1	1.2	2.3	5.0	5.6	7.8	8.1	7.6	3.8
				4.0	9.8	7.3	7.5	6.0	5.8	5.0	4.5	
(CONTINUED)	COLUMN TOTAL	3	5	75	286	711	1511	2086	3047	3688	3803	59399
		.0	.0	.1	.5	1.2	2.5	3.5	5.1	6.2	6.4	100.0

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
NONE	0	23	30	10	56	22	14	3	1		368
		6.3	8.2	2.7	15.2	6.0	3.8	.8	.3		.6
		.6	.7	.2	.3	.2	.5	1.1	14.3		
ONE	1	10	9	9	21	9	3				132
		7.6	6.8	6.8	15.9	6.8	2.3				.2
		.3	.2	.2	.1	.1	.1				
TWO	2	18	17	6	37	7	2	1			213
		8.5	8.0	2.8	17.4	3.3	.9	.5			.4
		.5	.4	.1	.2	.1	.1	.4			
THREE	3	18	26	13	49	26	17				316
		5.7	8.2	4.1	15.5	8.2	5.4				.5
		.5	.6	.3	.3	.3	.6				
FOUR	4	42	36	28	95	34	16	2			502
		8.4	7.2	5.6	18.9	6.8	3.2	.4			.8
		1.1	.9	.7	.5	.3	.6	.7			
FIVE	5	48	41	34	138	69	30	2		1	716
		6.7	5.7	4.7	19.3	9.6	4.2	.3		.1	1.2
		1.2	1.0	.8	.7	.7	1.1	.7		33.3	
SIX	6	90	82	63	233	123	31	5	1		1153
		7.8	7.1	5.5	20.2	10.7	2.7	.4	.1		1.9
		2.3	2.0	1.6	1.2	1.2	1.1	1.8	14.3		
SEVEN	7	121	99	108	305	166	48	9			1413
		8.6	7.0	7.6	21.6	11.7	3.4	.6			2.4
		3.1	2.4	2.7	1.6	1.6	1.7	3.2			
EIGHT	8	153	184	145	555	266	88	14	2		2261
		6.8	8.1	6.4	24.5	11.8	3.9	.6	.1		3.8
		3.9	4.5	3.6	3.0	2.6	3.2	4.9	28.6		
(CONTINUED)	COLUMN TOTAL	3897	4108	4061	18713	10340	2771	284	7	3	59399
		6.6	6.9	6.8	31.5	17.4	4.7	.5	.0	.0	100.0

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	AGE: 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
9 NINE			5	20	43	86	122	171	170	194	2657
			.2	.8	1.6	3.2	4.6	6.4	6.4	7.3	4.5
			6.7	7.0	6.0	5.7	5.8	5.6	4.6	5.1	
10 TEN		2	16	43	76	184	241	343	399	411	5670
		.0	.3	.8	1.3	3.2	4.3	6.0	7.0	7.2	9.5
		40.0	21.3	15.0	10.7	12.2	11.6	11.3	10.8	10.8	
11 ELEVEN			4	24	51	120	164	250	301	321	4424
			.1	.5	1.2	2.7	3.7	5.7	6.8	7.3	7.4
			5.3	8.4	7.2	7.9	7.9	8.2	8.2	8.4	
12 TWELVE			12	37	119	291	412	615	756	725	12707
			.1	.3	.9	2.3	3.2	4.8	5.9	5.7	21.4
			16.0	12.9	16.7	19.3	19.8	20.2	20.5	19.1	
13 THIRTEEN			2	19	42	112	169	224	346	344	5491
			.0	.3	.8	2.0	3.1	4.1	6.3	6.3	9.2
			2.7	6.6	5.9	7.4	8.1	7.4	9.4	9.0	
14 FOURTEEN		1	2	20	58	108	160	277	371	402	7856
		.0	.0	.3	.7	1.4	2.0	3.5	4.7	5.1	13.2
		20.0	2.7	7.0	8.2	7.1	7.7	9.1	10.1	10.6	
15 FIFTEEN		1	3	18	44	90	160	260	323	347	6288
		.0	.0	.3	.7	1.4	2.5	4.1	5.1	5.5	10.6
		20.0	4.0	6.3	6.2	6.0	7.7	8.5	8.8	9.1	
16 SIXTEEN OR MORE			6	17	50	97	165	299	376	432	7159
			.1	.2	.7	1.4	2.3	4.2	5.3	6.0	12.1
			8.0	5.9	7.0	6.4	7.9	9.8	10.2	11.4	
17 NOT STATED					3	5	3	6	10	5	73
					4.1	6.8	4.1	8.2	13.7	6.8	.1
					.4	.3	.1	.2	.3	.1	
COLUMN TOTAL	3	5	75	286	711	1511	2086	3047	3688	3803	59399
	.0	.0	.1	.5	1.2	2.5	3.5	5.1	6.2	6.4	100.0

(CONTINUED)

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	AGE: 22	23	24	25	26	27	28	29	30	ROW TOTAL
9 NINE	178	169	165	753	465	106	10			2657
	6.7	6.4	6.2	28.3	17.5	4.0	.4			4.5
	4.6	4.1	4.1	4.0	4.5	3.8	3.5			
10 TEN	426	395	372	1619	872	249	21		1	5670
	7.5	7.0	6.6	28.6	15.4	4.4	.4		.0	9.5
	10.9	9.6	9.2	8.7	8.4	9.0	7.4		33.3	
11 ELEVEN	301	313	292	1340	726	198	19			4424
	6.8	7.1	6.6	30.3	16.4	4.5	.4			7.4
	7.7	7.6	7.2	7.2	7.0	7.1	6.7			
12 TWELVE	799	854	876	4225	2329	593	64			12707
	6.3	6.7	6.9	33.2	18.3	4.7	.5			21.4
	20.5	20.8	21.6	22.6	22.5	21.4	22.5			
13 THIRTEEN	376	381	374	1856	991	226	29			5491
	6.8	6.9	6.8	33.8	18.0	4.1	.5			9.2
	9.6	9.3	9.2	9.9	9.6	8.2	10.2			
14 FOURTEEN	450	533	591	2819	1614	408	42			7856
	5.7	6.8	7.5	35.9	20.5	5.2	.5			13.2
	11.5	13.0	14.6	15.1	15.6	14.7	14.8			
15 FIFTEEN	389	411	476	2177	1233	325	30		1	6288
	6.2	6.5	7.6	34.6	19.6	5.2	.5		.0	10.6
	10.0	10.0	11.7	11.6	11.9	11.7	10.6		33.3	
16 SIXTEEN OR MORE	449	523	497	2419	1381	412	33	3		7159
	6.3	7.3	6.9	33.8	19.3	5.8	.5	.0		12.1
	11.5	12.7	12.2	12.9	13.4	14.9	11.6	42.9		
17 NOT STATED	6	5	2	16	7	5				73
	8.2	6.8	2.7	21.9	9.6	6.8				.1
	.2	.1	.0	.1	.1	.2				
COLUMN TOTAL	3897	4108	4061	18713	10340	2771	284	7	3	59399
	6.6	6.9	6.8	31.5	17.4	4.7	.5	.0	.0	100.0

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
NONE	0		1	7	7	13	30	42	48	55	49	526
			.2	1.3	1.3	2.5	5.7	8.0	9.1	10.5	9.3	2.0
			10.0	9.6	3.4	2.8	3.6	3.3	2.9	2.8	2.4	
ONE	1			1	6	6	8	26	33	27	28	283
				.4	2.1	2.1	2.8	9.2	11.7	9.5	9.9	1.1
				1.4	2.9	1.3	1.0	2.1	2.0	1.4	1.4	
TWO	2			1	12	12	23	28	44	49	39	441
				.2	2.7	2.7	5.2	6.3	10.0	11.1	8.8	1.7
				1.4	5.9	2.6	2.7	2.2	2.6	2.5	1.9	
THREE	3			1	8	9	23	41	56	42	68	540
				.2	1.5	1.7	4.3	7.6	10.4	7.8	12.6	2.0
				1.4	3.9	2.0	2.7	3.3	3.4	2.1	3.3	
FOUR	4		2	5	13	19	44	57	56	67	74	769
			.3	.7	1.7	2.5	5.7	7.4	7.3	8.7	9.6	2.9
			20.0	6.8	6.3	4.1	5.2	4.5	3.4	3.4	3.6	
FIVE	5		1	5	15	33	46	56	105	80	84	973
			.1	.5	1.5	3.4	4.7	5.8	10.8	8.2	8.6	3.7
			10.0	6.8	7.3	7.2	5.5	4.4	6.3	4.1	4.1	
SIX	6			4	14	23	57	77	96	127	128	1175
				.3	1.2	2.0	4.9	6.6	8.2	10.8	10.9	4.4
				5.5	6.8	5.0	6.8	6.1	5.8	6.5	6.2	
SEVEN	7		2	4	13	26	53	76	113	104	112	1283
			.2	.3	1.0	2.0	4.1	5.9	8.8	8.1	8.7	4.8
			20.0	5.5	6.3	5.7	6.3	6.0	6.8	5.3	5.4	
EIGHT	8		2	6	17	47	81	105	148	148	161	1816
			.1	.3	.9	2.6	4.5	5.8	8.1	8.1	8.9	6.8
			20.0	8.2	8.3	10.3	9.7	8.3	8.9	7.5	7.8	
(CONTINUED)	COLUMN TOTAL	1	10	73	205	458	839	1260	1666	1963	2069	26587
		.0	.0	.3	.8	1.7	3.2	4.7	6.3	7.4	7.8	100.0

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	21	22	23	24	25	26	27	28	29	30	ROW TOTAL
		AGE										
						25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	
NONE	0	47	26	42	30	79	32	13	4	1		526
		8.9	4.9	8.0	5.7	15.0	6.1	2.5	.8	.2		2.0
		2.3	1.4	2.3	1.8	1.2	1.0	1.4	2.6	8.3		
ONE	1	32	19	18	16	44	14	4	1			283
		11.3	6.7	6.4	5.7	15.5	4.9	1.4	.4			1.1
		1.6	1.0	1.0	1.0	.7	.5	.4	.6			
TWO	2	46	19	23	29	78	30	5	3			441
		10.4	4.3	5.2	6.6	17.7	6.8	1.1	.7			1.7
		2.3	1.0	1.3	1.7	1.2	1.0	.5	1.9			
THREE	3	46	40	36	28	92	36	13	1			540
		8.5	7.4	6.7	5.2	17.0	6.7	2.4	.2			2.0
		2.3	2.1	2.0	1.7	1.4	1.2	1.4	.6			
FOUR	4	67	46	53	58	146	45	17				769
		8.7	6.0	6.9	7.5	19.0	5.9	2.2				2.9
		3.3	2.4	2.9	3.5	2.3	1.5	1.8				
FIVE	5	76	73	61	52	180	82	21	3			973
		7.8	7.5	6.3	5.3	18.5	8.4	2.2	.3			3.7
		3.8	3.9	3.4	3.1	2.8	2.6	2.3	1.9			
SIX	6	98	95	78	61	202	86	22	5	2		1175
		8.3	8.1	6.6	5.2	17.2	7.3	1.9	.4	.2		4.4
		4.9	5.0	4.3	3.6	3.1	2.8	2.4	3.2	16.7		
SEVEN	7	103	88	90	92	260	115	23	8	1		1283
		8.0	6.9	7.0	7.2	20.3	9.0	1.8	.6	.1		4.8
		5.1	4.7	5.0	5.5	4.0	3.7	2.5	5.2	8.3		
EIGHT	8	147	108	106	96	424	169	43	7	1		1816
		8.1	5.9	5.8	5.3	23.3	9.3	2.4	.4	.1		6.8
		7.3	5.7	5.8	5.7	6.6	5.5	4.7	4.5	8.3		
(CONTINUED)	COLUMN TOTAL	2012	1889	1813	1678	6462	3096	924	154	12	3	26587
		7.6	7.1	6.8	6.3	24.3	11.6	3.5	.6	.0	.0	100.0

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
9 NINE			7 .5 9.6	17 1.1 8.3	30 1.9 6.6	52 3.3 6.2	94 6.1 7.5	85 5.5 5.1	135 8.7 6.9	135 8.7 6.5	1553 5.8
10 TEN			11 .3 15.1	21 .7 10.2	53 1.7 11.6	111 3.5 13.2	161 5.1 12.8	191 6.0 11.5	262 8.3 13.3	240 7.6 11.6	3172 11.9
11 ELEVEN			4 .2 5.5	11 .5 5.4	42 2.0 9.2	69 3.2 8.2	107 5.0 8.5	144 6.8 8.6	154 7.3 7.8	142 6.7 6.9	2124 8.0
12 TWELVE			9 .2 12.3	27 .6 13.2	57 1.3 12.4	106 2.4 12.6	172 3.8 13.7	235 5.2 14.1	300 6.7 15.3	358 8.0 17.3	4482 16.9
13 THIRTEEN		1 .1 10.0	4 .2 5.5	5 .3 2.4	29 1.6 6.3	48 2.7 5.7	54 3.1 4.3	78 4.4 4.7	87 4.9 4.4	120 6.8 5.8	1758 6.6
14 FOURTEEN	1 .1 100.0			6 .3 2.9	13 .7 2.8	26 1.3 3.1	56 2.9 4.4	80 4.1 4.8	108 5.5 5.5	119 6.1 5.8	1946 7.3
15 FIFTEEN				4 .2 2.0	14 .8 3.1	35 2.1 4.2	51 3.0 4.0	68 4.0 4.1	100 5.9 5.1	100 5.9 4.8	1701 6.4
16 SIXTEEN OR MORE		1 .0 10.0	4 .2 5.5	9 .4 4.4	31 1.5 6.8	25 1.2 3.0	55 2.7 4.4	83 4.1 5.0	118 5.9 6.0	110 5.5 5.3	2001 7.5
17 NOT STATED					1 2.3 .2	2 4.5 .2	2 4.5 .2	3 6.8 .2		2 4.5 .1	44 .2
COLUMN TOTAL	1 .0	10 .0	73 .3	205 .8	458 1.7	839 3.2	1260 4.7	1666 6.3	1963 7.4	2069 7.8	26587 100.0

(CONTINUED)

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	AGE: 21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
9 NINE	123	107	105	81	384	147	44	6		1	1553
	7.9	6.9	6.8	5.2	24.7	9.5	2.8	.4		.1	5.8
	6.1	5.7	5.8	4.8	5.9	4.7	4.8	3.9		33.3	
10 TEN	229	239	216	182	753	358	118	26	1		3172
	7.2	7.5	6.8	5.7	23.7	11.3	3.7	.8	.0		11.9
	11.4	12.7	11.9	10.8	11.7	11.6	12.8	16.9	8.3		
11 ELEVEN	190	144	152	127	512	251	64	10	1		2124
	8.9	6.8	7.2	6.0	24.1	11.8	3.0	.5	.0		8.0
	9.4	7.6	8.4	7.6	7.9	8.1	6.9	6.5	8.3		
12 TWELVE	322	353	316	299	1154	567	177	28	2		4482
	7.2	7.9	7.1	6.7	25.7	12.7	3.9	.6	.0		16.9
	16.0	18.7	17.4	17.8	17.9	18.3	19.2	18.2	16.7		
13 THIRTEEN	141	136	126	130	482	234	74	8	1		1758
	8.0	7.7	7.2	7.4	27.4	13.3	4.2	.5	.1		6.6
	7.0	7.2	6.9	7.7	7.5	7.6	8.0	5.2	8.3		
14 FOURTEEN	128	127	147	121	579	314	106	14	1		1946
	6.6	6.5	7.6	6.2	29.8	16.1	5.4	.7	.1		7.3
	6.4	6.7	8.1	7.2	9.0	10.1	11.5	9.1	8.3		
15 FIFTEEN	108	125	123	133	470	280	77	12	1		1701
	6.3	7.3	7.2	7.8	27.6	16.5	4.5	.7	.1		6.4
	5.4	6.6	6.8	7.9	7.3	9.0	8.3	7.8	8.3		
16 SIXTEEN OR MORE	107	140	116	143	610	331	100	18			2001
	5.3	7.0	5.8	7.1	30.5	16.5	5.0	.9			7.5
	5.3	7.4	6.4	8.5	9.4	10.7	10.8	11.7			
17 NOT STATED	2	4	5		13	5	3			2	44
	4.5	9.1	11.4		29.5	11.4	6.8			4.5	.2
	.1	.2	.3		.2	.2	.3			66.7	
COLUMN TOTAL	2012	1889	1813	1678	6462	3096	924	154	12	3	26587
	7.6	7.1	6.8	6.3	24.3	11.6	3.5	.6	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 12

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS: MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	ROW TOTAL
NONE	0	280 31.3 .4	614 68.7 3.4		894 1.0
ONE	1	158 38.1 .2	257 61.9 1.4		415 .5
TWO	2	277 42.4 .4	377 57.6 2.1		654 .8
THREE	3	368 43.0 .5	488 57.0 2.7		856 1.0
FOUR	4	632 49.7 .9	639 50.3 3.5		1271 1.5
FIVE	5	889 52.6 1.3	800 47.4 4.4		1689 2.0
SIX	6	1384 59.5 2.0	944 40.5 5.2		2328 2.7
SEVEN	7	1741 64.6 2.6	955 35.4 5.3		2696 3.1
EIGHT	8	2701 66.2 4.0	1375 33.7 7.6	1 .0 25.0	4077 4.7
(CONTINUED)	COLUMN TOTAL	67792 78.8	18190 21.2	4 .0	85986 100.0

TABLE 12

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS: MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	ROW TOTAL
NINE	9	3094 73.5 4.6	1116 26.5 6.1		4210 4.9
TEN	10	6625 74.9 9.8	2216 25.1 12.2	1 .0 25.0	8842 10.3
ELEVEN	11	5144 78.6 7.6	1404 21.4 7.7		6548 7.6
TWELVE	12	14406 83.8 21.3	2783 16.2 15.3		17189 20.0
THIRTEEN	13	6197 85.5 9.1	1052 14.5 5.8		7249 8.4
FOURTEEN	14	8790 89.7 13.0	1012 10.3 5.6		9802 11.4
FIFTEEN	15	7072 88.5 10.4	917 11.5 5.0		7989 9.3
SIXTEEN OR MORE	16	7963 86.9 11.7	1197 13.1 6.6		9160 10.7
NOT STATED	17	71 60.7 .1	44 37.6 .2	2 1.7 50.0	117 .1
	COLUMN TOTAL	67792 78.8	18190 21.2	4 .0	85986 100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 12

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
NONE	0	174	194		368
		47.3	52.7		.6
		.3	4.1		
ONE	1	92	40		132
		69.7	30.3		.2
		.2	.9		
TWO	2	143	70		213
		67.1	32.9		.4
		.3	1.5		
THREE	3	203	113		316
		64.2	35.8		.5
		.4	2.4		
FOUR	4	378	124		502
		75.3	24.7		.8
		.7	2.6		
FIVE	5	545	171		716
		76.1	23.9		1.2
		1.0	3.6		
SIX	6	924	229		1153
		80.1	19.9		1.9
		1.7	4.9		
SEVEN	7	1198	215		1413
		84.8	15.2		2.4
		2.2	4.6		
EIGHT	8	1941	319	1	2261
		85.8	14.1	.0	3.8
		3.5	6.8	100.0	
(CONTINUED)	COLUMN TOTAL	54713	4685	1	59399
		92.1	7.9	.0	100.0

TABLE 12

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	STATUS COUNT ROW PCT COL PCT	MARRIED 1	NOT MARRIED 2	NOT STATED 3	ROW TOTAL
NINE	9	2375 89.4 4.3	282 10.6 6.0		2657 4.5
TEN	10	5112 90.2 9.3	558 9.8 11.9		5670 9.5
ELEVEN	11	4101 92.7 7.5	323 7.3 6.9		4424 7.4
TWELVE	12	11949 94.0 21.8	758 6.0 16.2		12707 21.4
THIRTEEN	13	5174 94.2 9.5	317 5.8 6.8		5491 9.2
FOURTEEN	14	7547 96.1 13.8	309 3.9 6.6		7856 13.2
FIFTEEN	15	6026 95.8 11.0	262 4.2 5.6		6288 10.6
SIXTEEN OR MORE	16	6779 94.7 12.4	380 5.3 8.1		7159 12.1
NOT STATED	17	52 71.2 .1	21 28.8 .4		73 .1
	COLUMN TOTAL	54713 92.1	4685 7.9	1 .0	59399 100.0

TABLE 12

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS: MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	ROW TOTAL
NONE	0	106 20.2 .8	420 79.8 3.1		526 2.0
ONE	1	66 23.3 .5	217 76.7 1.6		283 1.1
TWO	2	134 30.4 1.0	307 69.6 2.3		441 1.7
THREE	3	165 30.6 1.3	375 69.4 2.8		540 2.0
FOUR	4	254 33.0 1.9	515 67.0 3.8		769 2.9
FIVE	5	344 35.4 2.6	629 64.6 4.7		973 3.7
SIX	6	460 39.1 3.5	715 60.9 5.3		1175 4.4
SEVEN	7	543 42.3 4.2	740 57.7 5.5		1283 4.8
EIGHT	8	760 41.9 5.8	1056 58.1 7.8		1816 6.8
	COLUMN TOTAL	13079 49.2	13505 50.8	3 .0	26587 100.0

(CONTINUED)

TABLE 12

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS: MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	ROW TOTAL
NINE	9	719	834		1553
		46.3	53.7		5.8
		5.5	6.2		
TEN	10	1513	1658	1	3172
		47.7	52.3	.0	11.9
		11.6	12.3	33.3	
ELEVEN	11	1043	1081		2124
		49.1	50.9		8.0
		8.0	8.0		
TWELVE	12	2457	2025		4482
		54.8	45.2		16.9
		18.8	15.0		
THIRTEEN	13	1023	735		1758
		58.2	41.8		6.6
		7.8	5.4		
FOURTEEN	14	1243	703		1946
		63.9	36.1		7.3
		9.5	5.2		
FIFTEEN	15	1046	655		1701
		61.5	38.5		6.4
		8.0	4.9		
SIXTEEN OR MORE	16	1184	817		2001
		59.2	40.8		7.5
		9.1	6.0		
NOT STATED	17	19	23	2	44
		43.2	52.3	4.5	.2
		.1	.2	66.7	
	COLUMN TOTAL	13079	13505	3	26587
		49.2	50.8	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 13

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER

CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	BO: 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
0 NONE	288	240	175	78	49	26	19	7	12		894
	32.2	26.8	19.6	8.7	5.5	2.9	2.1	.8	1.3		1.0
	.8	.9	1.3	1.4	2.1	2.8	4.4	3.7	5.5		
1 ONE	128	128	72	40	22	15	4	1	5		415
	30.8	30.8	17.3	9.6	5.3	3.6	1.0	.2	1.2		.5
	.4	.5	.5	.7	1.0	1.6	.9	.5	2.3		
2 TWO	175	198	129	75	40	23	6	5	2	1	654
	26.8	30.3	19.7	11.5	6.1	3.5	.9	.8	.3	.2	.8
	.5	.7	.9	1.4	1.7	2.4	1.4	2.7	.9	5.3	
3 THREE	264	252	160	95	36	22	14	4	9		856
	30.8	29.4	18.7	11.1	4.2	2.6	1.6	.5	1.1		1.0
	.8	.9	1.2	1.7	1.6	2.3	3.3	2.1	4.1		
4 FOUR	422	378	235	126	57	30	11	8	4		1271
	33.2	29.7	18.5	9.9	4.5	2.4	.9	.6	.3		1.5
	1.2	1.4	1.7	2.3	2.5	3.2	2.6	4.3	1.8		
5 FIVE	611	493	301	129	82	41	8	13	11		1689
	36.2	29.2	17.8	7.6	4.9	2.4	.5	.8	.7		2.0
	1.8	1.8	2.2	2.3	3.5	4.4	1.9	6.9	5.0		
6 SIX	852	706	400	211	81	42	16	8	12		2328
	36.6	30.3	17.2	9.1	3.5	1.8	.7	.3	.5		2.7
	2.4	2.5	2.9	3.8	3.5	4.5	3.7	4.3	5.5		
7 SEVEN	1056	818	443	199	106	36	18	4	16		2696
	39.2	30.3	16.4	7.4	3.9	1.3	.7	.1	.6		3.1
	3.0	2.9	3.2	3.6	4.6	3.8	4.2	2.1	7.3		
8 EIGHT	1618	1251	669	301	106	69	29	15	18	1	4077
	39.7	30.7	16.4	7.4	2.6	1.7	.7	.4	.4	.0	4.7
	4.6	4.5	4.9	5.4	4.6	7.3	6.8	8.0	8.3	5.3	
COLUMN TOTAL	34817	27774	13746	5541	2314	941	428	188	218	19	85986
	40.5	32.3	16.0	6.4	2.7	1.1	.5	.2	.3	.0	100.0

(CONTINUED)

TABLE 13

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER
CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
NINE	9	1659	1388	673	292	103	57	24	6	8		4210
		39.4	33.0	16.0	6.9	2.4	1.4	.6	.1	.2		4.9
		4.8	5.0	4.9	5.3	4.5	6.1	5.6	3.2	3.7		
TEN	10	3468	2882	1488	582	235	86	58	16	27		8842
		39.2	32.6	16.8	6.6	2.7	1.0	.7	.2	.3		10.3
		10.0	10.4	10.8	10.5	10.2	9.1	13.6	8.5	12.4		
ELEVEN	11	2751	2076	1063	406	149	58	32	6	7		6548
		42.0	31.7	16.2	6.2	2.3	.9	.5	.1	.1		7.6
		7.9	7.5	7.7	7.3	6.4	6.2	7.5	3.2	3.2		
TWELVE	12	7041	5754	2718	955	410	173	72	32	34		17189
		41.0	33.5	15.8	5.6	2.4	1.0	.4	.2	.2		20.0
		20.2	20.7	19.8	17.2	17.7	18.4	16.8	17.0	15.6		
THIRTEEN	13	3114	2479	1039	382	142	42	29	9	12	1	7249
		43.0	34.2	14.3	5.3	2.0	.6	.4	.1	.2	.0	8.4
		8.9	8.9	7.6	6.9	6.1	4.5	6.8	4.8	5.5	5.3	
FOURTEEN	14	4139	3272	1492	570	222	60	22	17	6	2	9802
		42.2	33.4	15.2	5.8	2.3	.6	.2	.2	.1	.0	11.4
		11.9	11.8	10.9	10.3	9.6	6.4	5.1	9.0	2.8	10.5	
FIFTEEN	15	3359	2630	1219	495	186	55	24	12	9		7989
		42.0	32.9	15.3	6.2	2.3	.7	.3	.2	.1		9.3
		9.6	9.5	8.9	8.9	8.0	5.8	5.6	6.4	4.1		
SIXTEEN OR MORE	16	3832	2800	1456	597	282	102	41	25	25		9160
		41.8	30.6	15.9	6.5	3.1	1.1	.4	.3	.3		10.7
		11.0	10.1	10.6	10.8	12.2	10.8	9.6	13.3	11.5		
NOT STATED	17	40	29	14	8	6	4	1		1	14	117
		34.2	24.8	12.0	6.8	5.1	3.4	.9		.9	12.0	.1
		.1	.1	.1	.1	.3	.4	.2		.5	73.7	
	COLUMN	34817	27774	13746	5541	2314	941	428	188	218	19	85986
	TOTAL	40.5	32.3	16.0	6.4	2.7	1.1	.5	.2	.3	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 13

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	BO: 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
NONE (0)	162	81	69	24	15	4	5	4	4		368
	44.0	22.0	18.8	6.5	4.1	1.1	1.4	1.1	1.1		.6
	.6	.4	.8	.7	1.2	.9	2.6	5.5	4.5		
ONE (1)	49	43	17	12	5	3	1	1	1		132
	37.1	32.6	12.9	9.1	3.8	2.3	.8	.8	.8		.2
	.2	.2	.2	.4	.4	.7	.5	1.4	1.1		
TWO (2)	70	67	41	17	10	5	2	1			213
	32.9	31.5	19.2	8.0	4.7	2.3	.9	.5			.4
	.3	.3	.5	.5	.8	1.2	1.0	1.4			
THREE (3)	121	80	59	31	11	6	2	2	4		316
	38.3	25.3	18.7	9.8	3.5	1.9	.6	.6	1.3		.5
	.5	.4	.6	1.0	.9	1.4	1.0	2.7	4.5		
FOUR (4)	182	147	93	48	17	8	5	1	1		502
	36.3	29.3	18.5	9.6	3.4	1.6	1.0	.2	.2		.8
	.7	.7	1.0	1.5	1.3	1.9	2.6	1.4	1.1		
FIVE (5)	279	225	122	41	28	10	4	3	4		716
	39.0	31.4	17.0	5.7	3.9	1.4	.6	.4	.6		1.2
	1.1	1.1	1.3	1.3	2.2	2.4	2.1	4.1	4.5		
SIX (6)	469	348	178	92	37	16	7	2	4		1153
	40.7	30.2	15.4	8.0	3.2	1.4	.6	.2	.3		1.9
	1.9	1.8	2.0	2.8	2.9	3.8	3.6	2.7	4.5		
SEVEN (7)	589	466	213	81	35	12	8	1	8		1413
	41.7	33.0	15.1	5.7	2.5	.8	.6	.1	.6		2.4
	2.3	2.4	2.3	2.5	2.8	2.8	4.2	1.4	9.1		
EIGHT (8)	940	746	351	142	38	26	7	4	6	1	2261
	41.6	33.0	15.5	6.3	1.7	1.1	.3	.2	.3	.0	3.8
	3.7	3.8	3.9	4.4	3.0	6.2	3.6	5.5	6.8	10.0	
COLUMN TOTAL	25229	19753	9109	3254	1269	422	192	73	88	10	59399
	42.5	33.3	15.3	5.5	2.1	.7	.3	.1	.1	.0	100.0

(CONTINUED)

TABLE 13

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

PCVISIT	BO: 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
9 NINE	1077	899	440	156	50	22	6	4	3		2657
	40.5	33.8	16.6	5.9	1.9	.8	.2	.2	.1		4.5
	4.3	4.6	4.8	4.8	3.9	5.2	3.1	5.5	3.4		
10 TEN	2317	1908	928	309	130	39	28	3	8		5670
	40.9	33.7	16.4	5.4	2.3	.7	.5	.1	.1		9.5
	9.2	9.7	10.2	9.5	10.2	9.2	14.6	4.1	9.1		
11 ELEVEN	1915	1455	697	229	79	26	15	2	6		4424
	43.3	32.9	15.8	5.2	1.8	.6	.3	.0	.1		7.4
	7.6	7.4	7.7	7.0	6.2	6.2	7.8	2.7	6.8		
12 TWELVE	5381	4352	1943	621	248	103	36	11	12		12707
	42.3	34.2	15.3	4.9	2.0	.8	.3	.1	.1		21.4
	21.3	22.0	21.3	19.1	19.5	24.4	18.8	15.1	13.6		
13 THIRTEEN	2440	1895	747	261	95	24	16	4	8	1	5491
	44.4	34.5	13.6	4.8	1.7	.4	.3	.1	.1	.0	9.2
	9.7	9.6	8.2	8.0	7.5	5.7	8.3	5.5	9.1	10.0	
14 FOURTEEN	3379	2691	1178	398	154	31	7	13	3	2	7856
	43.0	34.3	15.0	5.1	2.0	.4	.1	.2	.0	.0	13.2
	13.4	13.6	12.9	12.2	12.1	7.3	3.6	17.8	3.4	20.0	
15 FIFTEEN	2699	2123	931	351	125	32	19	5	3		6288
	42.9	33.8	14.8	5.6	2.0	.5	.3	.1	.0		10.6
	10.7	10.7	10.2	10.8	9.9	7.6	9.9	6.8	3.4		
16 SIXTEEN OR MORE	3130	2209	1092	435	190	54	24	12	13		7159
	43.7	30.9	15.3	6.1	2.7	.8	.3	.2	.2		12.1
	12.4	11.2	12.0	13.4	15.0	12.8	12.5	16.4	14.8		
17 NOT STATED	30	18	10	6	2	1				6	73
	41.1	24.7	13.7	8.2	2.7	1.4				8.2	.1
	.1	.1	.1	.2	.2	.2				60.0	
COLUMN TOTAL	25229	19753	9109	3254	1269	422	192	73	88	10	59399
	42.5	33.3	15.3	5.5	2.1	.7	.3	.1	.1	.0	100.0

TABLE 13

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
NONE	0	126	159	106	54	34	22	14	3	8		526
		24.0	30.2	20.2	10.3	6.5	4.2	2.7	.6	1.5		2.0
		1.3	2.0	2.3	2.4	3.3	4.2	5.9	2.6	6.2		
ONE	1	79	85	55	28	17	12	3		4		283
		27.9	30.0	19.4	9.9	6.0	4.2	1.1		1.4		1.1
		.8	1.1	1.2	1.2	1.6	2.3	1.3		3.1		
TWO	2	105	131	88	58	30	18	4	4	2	1	441
		23.8	29.7	20.0	13.2	6.8	4.1	.9	.9	.5	.2	1.7
		1.1	1.6	1.9	2.5	2.9	3.5	1.7	3.5	1.5	11.1	
THREE	3	143	172	101	64	25	16	12	2	5		540
		26.5	31.9	18.7	11.9	4.6	3.0	2.2	.4	.9		2.0
		1.5	2.1	2.2	2.8	2.4	3.1	5.1	1.7	3.8		
FOUR	4	240	231	142	78	40	22	6	7	3		769
		31.2	30.0	18.5	10.1	5.2	2.9	.8	.9	.4		2.9
		2.5	2.9	3.1	3.4	3.8	4.2	2.5	6.1	2.3		
FIVE	5	332	268	179	88	54	31	4	10	7		973
		34.1	27.5	18.4	9.0	5.5	3.2	.4	1.0	.7		3.7
		3.5	3.3	3.9	3.8	5.2	6.0	1.7	8.7	5.4		
SIX	6	383	358	222	119	44	26	9	6	8		1175
		32.6	30.5	18.9	10.1	3.7	2.2	.8	.5	.7		4.4
		4.0	4.5	4.8	5.2	4.2	5.0	3.8	5.2	6.2		
SEVEN	7	467	352	230	118	71	24	10	3	8		1283
		36.4	27.4	17.9	9.2	5.5	1.9	.8	.2	.6		4.8
		4.9	4.4	5.0	5.2	6.8	4.6	4.2	2.6	6.2		
EIGHT	8	678	505	318	159	68	43	22	11	12		1816
		37.3	27.8	17.5	8.8	3.7	2.4	1.2	.6	.7		6.8
		7.1	6.3	6.9	7.0	6.5	8.3	9.3	9.6	9.2		
(CONTINUED)	COLUMN TOTAL	9588	8021	4637	2287	1045	519	236	115	130	9	26587
		36.1	30.2	17.4	8.6	3.9	2.0	.9	.4	.5	.0	100.0

TABLE 13

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

PCVISIT	BO: 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL
9 NINE	582	489	233	136	53	35	18	2	5		1553
	37.5	31.5	15.0	8.8	3.4	2.3	1.2	.1	.3		5.8
	6.1	6.1	5.0	5.9	5.1	6.7	7.6	1.7	3.8		
10 TEN	1151	974	560	273	105	47	30	13	19		3172
	36.3	30.7	17.7	8.6	3.3	1.5	.9	.4	.6		11.9
	12.0	12.1	12.1	11.9	10.0	9.1	12.7	11.3	14.6		
11 ELEVEN	836	621	366	177	70	32	17	4	1		2124
	39.4	29.2	17.2	8.3	3.3	1.5	.8	.2	.0		8.0
	8.7	7.7	7.9	7.7	6.7	6.2	7.2	3.5	.8		
12 TWELVE	1660	1402	775	334	162	70	36	21	22		4482
	37.0	31.3	17.3	7.5	3.6	1.6	.8	.5	.5		16.9
	17.3	17.5	16.7	14.6	15.5	13.5	15.3	18.3	16.9		
13 THIRTEEN	674	584	292	121	47	18	13	5	4		1758
	38.3	33.2	16.6	6.9	2.7	1.0	.7	.3	.2		6.6
	7.0	7.3	6.3	5.3	4.5	3.5	5.5	4.3	3.1		
14 FOURTEEN	760	581	314	172	68	29	15	4	3		1946
	39.1	29.9	16.1	8.8	3.5	1.5	.8	.2	.2		7.3
	7.9	7.2	6.8	7.5	6.5	5.6	6.4	3.5	2.3		
15 FIFTEEN	660	507	288	144	61	23	5	7	6		1701
	38.8	29.8	16.9	8.5	3.6	1.4	.3	.4	.4		6.4
	6.9	6.3	6.2	6.3	5.8	4.4	2.1	6.1	4.6		
16 SIXTEEN OR MORE	702	591	364	162	92	48	17	13	12		2001
	35.1	29.5	18.2	8.1	4.6	2.4	.8	.6	.6		7.5
	7.3	7.4	7.8	7.1	8.8	9.2	7.2	11.3	9.2		
17 NOT STATED	10	11	4	2	4	3	1		1	8	44
	22.7	25.0	9.1	4.5	9.1	6.8	2.3		2.3	18.2	.2
	.1	.1	.1	.1	.4	.6	.4		.8	88.9	
COLUMN TOTAL	9588	8021	4637	2287	1045	519	236	115	130	9	26587
	36.1	30.2	17.4	8.6	3.9	2.0	.9	.4	.5	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 14

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
NONE	0	19	37	39	38	99	231	282	102	45	2	894
		2.1	4.1	4.4	4.3	11.1	25.8	31.5	11.4	5.0	.2	1.0
		14.3	7.6	6.0	2.8	2.4	1.6	.9	.4	.5	2.9	
ONE	1	12	14	14	26	40	110	131	52	14	2	415
		2.9	3.4	3.4	6.3	9.6	26.5	31.6	12.5	3.4	.5	.5
		9.0	2.9	2.2	1.9	1.0	.8	.4	.2	.2	2.9	
TWO	2	11	37	34	23	72	161	201	94	18	3	654
		1.7	5.7	5.2	3.5	11.0	24.6	30.7	14.4	2.8	.5	.8
		8.3	7.6	5.3	1.7	1.7	1.1	.6	.4	.2	4.4	
THREE	3	18	46	33	63	81	178	255	146	35	1	856
		2.1	5.4	3.9	7.4	9.5	20.8	29.8	17.1	4.1	.1	1.0
		13.5	9.4	5.1	4.6	2.0	1.2	.8	.6	.4	1.5	
FOUR	4	21	59	40	48	110	322	432	190	49		1271
		1.7	4.6	3.1	3.8	8.7	25.3	34.0	14.9	3.9		1.5
		15.8	12.0	6.2	3.5	2.7	2.2	1.4	.8	.6		
FIVE	5	17	76	59	73	176	373	565	279	71		1689
		1.0	4.5	3.5	4.3	10.4	22.1	33.5	16.5	4.2		2.0
		12.8	15.5	9.1	5.4	4.3	2.6	1.8	1.1	.8		
SIX	6	7	52	57	103	212	508	787	492	110		2328
		.3	2.2	2.4	4.4	9.1	21.8	33.8	21.1	4.7		2.7
		5.3	10.6	8.8	7.6	5.2	3.5	2.5	2.0	1.3		
SEVEN	7	8	31	49	122	262	594	926	556	146	2	2696
		.3	1.1	1.8	4.5	9.7	22.0	34.3	20.6	5.4	.1	3.1
		6.0	6.3	7.6	9.0	6.4	4.1	2.9	2.3	1.7	2.9	
EIGHT	8	5	27	63	124	305	908	1529	868	245	3	4077
		.1	.7	1.5	3.0	7.5	22.3	37.5	21.3	6.0	.1	4.7
		3.8	5.5	9.8	9.1	7.4	6.3	4.8	3.6	2.8	4.4	
(CONTINUED)	COLUMN TOTAL	133	490	645	1358	4116	14422	31704	24409	8641	68	85986
		.2	.6	.8	1.6	4.8	16.8	36.9	28.4	10.0	.1	100.0

TABLE 14

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..

RACE. VALUE = TOTAL

PCVISIT	WT: UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
9 NINE		9	22	78	261	883	1617	1029	308	3	4210
		.2	.5	1.9	6.2	21.0	38.4	24.4	7.3	.1	4.9
		1.8	3.4	5.7	6.3	6.1	5.1	4.2	3.6	4.4	
10 TEN	3	28	53	161	487	1716	3422	2257	712	3	8842
	.0	.3	.6	1.8	5.5	19.4	38.7	25.5	8.1	.0	10.3
	2.3	5.7	8.2	11.9	11.8	11.9	10.8	9.2	8.2	4.4	
11 ELEVEN	1	5	26	69	255	1085	2562	1947	594	4	6548
	.0	.1	.4	1.1	3.9	16.6	39.1	29.7	9.1	.1	7.6
	.8	1.0	4.0	5.1	6.2	7.5	8.1	8.0	6.9	5.9	
12 TWELVE		18	39	128	626	2769	6687	5166	1749	7	17189
		.1	.2	.7	3.6	16.1	38.9	30.1	10.2	.0	20.0
		3.7	6.0	9.4	15.2	19.2	21.1	21.2	20.2	10.3	
13 THIRTEEN	1	3	29	60	208	1010	2733	2339	861	5	7249
	.0	.0	.4	.8	2.9	13.9	37.7	32.3	11.9	.1	8.4
	.8	.6	4.5	4.4	5.1	7.0	8.6	9.6	10.0	7.4	
14 FOURTEEN	1	10	20	63	267	1286	3620	3314	1216	5	9802
	.0	.1	.2	.6	2.7	13.1	36.9	33.8	12.4	.1	11.4
	.8	2.0	3.1	4.6	6.5	8.9	11.4	13.6	14.1	7.4	
15 FIFTEEN	3	11	20	61	252	1011	2800	2664	1161	6	7989
	.0	.1	.3	.8	3.2	12.7	35.0	33.3	14.5	.1	9.3
	2.3	2.2	3.1	4.5	6.1	7.0	8.8	10.9	13.4	8.8	
16 SIXTEEN OR MORE	5	23	46	115	397	1262	3114	2894	1299	5	9160
	.1	.3	.5	1.3	4.3	13.8	34.0	31.6	14.2	.1	10.7
	3.8	4.7	7.1	8.5	9.6	8.8	9.8	11.9	15.0	7.4	
17 NOT STATED	1	4	2	3	6	15	41	20	8	17	117
	.9	3.4	1.7	2.6	5.1	12.8	35.0	17.1	6.8	14.5	.1
	.8	.8	.3	.2	.1	.1	.1	.1	.1	25.0	
COLUMN TOTAL	133	490	645	1358	4116	14422	31704	24409	8641	68	85986
	.2	.6	.8	1.6	4.8	16.8	36.9	28.4	10.0	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 14

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	0 UNDER 500 GMS	1 500 TO 999 GMS	2 1000 TO 1499 GMS	3 1500 TO 1999 GMS	4 2000 TO 2499 GMS	5 2500 TO 2999 GMS	6 3000 TO 3499 GMS	7 3500 TO 3999 GMS	8 4000 GMS AND OVER	9 NOT STATED	ROW TOTAL
NONE	0	6	6	11	16	39	74	132	50	33	1	368
		1.6	1.6	3.0	4.3	10.6	20.1	35.9	13.6	9.0	.3	.6
		11.5	2.7	3.5	2.1	1.7	.9	.6	.3	.5	2.7	
ONE	1	3	5	6	8	9	29	37	26	8	1	132
		2.3	3.8	4.5	6.1	6.8	22.0	28.0	19.7	6.1	.8	.2
		5.8	2.3	1.9	1.1	.4	.3	.2	.1	.1	2.7	
TWO	2	3	6	9	4	19	45	76	43	8		213
		1.4	2.8	4.2	1.9	8.9	21.1	35.7	20.2	3.8		.4
		5.8	2.7	2.8	.5	.8	.5	.4	.2	.1		
THREE	3	4	13	7	24	28	57	93	75	14	1	316
		1.3	4.1	2.2	7.6	8.9	18.0	29.4	23.7	4.4	.3	.5
		7.7	5.9	2.2	3.2	1.2	.7	.4	.4	.2	2.7	
FOUR	4	12	25	18	18	45	100	163	101	20		502
		2.4	5.0	3.6	3.6	9.0	19.9	32.5	20.1	4.0		.8
		23.1	11.3	5.7	2.4	2.0	1.2	.8	.5	.3		
FIVE	5	7	47	28	33	65	138	211	143	44		716
		1.0	6.6	3.9	4.6	9.1	19.3	29.5	20.0	6.1		1.2
		13.5	21.3	8.8	4.4	2.8	1.7	1.0	.8	.6		
SIX	6	6	29	32	61	96	219	361	279	70		1153
		.5	2.5	2.8	5.3	8.3	19.0	31.3	24.2	6.1		1.9
		11.5	13.1	10.1	8.1	4.2	2.6	1.7	1.5	1.0		
SEVEN	7	4	13	27	71	127	274	472	335	90		1413
		.3	.9	1.9	5.0	9.0	19.4	33.4	23.7	6.4		2.4
		7.7	5.9	8.5	9.4	5.6	3.3	2.2	1.8	1.2		
EIGHT	8	1	11	36	70	157	437	856	534	159		2261
		.0	.5	1.6	3.1	6.9	19.3	37.9	23.6	7.0		3.8
		1.9	5.0	11.4	9.2	6.9	5.3	4.0	2.8	2.2		
(CONTINUED)	COLUMN TOTAL	52	221	317	757	2283	8304	21358	18843	7227	37	59399
		.1	.4	.5	1.3	3.8	14.0	36.0	31.7	12.2	.1	100.0

TABLE 14

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
NINE	9		6	13	50	165	488	1000	701	234		2657
			.2	.5	1.9	6.2	18.4	37.6	26.4	8.8		4.5
			2.7	4.1	6.6	7.2	5.9	4.7	3.7	3.2		
TEN	10	2	14	31	94	273	979	2121	1585	568	3	5670
		.0	.2	.5	1.7	4.8	17.3	37.4	28.0	10.0	.1	9.5
		3.8	6.3	9.8	12.4	12.0	11.8	9.9	8.4	7.9	8.1	
ELEVEN	11		3	13	41	147	608	1685	1448	476	3	4424
			.1	.3	.9	3.3	13.7	38.1	32.7	10.8	.1	7.4
			1.4	4.1	5.4	6.4	7.3	7.9	7.7	6.6	8.1	
TWELVE	12		12	22	78	366	1756	4828	4153	1487	5	12707
			.1	.2	.6	2.9	13.8	38.0	32.7	11.7	.0	21.4
			5.4	6.9	10.3	16.0	21.1	22.6	22.0	20.6	13.5	
THIRTEEN	13		3	13	25	126	664	2018	1897	741	4	5491
			.1	.2	.5	2.3	12.1	36.8	34.5	13.5	.1	9.2
			1.4	4.1	3.3	5.5	8.0	9.4	10.1	10.3	10.8	
FOURTEEN	14		6	14	44	181	907	2795	2818	1088	3	7856
			.1	.2	.6	2.3	11.5	35.6	35.9	13.8	.0	13.2
			2.7	4.4	5.8	7.9	10.9	13.1	15.0	15.1	8.1	
FIFTEEN	15	1	9	11	43	171	648	2137	2229	1035	4	6288
		.0	.1	.2	.7	2.7	10.3	34.0	35.4	16.5	.1	10.6
		1.9	4.1	3.5	5.7	7.5	7.8	10.0	11.8	14.3	10.8	
SIXTEEN OR MORE	16	2	12	25	76	267	872	2343	2411	1148	3	7159
		.0	.2	.3	1.1	3.7	12.2	32.7	33.7	16.0	.0	12.1
		3.8	5.4	7.9	10.0	11.7	10.5	11.0	12.8	15.9	8.1	
NOT STATED	17	1	1	1	1	2	9	30	15	4	9	73
		1.4	1.4	1.4	1.4	2.7	12.3	41.1	20.5	5.5	12.3	.1
		1.9	.5	.3	.1	.1	.1	.1	.1	.1	24.3	
	COLUMN TOTAL	52	221	317	757	2283	8304	21358	18843	7227	37	59399
		.1	.4	.5	1.3	3.8	14.0	36.0	31.7	12.2	.1	100.0

TABLE 14

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	WT 0 UNDER 500 GMS	1 500 TO 999 GMS	2 1000 TO 1499 GMS	3 1500 TO 1999 GMS	4 2000 TO 2499 GMS	5 2500 TO 2999 GMS	6 3000 TO 3499 GMS	7 3500 TO 3999 GMS	8 4000 GMS AND OVER	9 NOT STATED	ROW TOTAL
NONE	0	13	31	28	22	60	157	150	52	12	1	526
		2.5	5.9	5.3	4.2	11.4	29.8	28.5	9.9	2.3	.2	2.0
		16.0	11.5	8.5	3.7	3.3	2.6	1.4	.9	.8	3.2	
ONE	1	9	9	8	18	31	81	94	26	6	1	283
		3.2	3.2	2.8	6.4	11.0	28.6	33.2	9.2	2.1	.4	1.1
		11.1	3.3	2.4	3.0	1.7	1.3	.9	.5	.4	3.2	
TWO	2	8	31	25	19	53	116	125	51	10	3	441
		1.8	7.0	5.7	4.3	12.0	26.3	28.3	11.6	2.3	.7	1.7
		9.9	11.5	7.6	3.2	2.9	1.9	1.2	.9	.7	9.7	
THREE	3	14	33	26	39	53	121	162	71	21		540
		2.6	6.1	4.8	7.2	9.8	22.4	30.0	13.1	3.9		2.0
		17.3	12.3	7.9	6.5	2.9	2.0	1.6	1.3	1.5		
FOUR	4	9	34	22	30	65	222	269	89	29		769
		1.2	4.4	2.9	3.9	8.5	28.9	35.0	11.6	3.8		2.9
		11.1	12.6	6.7	5.0	3.5	3.6	2.6	1.6	2.1		
FIVE	5	10	29	31	40	111	235	354	136	27		973
		1.0	3.0	3.2	4.1	11.4	24.2	36.4	14.0	2.8		3.7
		12.3	10.8	9.5	6.7	6.1	3.8	3.4	2.4	1.9		
SIX	6	1	23	25	42	116	289	426	213	40		1175
		.1	2.0	2.1	3.6	9.9	24.6	36.3	18.1	3.4		4.4
		1.2	8.6	7.6	7.0	6.3	4.7	4.1	3.8	2.8		
SEVEN	7	4	18	22	51	135	320	454	221	56	2	1283
		.3	1.4	1.7	4.0	10.5	24.9	35.4	17.2	4.4	.2	4.8
		4.9	6.7	6.7	8.5	7.4	5.2	4.4	4.0	4.0	6.5	
EIGHT	8	4	16	27	54	148	471	673	334	86	3	1816
		.2	.9	1.5	3.0	8.1	25.9	37.1	18.4	4.7	.2	6.8
		4.9	5.9	8.2	9.0	8.1	7.7	6.5	6.0	6.1	9.7	
(CONTINUED)	COLUMN TOTAL	81	269	328	601	1833	6118	10346	5566	1414	31	26587
		.3	1.0	1.2	2.3	6.9	23.0	38.9	20.9	5.3	.1	100.0

TABLE 14

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	WT: UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
NINE	9		3	9	28	96	395	617	328	74	3	1553
			.2	.6	1.8	6.2	25.4	39.7	21.1	4.8	.2	5.8
			1.1	2.7	4.7	5.2	6.5	6.0	5.9	5.2	9.7	
TEN	10	1	14	22	67	214	737	1301	672	144		3172
		.0	.4	.7	2.1	6.7	23.2	41.0	21.2	4.5		11.9
		1.2	5.2	6.7	11.1	11.7	12.0	12.6	12.1	10.2		
ELEVEN	11	1	2	13	28	108	477	877	499	118	1	2124
		.0	.1	.6	1.3	5.1	22.5	41.3	23.5	5.6	.0	8.0
		1.2	.7	4.0	4.7	5.9	7.8	8.5	9.0	8.3	3.2	
TWELVE	12		6	17	50	260	1013	1859	1013	262	2	4482
			.1	.4	1.1	5.8	22.6	41.5	22.6	5.8	.0	16.9
			2.2	5.2	8.3	14.2	16.6	18.0	18.2	18.5	6.5	
THIRTEEN	13	1		16	35	82	346	715	442	120	1	1758
		.1		.9	2.0	4.7	19.7	40.7	25.1	6.8	.1	6.6
		1.2		4.9	5.8	4.5	5.7	6.9	7.9	8.5	3.2	
FOURTEEN	14	1	4	6	19	86	379	825	496	128	2	1946
		.1	.2	.3	1.0	4.4	19.5	42.4	25.5	6.6	.1	7.3
		1.2	1.5	1.8	3.2	4.7	6.2	8.0	8.9	9.1	6.5	
FIFTEEN	15	2	2	9	18	81	363	663	435	126	2	1701
		.1	.1	.5	1.1	4.8	21.3	39.0	25.6	7.4	.1	6.4
		2.5	.7	2.7	3.0	4.4	5.9	6.4	7.8	8.9	6.5	
SIXTEEN OR MORE	16	3	11	21	39	130	390	771	483	151	2	2001
		.1	.5	1.0	1.9	6.5	19.5	38.5	24.1	7.5	.1	7.5
		3.7	4.1	6.4	6.5	7.1	6.4	7.5	8.7	10.7	6.5	
NOT STATED	17		3	1	2	4	6	11	5	4	8	44
			6.8	2.3	4.5	9.1	13.6	25.0	11.4	9.1	18.2	.2
			1.1	.3	.3	.2	.1	.1	.1	.3	25.8	
	COLUMN TOTAL	81	269	328	601	1833	6118	10346	5566	1414	31	26587
		.3	1.0	1.2	2.3	6.9	23.0	38.9	20.9	5.3	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 15

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS

CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT NONE (0)	ONE (1)	TWO (2)	THREE (3)	FOUR (4)	FIVE (5)	SIX (6)	SEVEN (7)	EIGHT (8)	NINE (9)	ROW TOTAL
NONE	0	894										894
		100.0										1.0
		100.0										
FIRST MONTH	1		16	11	20	31	65	76	98	204	298	11076
			.1	.1	.2	.3	.6	.7	.9	1.8	2.7	12.9
			3.9	1.7	2.3	2.4	3.8	3.3	3.6	5.0	7.1	
SECOND MONTH	2		34	57	62	130	214	373	580	941	1217	37223
			.1	.2	.2	.3	.6	1.0	1.6	2.5	3.3	43.3
			8.2	8.7	7.2	10.2	12.7	16.0	21.5	23.1	28.9	
THIRD MONTH	3		27	53	133	176	269	456	576	995	1127	18874
			.1	.3	.7	.9	1.4	2.4	3.1	5.3	6.0	22.0
			6.5	8.1	15.5	13.8	15.9	19.6	21.4	24.4	26.8	
FOURTH MONTH	4		26	73	92	178	282	379	499	770	787	8308
			.3	.9	1.1	2.1	3.4	4.6	6.0	9.3	9.5	9.7
			6.3	11.2	10.7	14.0	16.7	16.3	18.5	18.9	18.7	
FIFTH MONTH	5		48	81	123	212	317	416	462	618	501	4615
			1.0	1.8	2.7	4.6	6.9	9.0	10.0	13.4	10.9	5.4
			11.6	12.4	14.4	16.7	18.8	17.9	17.1	15.2	11.9	
SIXTH MONTH	6		44	91	130	209	240	315	287	350	188	2463
			1.8	3.7	5.3	8.5	9.7	12.8	11.7	14.2	7.6	2.9
			10.6	13.9	15.2	16.4	14.2	13.5	10.6	8.6	4.5	
SEVENTH MONTH	7		57	111	151	199	204	226	155	166	75	1510
			3.8	7.4	10.0	13.2	13.5	15.0	10.3	11.0	5.0	1.8
			13.7	17.0	17.6	15.7	12.1	9.7	5.7	4.1	1.8	
EIGHTH MONTH	8		76	112	116	113	84	81	38	27	11	685
			11.1	16.4	16.9	16.5	12.3	11.8	5.5	3.9	1.6	.8
			18.3	17.1	13.6	8.9	5.0	3.5	1.4	.7	.3	
(CONTINUED)	COLUMN TOTAL	894	415	654	856	1271	1689	2328	2696	4077	4210	85986
		1.0	.5	.8	1.0	1.5	2.0	2.7	3.1	4.7	4.9	100.0

TABLE 15

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT TEN 10	ELEVEN 11	TWELVE 12	THIRTEEN 13	FOURTEEN 14	FIFTEEN 15	SIXTEEN OR MORE 16	NOT STATED 17	ROW TOTAL
NONE	0									894 1.0
FIRST MONTH	1	648 5.9 7.3	524 4.7 8.0	2261 20.4 13.2	1181 10.7 16.3	1406 12.7 14.3	2221 20.1 27.8	2011 18.2 22.0	5 .0 4.3	11076 12.9
SECOND MONTH	2	2932 7.9 33.2	2619 7.0 40.0	8817 23.7 51.3	3785 10.2 52.2	6372 17.1 65.0	4016 10.8 50.3	5052 13.6 55.2	22 .1 18.8	37223 43.3
THIRD MONTH	3	2520 13.4 28.5	2138 11.3 32.7	4318 22.9 25.1	1665 8.8 23.0	1588 8.4 16.2	1303 6.9 16.3	1515 8.0 16.5	15 .1 12.8	18874 22.0
FOURTH MONTH	4	1626 19.6 18.4	784 9.4 12.0	1284 15.5 7.5	458 5.5 6.3	334 4.0 3.4	317 3.8 4.0	414 5.0 4.5	5 .1 4.3	8308 9.7
FIFTH MONTH	5	742 16.1 8.4	330 7.2 5.0	346 7.5 2.0	124 2.7 1.7	67 1.5 .7	102 2.2 1.3	120 2.6 1.3	6 .1 5.1	4615 5.4
SIXTH MONTH	6	274 11.1 3.1	120 4.9 1.8	107 4.3 .6	30 1.2 .4	26 1.1 .3	24 1.0 .3	26 1.1 .3	2 .1 1.7	2463 2.9
SEVENTH MONTH	7	76 5.0 .9	25 1.7 .4	37 2.5 .2	4 .3 .1	4 .3 .0	1 .1 .0	18 1.2 .2	1 .1 .9	1510 1.8
EIGHTH MONTH	8	13 1.9 .1	3 .4 .0	6 .9 .0		2 .3 .0	2 .3 .0	1 .1 .0		685 .8
(CONTINUED)	COLUMN TOTAL	8842 10.3	6548 7.6	17189 20.0	7249 8.4	9802 11.4	7989 9.3	9160 10.7	117 .1	85986 100.0

TABLE 15

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS

CONTROLLING FOR..

RACE. VALUE = TOTAL

MPCB	PCVISIT COUNT / ROW PCT / COL PCT	NONE 0	ONE 1	TWO 2	THREE 3	FOUR 4	FIVE 5	SIX 6	SEVEN 7	EIGHT 8	NINE 9	ROW TOTAL
NINTH MONTH	9		84	58	28	20	12	5	1	2	3	232
			36.2	25.0	12.1	8.6	5.2	2.2	.4	.9	1.3	.3
			20.2	8.9	3.3	1.6	.7	.2	.0	.0	.1	
NOT STATED	10		3	7	1	3	2	1		4	3	106
			2.8	6.6	.9	2.8	1.9	.9		3.8	2.8	.1
			.7	1.1	.1	.2	.1	.0		.1	.1	
(CONTINUED)	COLUMN TOTAL	894	415	654	856	1271	1689	2328	2696	4077	4210	85986
		1.0	.5	.8	1.0	1.5	2.0	2.7	3.1	4.7	4.9	100.0

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS

CONTROLLING FOR..

RACE. VALUE = TOTAL

MPCB	PCVISIT COUNT / ROW PCT / COL PCT ITEM	10 ELEVEN	11 TWELVE	12 THIRTEEN	13 FOURTEEN	14 FIFTEEN	15 SIXTEEN OR MORE	16 NOT STATED	17	ROW TOTAL
NINTH MONTH	9	3	2	2	2	1			9	232
		1.3	.9	.9	.9	.4			3.9	.3
		.0	.0	.0	.0	.0			7.7	
NOT STATED	10	8	3	11		2	3	3	52	106
		7.5	2.8	10.4		1.9	2.8	2.8	49.1	.1
		.1	.0	.1		.0	.0	.0	44.4	
COLUMN TOTAL		8842	6548	17189	7249	9802	7989	9160	117	85986
		10.3	7.6	20.0	8.4	11.4	9.3	10.7	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	NONE (0)	ONE (1)	TWO (2)	THREE (3)	FOUR (4)	FIVE (5)	SIX (6)	SEVEN (7)	EIGHT (8)	NINE (9)	ROW TOTAL
NONE	0	368 100.0 100.0										368 .6
FIRST MONTH	1		3 .0 2.3	3 .0 1.4	7 .1 2.2	16 .2 3.2	31 .4 4.3	43 .5 3.7	59 .7 4.2	127 1.5 5.6	206 2.4 7.8	8537 14.4
SECOND MONTH	2		10 .0 7.6	28 .1 13.1	23 .1 7.3	59 .2 11.8	109 .4 15.2	210 .7 18.2	352 1.2 24.9	594 2.1 26.3	859 3.0 32.3	28762 48.4
THIRD MONTH	3		10 .1 7.6	19 .2 8.9	50 .4 15.8	61 .5 12.2	120 1.0 16.8	243 1.9 21.1	325 2.6 23.0	580 4.6 25.7	732 5.8 27.5	12540 21.1
FOURTH MONTH	4		6 .1 4.5	18 .4 8.5	32 .7 10.1	68 1.4 13.5	117 2.5 16.3	163 3.4 14.1	231 4.9 16.3	395 8.3 17.5	445 9.4 16.7	4748 8.0
FIFTH MONTH	5		13 .6 9.8	25 1.1 11.7	44 2.0 13.9	75 3.4 14.9	111 5.1 15.5	198 9.1 17.2	208 9.5 14.7	287 13.1 12.7	257 11.8 9.7	2185 3.7
SIXTH MONTH	6		11 1.0 8.3	23 2.1 10.8	44 4.0 13.9	74 6.7 14.7	91 8.3 12.7	136 12.4 11.8	138 12.6 9.8	165 15.0 7.3	106 9.6 4.0	1099 1.9
SEVENTH MONTH	7		17 2.5 12.9	36 5.2 16.9	51 7.4 16.1	90 13.0 17.9	95 13.7 13.3	111 16.0 9.6	79 11.4 5.6	91 13.2 4.0	40 5.8 1.5	692 1.2
EIGHTH MONTH	8		17 5.8 12.9	38 12.9 17.8	49 16.7 15.5	44 15.0 8.8	38 12.9 5.3	46 15.6 4.0	20 6.8 1.4	18 6.1 .8	8 2.7 .3	294 .5
(CONTINUED)	COLUMN TOTAL	368 .6	132 .2	213 .4	316 .5	502 .8	716 1.2	1153 1.9	1413 2.4	2261 3.8	2657 4.5	59399 100.0

TABLE 15

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT TEN 10	ELEVEN 11	TWELVE 12	THIRTEEN 13	FOURTEEN 14	FIFTEEN 15	SIXTEEN OR MORE 16	NOT STATED 17	ROW TOTAL
NONE	0									368
										.6
FIRST MONTH	1	462	378	1745	935	1138	1714	1667	3	8537
		5.4	4.4	20.4	11.0	13.3	20.1	19.5	.0	14.4
		8.1	8.5	13.7	17.0	14.5	27.3	23.3	4.1	
SECOND MONTH	2	2087	1953	6937	2925	5210	3334	4055	17	28762
		7.3	6.8	24.1	10.2	18.1	11.6	14.1	.1	48.4
		36.8	44.1	54.6	53.3	66.3	53.0	56.6	23.3	
THIRD MONTH	3	1619	1412	2896	1214	1219	948	1082	10	12540
		12.9	11.3	23.1	9.7	9.7	7.6	8.6	.1	21.1
		28.6	31.9	22.8	22.1	15.5	15.1	15.1	13.7	
FOURTH MONTH	4	939	450	845	321	228	217	270	3	4748
		19.8	9.5	17.8	6.8	4.8	4.6	5.7	.1	8.0
		16.6	10.2	6.6	5.8	2.9	3.5	3.8	4.1	
FIFTH MONTH	5	371	160	199	75	35	60	62	5	2185
		17.0	7.3	9.1	3.4	1.6	2.7	2.8	.2	3.7
		6.5	3.6	1.6	1.4	.4	1.0	.9	6.8	
SIXTH MONTH	6	145	51	54	18	17	13	13		1099
		13.2	4.6	4.9	1.6	1.5	1.2	1.2		1.9
		2.6	1.2	.4	.3	.2	.2	.2		
SEVENTH MONTH	7	35	14	21	2	4		6		692
		5.1	2.0	3.0	.3	.6		.9		1.2
		.6	.3	.2	.0	.1		.1		
EIGHTH MONTH	8	7	2	4		2		1		294
		2.4	.7	1.4		.7		.3		.5
		.1	.0	.0		.0		.0		
(CONTINUED)	COLUMN TOTAL	5670	4424	12707	5491	7856	6288	7159	73	59399
		9.5	7.4	21.4	9.2	13.2	10.6	12.1	.1	100.0

TABLE 15

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	PCVISIT COUNT / ROW PCT / COL PCT	NONE 0	ONE 1	TWO 2	THREE 3	FOUR 4	FIVE 5	SIX 6	SEVEN 7	EIGHT 8	NINE 9	ROW TOTAL
NINTH MONTH	9		43	20	16	13	4	3	1	1	1	113
			38.1	17.7	14.2	11.5	3.5	2.7	.9	.9	.9	.2
			32.6	9.4	5.1	2.6	.6	.3	.1	.0	.0	
NOT STATED	10		2	3		2				3	3	61
			3.3	4.9		3.3				4.9	4.9	.1
			1.5	1.4		.4				.1	.1	
(CONTINUED)	COLUMN TOTAL	368	132	213	316	502	716	1153	1413	2261	2657	59399
		.6	.2	.4	.5	.8	1.2	1.9	2.4	3.8	4.5	100.0

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

MPCB	PCVISIT COUNT / ROW PCT / COL PCT	TEN 10	ELEVEN 11	TWELVE 12	THIRTEEN 13	FOURTEEN 14	FIFTEEN 15	SIXTEEN OR MORE 16	NOT STATED 17	ROW TOTAL
NINTH MONTH 9		2	1		1	1			6	113
		1.8	.9		.9	.9			5.3	.2
		.0	.0		.0	.0			8.2	
NOT STATED 10		3	3	6		2	2	3	29	61
		4.9	4.9	9.8		3.3	3.3	4.9	47.5	.1
		.1	.1	.0		.0	.0	.0	39.7	
	COLUMN TOTAL	5670	4424	12707	5491	7856	6288	7159	73	59399
		9.5	7.4	21.4	9.2	13.2	10.6	12.1	.1	100.0

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	0 NONE	1 ONE	2 TWO	3 THREE	4 FOUR	5 FIVE	6 SIX	7 SEVEN	8 EIGHT	9 NINE	ROW TOTAL
NONE	0	526 100.0 100.0										526 2.0
FIRST MONTH	1		13 .5 4.6	8 .3 1.8	13 .5 2.4	15 .6 2.0	34 1.3 3.5	33 1.3 2.8	39 1.5 3.0	77 3.0 4.2	92 3.6 5.9	2539 9.5
SECOND MONTH	2		24 .3 8.5	29 .3 6.6	39 .5 7.2	71 .8 9.2	105 1.2 10.8	163 1.9 13.9	228 2.7 17.8	347 4.1 19.1	358 4.2 23.1	8461 31.8
THIRD MONTH	3		17 .3 6.0	34 .5 7.7	83 1.3 15.4	115 1.8 15.0	149 2.4 15.3	213 3.4 18.1	251 4.0 19.6	415 6.6 22.9	395 6.2 25.4	6334 23.8
FOURTH MONTH	4		20 .6 7.1	55 1.5 12.5	60 1.7 11.1	110 3.1 14.3	165 4.6 17.0	216 6.1 18.4	268 7.5 20.9	375 10.5 20.6	342 9.6 22.0	3560 13.4
FIFTH MONTH	5		35 1.4 12.4	56 2.3 12.7	79 3.3 14.6	137 5.6 17.8	206 8.5 21.2	218 9.0 18.6	254 10.5 19.8	331 13.6 18.2	244 10.0 15.7	2430 9.1
SIXTH MONTH	6		33 2.4 11.7	68 5.0 15.4	86 6.3 15.9	135 9.9 17.6	149 10.9 15.3	179 13.1 15.2	149 10.9 11.6	185 13.6 10.2	82 6.0 5.3	1364 5.1
SEVENTH MONTH	7		40 4.9 14.1	75 9.2 17.0	100 12.2 18.5	109 13.3 14.2	109 13.3 11.2	115 14.1 9.8	76 9.3 5.9	75 9.2 4.1	35 4.3 2.3	818 3.1
EIGHTH MONTH	8		59 15.1 20.8	74 18.9 16.8	67 17.1 12.4	69 17.6 9.0	46 11.8 4.7	35 9.0 3.0	18 4.6 1.4	9 2.3 .5	3 .8 .2	391 1.5
(CONTINUED)	COLUMN TOTAL	526 2.0	283 1.1	441 1.7	540 2.0	769 2.9	973 3.7	1175 4.4	1283 4.8	1816 6.8	1553 5.8	26587 100.0

TABLE 15

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT TEN 10	ELEVEN 11	TWELVE 12	THIRTEEN 13	FOURTEEN 14	FIFTEEN 15	SIXTEEN OR MORE 16	NOT STATED 17	ROW TOTAL
NONE	0									526 2.0
FIRST MONTH	1	186 7.3 5.9	146 5.8 6.9	516 20.3 11.5	246 9.7 14.0	268 10.6 13.8	507 20.0 29.8	344 13.5 17.2	2 .1 4.5	2539 9.5
SECOND MONTH	2	845 10.0 26.6	666 7.9 31.4	1880 22.2 41.9	860 10.2 48.9	1162 13.7 59.7	682 8.1 40.1	997 11.8 49.8	5 .1 11.4	8461 31.8
THIRD MONTH	3	901 14.2 28.4	726 11.5 34.2	1422 22.5 31.7	451 7.1 25.7	369 5.8 19.0	355 5.6 20.9	433 6.8 21.6	5 .1 11.4	6334 23.8
FOURTH MONTH	4	687 19.3 21.7	334 9.4 15.7	439 12.3 9.8	137 3.8 7.8	106 3.0 5.4	100 2.8 5.9	144 4.0 7.2	2 .1 4.5	3560 13.4
FIFTH MONTH	5	371 15.3 11.7	170 7.0 8.0	147 6.0 3.3	49 2.0 2.8	32 1.3 1.6	42 1.7 2.5	58 2.4 2.9	1 .0 2.3	2430 9.1
SIXTH MONTH	6	129 9.5 4.1	69 5.1 3.2	53 3.9 1.2	12 .9 .7	9 .7 .5	11 .8 .6	13 1.0 .6	2 .1 4.5	1364 5.1
SEVENTH MONTH	7	41 5.0 1.3	11 1.3 .5	16 2.0 .4	2 .2 .1		1 .1 .1	12 1.5 .6	1 .1 2.3	818 3.1
EIGHTH MONTH	8	6 1.5 .2	1 .3 .0	2 .5 .0			2 .5 .1			391 1.5
(CONTINUED)	COLUMN TOTAL	3172 11.9	2124 8.0	4482 16.9	1758 6.6	1946 7.3	1701 6.4	2001 7.5	44 .2	26587 100.0

TABLE 15

C R O S S T A B U L A T I O N O F

MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	PCVISIT COUNT / ROW PCT / COL PCT	NONE 0	ONE 1	TWO 2	THREE 3	FOUR 4	FIVE 5	SIX 6	SEVEN 7	EIGHT 8	NINE 9	ROW TOTAL
NINTH MONTH	9		41	38	12	7	8	2		1	2	119
			34.5	31.9	10.1	5.9	6.7	1.7		.8	1.7	.4
			14.5	8.6	2.2	.9	.8	.2		.1	.1	
NOT STATED	10		1	4	1	1	2	1		1		45
			2.2	8.9	2.2	2.2	4.4	2.2		2.2		.2
			.4	.9	.2	.1	.2	.1		.1		
(CONTINUED)	COLUMN TOTAL	526	283	441	540	769	973	1175	1283	1816	1553	26587
		2.0	1.1	1.7	2.0	2.9	3.7	4.4	4.8	6.8	5.8	100.0

TABLE 15

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

MPCB	PCVISIT COUNT ROW PCT COL PCT	10 ITEN	11 ELEVEN	12 TWELVE	13 THIRTEEN	14 FOURTEEN	15 FIFTEEN	16 SIXTEEN OR MORE	17 NOT STATED	ROW TOTAL
NINTH MONTH	9	1	1	2	1				3	119
		.8	.8	1.7	.8				2.5	.4
		.0	.0	.0	.1				6.8	
NOT STATED	10	5		5			1		23	45
		11.1		11.1			2.2		51.1	.2
		.2		.1			.1		52.3	
	COLUMN TOTAL	3172 11.9	2124 8.0	4482 16.9	1758 6.6	1946 7.3	1701 6.4	2001 7.5	44 .2	26587 100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF
LBND PREVIOUS LIVE BORN NOW DEAD BY RACE

LBND	RACE: WHITE (1)	NONWHITE (2)	ROW TOTAL
0 NONE	58400 69.3 98.3	25825 30.7 97.1	84225 98.0
1 ONE	924 58.1 1.6	667 41.9 2.5	1591 1.9
2 TWO	61 48.0 .1	66 52.0 .2	127 .1
3 THREE	4 21.1 .0	15 78.9 .1	19 .0
4 FOUR	1 25.0 .0	3 75.0 .0	4 .0
5 FIVE		1 100.0 .0	1 .0
6 SIX		1 100.0 .0	1 .0
10 NOT STATED	9 50.0 .0	9 50.0 .0	18 .0
COLUMN TOTAL	59399 69.1	26587 30.9	85986 100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

FETD PREVIOUS FETAL DEATHS BY RACE

FETD	COUNT / ROW PCT / COL PCT	RACE 1 WHITE	RACE 2 NONWHITE	ROW TOTAL
NONE	0	49538 69.0 83.4	22250 31.0 83.7	71788 83.5
ONE	1	7609 69.5 12.8	3342 30.5 12.6	10951 12.7
TWO	2	1666 70.0 2.8	714 30.0 2.7	2380 2.8
THREE	3	415 68.8 .7	188 31.2 .7	603 .7
FOUR	4	110 66.3 .2	56 33.7 .2	166 .2
FIVE	5	30 65.2 .1	16 34.8 .1	46 .1
SIX	6	13 61.9 .0	8 38.1 .0	21 .0
SEVEN	7	6 66.7 .0	3 33.3 .0	9 .0
EIGHT	8	2 100.0 .0		2 .0
NINE OR MORE	9	1 50.0 .0	1 50.0 .0	2 .0
(CONTINUED)	COLUMN TOTAL	59399 69.1	26587 30.9	85986 100.0

TABLE 17

CROSSTABULATION OF

FETD PREVIOUS FETAL DEATHS BY RACE

FETD	RACE: WHITE (1)	NONWHITE (2)	ROW TOTAL
NOT STATED (10)	9 50.0 .0	9 50.0 .0	18 .0
COLUMN TOTAL	59399 69.1	26587 30.9	85986 100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 18

CROSSTABULATION OF
APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

APGAR5	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
ZERO	0						1 1.4 .1	4 5.5 .1	7 9.6 .2	4 5.5 .1	5 6.8 .1	73 .1
ONE	1				3 1.2 1.1	2 .8 .3	6 2.5 .4	8 3.3 .3	10 4.1 .3	12 5.0 .2	25 10.3 .4	242 .3
TWO	2				2 1.5 .7	1 .8 .1	6 4.5 .4	3 2.3 .1	4 3.0 .1	8 6.1 .2	13 9.8 .2	132 .2
THREE	3			1 .7 1.3		4 2.6 .5	5 3.3 .3	5 3.3 .2	6 4.0 .2	10 6.6 .2	9 6.0 .2	151 .2
FOUR	4				1 .5 .4	1 .5 .1	4 2.0 .3	10 5.0 .4	20 10.0 .5	18 9.0 .4	13 6.5 .2	200 .2
FIVE	5				2 .6 .7	7 2.2 .9	8 2.5 .5	14 4.3 .5	16 4.9 .4	23 7.1 .5	32 9.8 .6	325 .4
SIX	6			1 .2 1.3	3 .5 1.1	8 1.2 1.1	23 3.5 1.5	23 3.5 .8	48 7.3 1.3	35 5.3 .7	41 6.2 .7	658 .8
SEVEN	7			3 .2 3.8	7 .4 2.5	29 1.9 3.9	47 3.0 3.0	61 3.9 2.2	102 6.6 2.7	96 6.2 1.9	124 8.0 2.2	1557 1.8
EIGHT	8		1 .0 7.7	12 .2 15.4	32 .5 11.4	74 1.1 9.9	138 2.0 8.9	262 3.8 9.5	325 4.7 8.7	415 6.0 8.3	458 6.7 8.0	6878 8.0
(CONTINUED)	COLUMN TOTAL	1 .0	13 .0	78 .1	280 .3	744 .9	1550 1.8	2771 3.2	3752 4.4	5010 5.8	5757 6.7	85986 100.0

TABLE 18

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

APGAR5	COUNT / ROW PCT / COL PCT	AGE 21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
ZERO	0	3	7	6	4	16	13	3				73
		4.1	9.6	8.2	5.5	21.9	17.8	4.1				.1
		.1	.1	.1	.1	.1	.1	.1				
ONE	1	23	16	20	13	52	41	9	2			242
		9.5	6.6	8.3	5.4	21.5	16.9	3.7	.8			.3
		.4	.3	.3	.2	.2	.3	.2	.5			
TWO	2	10	7	10	10	40	13	5				132
		7.6	5.3	7.6	7.6	30.3	9.8	3.8				.2
		.2	.1	.2	.2	.2	.1	.1				
THREE	3	16	6	12	7	40	23	6	1			151
		10.6	4.0	7.9	4.6	26.5	15.2	4.0	.7			.2
		.3	.1	.2	.1	.2	.2	.2	.2			
FOUR	4	8	10	15	11	61	20	7		1		200
		4.0	5.0	7.5	5.5	30.5	10.0	3.5		.5		.2
		.1	.2	.3	.2	.2	.1	.2		5.3		
FIVE	5	24	17	18	23	77	47	15	2			325
		7.4	5.2	5.5	7.1	23.7	14.5	4.6	.6			.4
		.4	.3	.3	.4	.3	.3	.4	.5			
SIX	6	62	35	48	41	161	97	26	6			658
		9.4	5.3	7.3	6.2	24.5	14.7	4.0	.9			.8
		1.1	.6	.8	.7	.6	.7	.7	1.4			
SEVEN	7	119	102	98	105	402	210	42	10			1557
		7.6	6.6	6.3	6.7	25.8	13.5	2.7	.6			1.8
		2.0	1.8	1.7	1.8	1.6	1.6	1.1	2.3			
EIGHT	8	516	477	477	434	1844	1048	311	51	3		6878
		7.5	6.9	6.9	6.3	26.8	15.2	4.5	.7	.0		8.0
		8.9	8.2	8.1	7.6	7.3	7.8	8.4	11.6	15.8		
(CONTINUED)	COLUMN TOTAL	5815	5786	5921	5739	25175	13436	3695	438	19	6	85986
		6.8	6.7	6.9	6.7	29.3	15.6	4.3	.5	.0	.0	100.0

TABLE 18

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

APGAR5	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
NINE	9	1	10	46	171	448	898	1689	2264	3167	3635	54741
		.0	.0	.1	.3	.8	1.6	3.1	4.1	5.8	6.6	63.7
		100.0	76.9	59.0	61.1	60.2	57.9	61.0	60.3	63.2	63.1	
TEN	10		2	11	51	160	391	656	902	1165	1328	19928
			.0	.1	.3	.8	2.0	3.3	4.5	5.8	6.7	23.2
			15.4	14.1	18.2	21.5	25.2	23.7	24.0	23.3	23.1	
NOT STATED	11			4	8	10	23	36	48	57	74	1101
				.4	.7	.9	2.1	3.3	4.4	5.2	6.7	1.3
				5.1	2.9	1.3	1.5	1.3	1.3	1.1	1.3	
(CONTINUED)	COLUMN TOTAL	1	13	78	280	744	1550	2771	3752	5010	5757	85986
		.0	.0	.1	.3	.9	1.8	3.2	4.4	5.8	6.7	100.0

TABLE 18

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

APGAR5	AGE: 21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
9 NINE	3619	3676	3746	3680	16295	8734	2379	268	12	3	54741
	6.6	6.7	6.8	6.7	29.8	16.0	4.3	.5	.0	.0	63.7
	62.2	63.5	63.3	64.1	64.7	65.0	64.4	61.2	63.2	50.0	
10 TEN	1335	1352	1411	1339	5863	3035	835	88	3	1	19928
	6.7	6.8	7.1	6.7	29.4	15.2	4.2	.4	.0	.0	23.2
	23.0	23.4	23.8	23.3	23.3	22.6	22.6	20.1	15.8	16.7	
11 NOT STATED	80	81	60	72	324	155	57	10		2	1101
	7.3	7.4	5.4	6.5	29.4	14.1	5.2	.9		.2	1.3
	1.4	1.4	1.0	1.3	1.3	1.2	1.5	2.3		33.3	
COLUMN TOTAL	5815	5786	5921	5739	25175	13436	3695	438	19	6	85986
	6.8	6.7	6.9	6.7	29.3	15.6	4.3	.5	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 18

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

APGAR5	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
ZERO	0					1 2.4 .1	3 7.3 .2	2 4.9 .1	3 7.3 .1	2 4.9 .1	1 2.4 .0	41 .1
ONE	1				1 .8 .3	1 .8 .1	4 3.3 .3	5 4.1 .2	8 6.5 .3	12 9.8 .3	10 8.1 .3	123 .2
TWO	2			1 1.5 1.3	1 1.5 .3	2 3.0 .3	2 3.0 .1		3 4.5 .1	8 12.1 .2	8 12.1 .2	66 .1
THREE	3					1 1.3 .1	3 3.8 .2	4 5.1 .2	6 7.6 .2	6 7.6 .2	6 7.6 .2	79 .1
FOUR	4					1 1.1 .1	5 5.7 .3	5 5.7 .2	9 10.3 .3	7 8.0 .2	5 5.7 .1	87 .1
FIVE	5			2 1.2 2.7	4 2.3 1.4	4 2.3 .6	6 3.5 .4	5 2.9 .2	10 5.8 .3	15 8.7 .4	15 8.7 .4	172 .3
SIX	6				3 .8 1.0	9 2.5 1.3	11 3.1 .7	25 6.9 1.2	16 4.4 .5	20 5.6 .5	29 8.1 .8	360 .6
SEVEN	7			1 .1 1.3	8 .8 2.8	23 2.4 3.2	28 3.0 1.9	59 6.2 2.8	54 5.7 1.8	72 7.6 2.0	68 7.2 1.8	945 1.6
EIGHT	8			10 .2 13.3	33 .7 11.5	62 1.4 8.7	150 3.3 9.9	182 4.0 8.7	254 5.6 8.3	295 6.5 8.0	309 6.8 8.1	4544 7.6
(CONTINUED)	COLUMN TOTAL	3 .0	5 .0	75 .1	286 .5	711 1.2	1511 2.5	2086 3.5	3047 5.1	3688 6.2	3803 6.4	59399 100.0

TABLE 18

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

APGAR5	COUNT / ROW PCT / COL PCT	AGE 22	23	24	25	26	27	28	29	30	ROW TOTAL
ZERO	0	5 12.2 .1	4 9.8 .1	2 4.9 .0	9 22.0 .0	9 22.0 .1					41 .1
ONE	1	6 4.9 .2	9 7.3 .2	8 6.5 .2	28 22.8 .1	26 21.1 .3	5 4.1 .2				123 .2
TWO	2	4 6.1 .1	5 7.6 .1	4 6.1 .1	22 33.3 .1	3 4.5 .0	3 4.5 .1				66 .1
THREE	3	1 1.3 .0	3 3.8 .1	3 3.8 .1	26 32.9 .1	14 17.7 .1	5 6.3 .2	1 1.3 .4			79 .1
FOUR	4	3 3.4 .1	5 5.7 .1	1 1.1 .0	32 36.8 .2	11 12.6 .1	2 2.3 .1		1 1.1 14.3		87 .1
FIVE	5	7 4.1 .2	10 5.8 .2	12 7.0 .3	42 24.4 .2	30 17.4 .3	9 5.2 .3	1 .6 .4			172 .3
SIX	6	12 3.3 .3	28 7.8 .7	24 6.7 .6	103 28.6 .6	62 17.2 .6	14 3.9 .5	4 1.1 1.4			360 .6
SEVEN	7	71 7.5 1.8	61 6.5 1.5	69 7.3 1.7	261 27.6 1.4	140 14.8 1.4	26 2.8 .9	4 .4 1.4			945 1.6
EIGHT	8	310 6.8 8.0	320 7.0 7.8	295 6.5 7.3	1293 28.5 6.9	766 16.9 7.4	229 5.0 8.3	35 .8 12.3	1 .0 14.3		4544 7.6
(CONTINUED)	COLUMN TOTAL	3897 6.6	4108 6.9	4061 6.8	18713 31.5	10340 17.4	2771 4.7	284 .5	7 .0	3 .0	59399 100.0

TABLE 18

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

APGAR5	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
9 NINE	3	4	47	151	403	893	1224	1910	2320	2354	37945
	.0	.0	.1	.4	1.1	2.4	3.2	5.0	6.1	6.2	63.9
	100.0	80.0	62.7	52.8	56.7	59.1	58.7	62.7	62.9	61.9	
10 TEN		1	13	83	194	397	549	746	888	944	14421
		.0	.1	.6	1.3	2.8	3.8	5.2	6.2	6.5	24.3
		20.0	17.3	29.0	27.3	26.3	26.3	24.5	24.1	24.8	
11 NOT STATED			1	2	10	9	26	28	43	54	616
			.2	.3	1.6	1.5	4.2	4.5	7.0	8.8	1.0
			1.3	.7	1.4	.6	1.2	.9	1.2	1.4	
COLUMN TOTAL	3	5	75	286	711	1511	2086	3047	3688	3803	59399
	.0	.0	.1	.5	1.2	2.5	3.5	5.1	6.2	6.4	100.0

(CONTINUED)

TABLE 18

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

APGAR5	COUNT / ROW PCT / COL PCT	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
NINE	9	2491	2596	2604	12180	6777	1799	184	3	2	37945
		6.6	6.8	6.9	32.1	17.9	4.7	.5	.0	.0	63.9
		63.9	63.2	64.1	65.1	65.5	64.9	64.8	42.9	66.7	
TEN	10	943	1029	1002	4525	2404	649	51	2	1	14421
		6.5	7.1	6.9	31.4	16.7	4.5	.4	.0	.0	24.3
		24.2	25.0	24.7	24.2	23.2	23.4	18.0	28.6	33.3	
NOT STATED	11	44	38	37	192	98	30	4			616
		7.1	6.2	6.0	31.2	15.9	4.9	.6			1.0
		1.1	.9	.9	1.0	.9	1.1	1.4			
	COLUMN TOTAL	3897	4108	4061	18713	10340	2771	284	7	3	59399
		6.6	6.9	6.8	31.5	17.4	4.7	.5	.0	.0	100.0

TABLE 18

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

APGAR5	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
ZERO	0							1	5	1	3	32
								3.1	15.6	3.1	9.4	.1
								.1	.3	.1	.1	
ONE	1				3	1	5	4	5	4	13	119
					2.5	.8	4.2	3.4	4.2	3.4	10.9	.4
					1.5	.2	.6	.3	.3	.2	.6	
TWO	2				1		4	1	4	5	5	66
					1.5		6.1	1.5	6.1	7.6	7.6	.2
					.5		.5	.1	.2	.3	.2	
THREE	3			1		4	4	2	2	4	3	72
				1.4		5.6	5.6	2.8	2.8	5.6	4.2	.3
				1.4		.9	.5	.2	.1	.2	.1	
FOUR	4				1	1	3	5	15	9	6	113
					.9	.9	2.7	4.4	13.3	8.0	5.3	.4
					.5	.2	.4	.4	.9	.5	.3	
FIVE	5					3	4	8	11	13	17	153
						2.0	2.6	5.2	7.2	8.5	11.1	.6
						.7	.5	.6	.7	.7	.8	
SIX	6			1	3	5	14	12	23	19	21	298
				.3	1.0	1.7	4.7	4.0	7.7	6.4	7.0	1.1
				1.4	1.5	1.1	1.7	1.0	1.4	1.0	1.0	
SEVEN	7			3	6	21	24	33	43	42	52	612
				.5	1.0	3.4	3.9	5.4	7.0	6.9	8.5	2.3
				4.1	2.9	4.6	2.9	2.6	2.6	2.1	2.5	
EIGHT	8		1	12	22	41	76	112	143	161	163	2334
			.0	.5	.9	1.8	3.3	4.8	6.1	6.9	7.0	8.8
			10.0	16.4	10.7	9.0	9.1	8.9	8.6	8.2	7.9	
(CONTINUED)	COLUMN TOTAL	1	10	73	205	458	839	1260	1666	1963	2069	26587
		.0	.0	.3	.8	1.7	3.2	4.7	6.3	7.4	7.8	100.0

TABLE 18

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

APGAR5	COUNT / ROW PCT / COL PCT	21	22	23	24	25	26	27	28	29	30	ROW TOTAL
		AGE										
						25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	
ZERO	0	2	2	2	2	7	4	3				32
		6.3	6.3	6.3	6.3	21.9	12.5	9.4				.1
		.1	.1	.1	.1	.1	.1	.3				
ONE	1	13	10	11	5	24	15	4	2			119
		10.9	8.4	9.2	4.2	20.2	12.6	3.4	1.7			.4
		.6	.5	.6	.3	.4	.5	.4	1.3			
TWO	2	2	3	5	6	18	10	2				66
		3.0	4.5	7.6	9.1	27.3	15.2	3.0				.2
		.1	.2	.3	.4	.3	.3	.2				
THREE	3	10	5	9	4	14	9	1				72
		13.9	6.9	12.5	5.6	19.4	12.5	1.4				.3
		.5	.3	.5	.2	.2	.3	.1				
FOUR	4	3	7	10	10	29	9	5				113
		2.7	6.2	8.8	8.8	25.7	8.0	4.4				.4
		.1	.4	.6	.6	.4	.3	.5				
FIVE	5	9	10	8	11	35	17	6	1			153
		5.9	6.5	5.2	7.2	22.9	11.1	3.9	.7			.6
		.4	.5	.4	.7	.5	.5	.6	.6			
SIX	6	33	23	20	17	58	35	12	2			298
		11.1	7.7	6.7	5.7	19.5	11.7	4.0	.7			1.1
		1.6	1.2	1.1	1.0	.9	1.1	1.3	1.3			
SEVEN	7	51	31	37	36	141	70	16	6			612
		8.3	5.1	6.0	5.9	23.0	11.4	2.6	1.0			2.3
		2.5	1.6	2.0	2.1	2.2	2.3	1.7	3.9			
EIGHT	8	207	167	157	139	551	282	82	16	2		2334
		8.9	7.2	6.7	6.0	23.6	12.1	3.5	.7	.1		8.8
		10.3	8.8	8.7	8.3	8.5	9.1	8.9	10.4	16.7		
(CONTINUED)	COLUMN TOTAL	2012	1889	1813	1678	6462	3096	924	154	12	3	26587
		7.6	7.1	6.8	6.3	24.3	11.6	3.5	.6	.0	.0	100.0

TABLE 18

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

APGAR5	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
9 NINE		1	7	42	124	297	495	796	1040	1257	1315	16796
		.0	.0	.3	.7	1.8	2.9	4.7	6.2	7.5	7.8	63.2
		100.0	70.0	57.5	60.5	64.8	59.0	63.2	62.4	64.0	63.6	
10 TEN			2	10	38	77	197	259	353	419	440	5507
			.0	.2	.7	1.4	3.6	4.7	6.4	7.6	8.0	20.7
			20.0	13.7	18.5	16.8	23.5	20.6	21.2	21.3	21.3	
11 NOT STATED				4	7	8	13	27	22	29	31	485
				.8	1.4	1.6	2.7	5.6	4.5	6.0	6.4	1.8
				5.5	3.4	1.7	1.5	2.1	1.3	1.5	1.5	
COLUMN TOTAL		1	10	73	205	458	839	1260	1666	1963	2069	26587
		.0	.0	.3	.8	1.7	3.2	4.7	6.3	7.4	7.8	100.0

(CONTINUED)

TABLE 18

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

APGAR5	AGE (COUNT / ROW PCT / COL PCT)	21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
NINE	9	1265	1185	1150	1076	4115	1957	580	84	9	1	16796
		7.5	7.1	6.8	6.4	24.5	11.7	3.5	.5	.1	.0	63.2
		62.9	62.7	63.4	64.1	63.7	63.2	62.8	54.5	75.0	33.3	
TEN	10	391	409	382	337	1338	631	186	37	1		5507
		7.1	7.4	6.9	6.1	24.3	11.5	3.4	.7	.0		20.7
		19.4	21.7	21.1	20.1	20.7	20.4	20.1	24.0	8.3		
NOT STATED	11	26	37	22	35	132	57	27	6		2	485
		5.4	7.6	4.5	7.2	27.2	11.8	5.6	1.2		.4	1.8
		1.3	2.0	1.2	2.1	2.0	1.8	2.9	3.9		66.7	
	COLUMN TOTAL	2012	1889	1813	1678	6462	3096	924	154	12	3	26587
		7.6	7.1	6.8	6.3	24.3	11.6	3.5	.6	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

APGAR5	COUNT / ROW PCT / COL PCT	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	ROW TOTAL
ZERO	0	2	24	25	17	4	1	73
		2.7	32.9	34.2	23.3	5.5	1.4	.1
		.1	.1	.1	.1	.0	1.0	
ONE	1	8	59	103	43	26	3	242
		3.3	24.4	42.6	17.8	10.7	1.2	.3
		.3	.3	.3	.3	.2	3.0	
TWO	2	7	37	49	24	14	1	132
		5.3	28.0	37.1	18.2	10.6	.8	.2
		.2	.2	.1	.2	.1	1.0	
THREE	3	10	41	57	28	13	2	151
		6.6	27.2	37.7	18.5	8.6	1.3	.2
		.3	.2	.2	.2	.1	2.0	
FOUR	4	10	55	79	32	24		200
		5.0	27.5	39.5	16.0	12.0		.2
		.3	.3	.2	.2	.2		
FIVE	5	25	85	126	56	33		325
		7.7	26.2	38.8	17.2	10.2		.4
		.8	.5	.4	.4	.3		
SIX	6	25	174	277	99	80	3	658
		3.8	26.4	42.1	15.0	12.2	.5	.8
		.8	.9	.8	.6	.6	3.0	
SEVEN	7	60	366	687	262	181	1	1557
		3.9	23.5	44.1	16.8	11.6	.1	1.8
		2.0	2.0	1.9	1.6	1.4	1.0	
EIGHT	8	269	1520	2930	1199	955	5	6878
		3.9	22.1	42.6	17.4	13.9	.1	8.0
		8.7	8.3	8.3	7.5	7.3	5.1	
	COLUMN	3076	18322	35500	15881	13108	99	85986
(CONTINUED)	TOTAL	3.6	21.3	41.3	18.5	15.2	.1	100.0

TABLE 19

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

APGAR5	EDUC: 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9 NINE	1795	11110	22474	10489	8830	43	54741
	3.3	20.3	41.1	19.2	16.1	.1	63.7
	58.4	60.6	63.3	66.0	67.4	43.4	
10 TEN	817	4590	8227	3439	2841	14	19928
	4.1	23.0	41.3	17.3	14.3	.1	23.2
	26.6	25.1	23.2	21.7	21.7	14.1	
11 NOT STATED	48	261	466	193	107	26	1101
	4.4	23.7	42.3	17.5	9.7	2.4	1.3
	1.6	1.4	1.3	1.2	.8	26.3	
COLUMN TOTAL	3076	18322	35500	15881	13108	99	85986
	3.6	21.3	41.3	18.5	15.2	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 19

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

APGAR5	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
ZERO	0	1	13	11	12	4		41
		2.4	31.7	26.8	29.3	9.8		.1
		.1	.1	.0	.1	.0		
ONE	1	2	30	51	23	16	1	123
		1.6	24.4	41.5	18.7	13.0	.8	.2
		.1	.3	.2	.2	.1	2.3	
TWO	2	6	18	23	11	8		66
		9.1	27.3	34.8	16.7	12.1		.1
		.3	.2	.1	.1	.1		
THREE	3	6	19	29	14	10	1	79
		7.6	24.1	36.7	17.7	12.7	1.3	.1
		.3	.2	.1	.1	.1	2.3	
FOUR	4	5	23	30	18	11		87
		5.7	26.4	34.5	20.7	12.6		.1
		.3	.2	.1	.2	.1		
FIVE	5	14	44	55	36	23		172
		8.1	25.6	32.0	20.9	13.4		.3
		.7	.4	.2	.3	.2		
SIX	6	12	78	139	65	64	2	360
		3.3	21.7	38.6	18.1	17.8	.6	.6
		.6	.7	.6	.5	.6	4.5	
SEVEN	7	36	194	401	167	147		945
		3.8	20.5	42.4	17.7	15.6		1.6
		1.9	1.8	1.7	1.4	1.3		
EIGHT	8	159	872	1861	858	791	3	4544
		3.5	19.2	41.0	18.9	17.4	.1	7.6
		8.4	8.0	7.9	7.3	7.1	6.8	
(CONTINUED)	COLUMN TOTAL	1896	10889	23645	11819	11106	44	59399
		3.2	18.3	39.8	19.9	18.7	.1	100.0

TABLE 19

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

APGAR5	COUNT / ROW PCT / COL PCT	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	ROW TOTAL
NINE	9	1088	6580	15009	7758	7495	15	37945
		2.9	17.3	39.6	20.4	19.8	.0	63.9
		57.4	60.4	63.5	65.6	67.5	34.1	
TEN	10	554	2890	5783	2731	2457	6	14421
		3.8	20.0	40.1	18.9	17.0	.0	24.3
		29.2	26.5	24.5	23.1	22.1	13.6	
NOT STATED	11	13	128	253	126	80	16	616
		2.1	20.8	41.1	20.5	13.0	2.6	1.0
		.7	1.2	1.1	1.1	.7	36.4	
	COLUMN TOTAL	1896	10889	23645	11819	11106	44	59399
		3.2	18.3	39.8	19.9	18.7	.1	100.0

TABLE 19

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

APGAR5	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
ZERO	0	1	11	14	5		1	32
		3.1	34.4	43.8	15.6		3.1	.1
		.1	.1	.1	.1		1.8	
ONE	1	6	29	52	20	10	2	119
		5.0	24.4	43.7	16.8	8.4	1.7	.4
		.5	.4	.4	.5	.5	3.6	
TWO	2	1	19	26	13	6	1	66
		1.5	28.8	39.4	19.7	9.1	1.5	.2
		.1	.3	.2	.3	.3	1.8	
THREE	3	4	22	28	14	3	1	72
		5.6	30.6	38.9	19.4	4.2	1.4	.3
		.3	.3	.2	.3	.1	1.8	
FOUR	4	5	32	49	14	13		113
		4.4	28.3	43.4	12.4	11.5		.4
		.4	.4	.4	.3	.6		
FIVE	5	11	41	71	20	10		153
		7.2	26.8	46.4	13.1	6.5		.6
		.9	.6	.6	.5	.5		
SIX	6	13	96	138	34	16	1	298
		4.4	32.2	46.3	11.4	5.4	.3	1.1
		1.1	1.3	1.2	.8	.8	1.8	
SEVEN	7	24	172	286	95	34	1	612
		3.9	28.1	46.7	15.5	5.6	.2	2.3
		2.0	2.3	2.4	2.3	1.7	1.8	
EIGHT	8	110	648	1069	341	164	2	2334
		4.7	27.8	45.8	14.6	7.0	.1	8.8
		9.3	8.7	9.0	8.4	8.2	3.6	
(CONTINUED)	COLUMN TOTAL	1180	7433	11855	4062	2002	55	26587
		4.4	28.0	44.6	15.3	7.5	.2	100.0

TABLE 19

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

APGAR5	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	ROW TOTAL
9 NINE	707	4530	7465	2731	1335	28	16796
	4.2	27.0	44.4	16.3	7.9	.2	63.2
	59.9	60.9	63.0	67.2	66.7	50.9	
10 TEN	263	1700	2444	708	384	8	5507
	4.8	30.9	44.4	12.9	7.0	.1	20.7
	22.3	22.9	20.6	17.4	19.2	14.5	
11 NOT STATED	35	133	213	67	27	10	485
	7.2	27.4	43.9	13.8	5.6	2.1	1.8
	3.0	1.8	1.8	1.6	1.3	18.2	
COLUMN TOTAL	1180	7433	11855	4062	2002	55	26587
	4.4	28.0	44.6	15.3	7.5	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 20

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

MAL	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
NONE	0	1 .0 100.0	13 .0 100.0	78 .1 100.0	279 .3 99.6	742 .9 99.7	1533 1.8 98.9	2748 3.2 99.2	3718 4.4 99.1	4964 5.8 99.1	5722 6.7 99.4	85308 99.2
741	1								3 8.3 .1	2 5.6 .0	2 5.6 .0	36 .0
745,746	2						1 3.4 .1	1 3.4 .0		1 3.4 .0	1 3.4 .0	29 .0
749	3							1 1.5 .0	4 6.1 .1	3 4.5 .1	3 4.5 .1	66 .1
752.6	4								1 2.4 .0	3 7.3 .1	1 2.4 .0	41 .0
754.5 - 754.7	5				1 2.8 .1	2 5.6 .1	2 5.6 .1			8 22.2 .2	2 5.6 .0	36 .0
755.0	6				1 .9 .1	4 3.7 .3	7 6.4 .3	13 11.9 .3		6 5.5 .1	7 6.4 .1	109 .1
758.0	7						1 3.4 .1				2 6.9 .0	29 .0
ALL OTHER	8				1 .3 .4		9 2.7 .6	12 3.6 .4	13 3.9 .3	23 6.9 .5	17 5.1 .3	332 .4
(CONTINUED)	COLUMN TOTAL	1 .0	13 .0	78 .1	280 .3	744 .9	1550 1.8	2771 3.2	3752 4.4	5010 5.8	5757 6.7	85986 100.0

TABLE 20

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

MAL	COUNT / ROW PCT / COL PCT	AGE 21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
NONE	0	5764 6.8 99.1	5737 6.7 99.2	5869 6.9 99.1	5687 6.7 99.1	25005 29.3 99.3	13325 15.6 99.2	3664 4.3 99.2	434 .5 99.1	19 .0 100.0	6 .0 100.0	85308 99.2
741	1	2 5.6 .0	4 11.1 .1	1 2.8 .0	4 11.1 .1	11 30.6 .0	6 16.7 .0	1 2.8 .0				36 .0
745,746	2		2 6.9 .0	4 13.8 .1	5 17.2 .1	8 27.6 .0	5 17.2 .0	1 3.4 .0				29 .0
749	3	4 6.1 .1	7 10.6 .1	4 6.1 .1	9 13.6 .2	16 24.2 .1	14 21.2 .1	1 1.5 .0				66 .1
752.6	4	5 12.2 .1	5 12.2 .1	4 9.8 .1	3 7.3 .1	16 39.0 .1	3 7.3 .0					41 .0
754.5 - 754.7	5		2 5.6 .0	6 16.7 .1	2 5.6 .0	7 19.4 .0	3 8.3 .0		1 2.8 .2			36 .0
755.0	6	6 5.5 .1	7 6.4 .1	6 5.5 .1	9 8.3 .2	24 22.0 .1	15 13.8 .1	4 3.7 .1				109 .1
758.0	7	3 10.3 .1	3 10.3 .1			4 13.8 .0	10 34.5 .1	4 13.8 .1	2 6.9 .5			29 .0
ALL OTHER	8	31 9.3 .5	19 5.7 .3	27 8.1 .5	20 6.0 .3	84 25.3 .3	55 16.6 .4	20 6.0 .5	1 .3 .2			332 .4
	COLUMN TOTAL	5815 6.8	5786 6.7	5921 6.9	5739 6.7	25175 29.3	13436 15.6	3695 4.3	438 .5	19 .0	6 .0	85986 100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

MAL	COUNT / ROW PCT / COL PCT	12	13	14	15	16	17	18	19	20	21	ROW TOTAL
NONE	0	3 .0 100.0	5 .0 100.0	74 .1 98.7	285 .5 99.7	706 1.2 99.3	1499 2.5 99.2	2072 3.5 99.3	3014 5.1 98.9	3668 6.2 99.5	3776 6.4 99.3	58941 99.2
741	1							2 6.7 .1	2 6.7 .1	2 6.7 .1	1 3.3 .0	30 .1
745,746	2						1 4.0 .1		1 4.0 .0	1 4.0 .0		25 .0
749	3						1 1.8 .1	3 5.5 .1	2 3.6 .1	2 3.6 .1	4 7.3 .1	55 .1
752.6	4							1 2.9 .0	3 8.6 .1	1 2.9 .0	3 8.6 .1	35 .1
754.5 - 754.7	5				1 3.6 .3	2 7.1 .3	2 7.1 .1		6 21.4 .2	2 7.1 .1		28 .0
755.0	6							1 4.5 .0	3 13.6 .1			22 .0
758.0	7					1 3.8 .1				2 7.7 .1	1 3.8 .0	26 .0
ALL OTHER	8			1 .4 1.3		2 .8 .3	8 3.4 .5	7 3.0 .3	16 6.8 .5	10 4.2 .3	18 7.6 .5	237 .4
(CONTINUED)	COLUMN TOTAL	3 .0	5 .0	75 .1	286 .5	711 1.2	1511 2.5	2086 3.5	3047 5.1	3688 6.2	3803 6.4	59399 100.0

TABLE 20

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MAL	COUNT / ROW PCT / COL PCT	AGE 22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
NONE	0	3862 6.6 99.1	4072 6.9 99.1	4023 6.8 99.1	18590 31.5 99.3	10254 17.4 99.2	2747 4.7 99.1	281 .5 98.9	7 .0 100.0	3 .0 100.0	58941 99.2
741	1	4 13.3 .1	1 3.3 .0	2 6.7 .0	10 33.3 .1	5 16.7 .0	1 3.3 .0				30 .1
745,746	2	1 4.0 .0	4 16.0 .1	4 16.0 .1	7 28.0 .0	5 20.0 .0	1 4.0 .0				25 .0
749	3	7 12.7 .2	2 3.6 .0	7 12.7 .2	13 23.6 .1	13 23.6 .1	1 1.8 .0				55 .1
752.6	4	3 8.6 .1	4 11.4 .1	3 8.6 .1	14 40.0 .1	3 8.6 .0					35 .1
754.5 - 754.7	5	1 3.6 .0	4 14.3 .1	2 7.1 .0	4 14.3 .0	3 10.7 .0		1 3.6 .4			28 .0
755.0	6	1 4.5 .0	2 9.1 .0	4 18.2 .1	8 36.4 .0	3 13.6 .0					22 .0
758.0	7	2 7.7 .1			4 15.4 .0	10 38.5 .1	4 15.4 .1	2 7.7 .7			26 .0
ALL OTHER	8	16 6.8 .4	19 8.0 .5	16 6.8 .4	63 26.6 .3	44 18.6 .4	17 7.2 .6				237 .4
	COLUMN TOTAL	3897 6.6	4108 6.9	4061 6.8	18713 31.5	10340 17.4	2771 4.7	284 .5	7 .0	3 .0	59399 100.0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MAL	COUNT / ROW PCT / COL PCT	11	12	13	14	15	16	17	18	19	20	ROW TOTAL
NONE	0	1 .0 100.0	10 .0 100.0	73 .3 100.0	205 .8 100.0	457 1.7 99.8	827 3.1 98.6	1249 4.7 99.1	1646 6.2 98.8	1950 7.4 99.3	2054 7.8 99.3	26367 99.2
741	1								1 16.7 .1			6 .0
745,746	2					1 25.0 .1						4 .0
749	3								1 9.1 .1	1 9.1 .1	1 9.1 .0	11 .0
752.6	4											6 .0
754.5 - 754.7	5									2 25.0 .1		8 .0
755.0	6					1 1.1 .2	4 4.6 .5	7 8.0 .6	12 13.8 .7	3 3.4 .2	7 8.0 .3	87 .3
758.0	7											3 .0
ALL OTHER	8				1 7.4 .8	7 4.2 .3	4 6.3 .4	6 7.4 .4	7 7.4 .3	7 7.4 .3	95 .4	
(CONTINUED)	COLUMN TOTAL	1 .0	10 .0	73 .3	205 .8	458 1.7	839 3.2	1260 4.7	1666 6.3	1963 7.4	2069 7.8	26587 100.0

TABLE 20

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MAL	COUNT / ROW PCT / COL PCT	21	22	23	24	25	26	27	28	29	30	ROW TOTAL
		AGE				25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	
NONE	0	1988	1875	1797	1664	6415	3071	917	153	12	3	26367
		7.5	7.1	6.8	6.3	24.3	11.6	3.5	.6	.0	.0	99.2
		98.8	99.3	99.1	99.2	99.3	99.2	99.2	99.4	100.0	100.0	
741	1	1			2	1	1					6
		16.7			33.3	16.7	16.7					.0
		.0			.1	.0	.0					
745,746	2		1		1	1						4
			25.0		25.0	25.0						.0
			.1		.1	.0						
749	3			2	2	3	1					11
				18.2	18.2	27.3	9.1					.0
				.1	.1	.0	.0					
752.6	4	2	2			2						6
		33.3	33.3			33.3						.0
		.1	.1			.0						
754.5 - 754.7	5		1	2		3						8
			12.5	25.0		37.5						.0
			.1	.1		.0						
755.0	6	6	6	4	5	16	12	4				87
		6.9	6.9	4.6	5.7	18.4	13.8	4.6				.3
		.3	.3	.2	.3	.2	.4	.4				
758.0	7	2	1									3
		66.7	33.3									.0
		.1	.1									
ALL OTHER	8	13	3	8	4	21	11	3	1			95
		13.7	3.2	8.4	4.2	22.1	11.6	3.2	1.1			.4
		.6	.2	.4	.2	.3	.4	.3	.6			
	COLUMN TOTAL	2012	1889	1813	1678	6462	3096	924	154	12	3	26587
		7.6	7.1	6.8	6.3	24.3	11.6	3.5	.6	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

MAL	COUNT / ROW PCT / COL PCT	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	ROW TOTAL
NONE	0	3058	18162	35223	15767	12999	99	85308
		3.6	21.3	41.3	18.5	15.2	.1	99.2
		99.4	99.1	99.2	99.3	99.2	100.0	
741	1	1	8	18	6	3		36
		2.8	22.2	50.0	16.7	8.3		.0
		.0	.0	.1	.0	.0		
745,746	2	2	7	15	2	3		29
		6.9	24.1	51.7	6.9	10.3		.0
		.1	.0	.0	.0	.0		
749	3		15	24	12	15		66
			22.7	36.4	18.2	22.7		.1
			.1	.1	.1	.1		
752.6	4	2	7	16	6	10		41
		4.9	17.1	39.0	14.6	24.4		.0
		.1	.0	.0	.0	.1		
754.5 - 754.7	5	1	7	17	9	2		36
		2.8	19.4	47.2	25.0	5.6		.0
		.0	.0	.0	.1	.0		
755.0	6	2	32	47	17	11		109
		1.8	29.4	43.1	15.6	10.1		.1
		.1	.2	.1	.1	.1		
758.0	7	1	5	5	5	13		29
		3.4	17.2	17.2	17.2	44.8		.0
		.0	.0	.0	.0	.1		
ALL OTHER	8	9	79	135	57	52		332
		2.7	23.8	40.7	17.2	15.7		.4
		.3	.4	.4	.4	.4		
	COLUMN TOTAL	3076	18322	35500	15881	13108	99	85986
		3.6	21.3	41.3	18.5	15.2	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

MAL	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
NONE	0	1880	10793	23470	11737	11017	44	58941
		3.2	18.3	39.8	19.9	18.7	.1	99.2
		99.2	99.1	99.3	99.3	99.2	100.0	
741	1	1	7	14	5	3		30
		3.3	23.3	46.7	16.7	10.0		.1
		.1	.1	.1	.0	.0		
745,746	2	2	6	12	2	3		25
		8.0	24.0	48.0	8.0	12.0		.0
		.1	.1	.1	.0	.0		
749	3		13	17	11	14		55
			23.6	30.9	20.0	25.5		.1
			.1	.1	.1	.1		
752.6	4	2	7	12	4	10		35
		5.7	20.0	34.3	11.4	28.6		.1
		.1	.1	.1	.0	.1		
754.5 - 754.7	5	1	7	13	5	2		28
		3.6	25.0	46.4	17.9	7.1		.0
		.1	.1	.1	.0	.0		
755.0	6	1	5	7	6	3		22
		4.5	22.7	31.8	27.3	13.6		.0
		.1	.0	.0	.1	.0		
758.0	7	1	3	4	5	13		26
		3.8	11.5	15.4	19.2	50.0		.0
		.1	.0	.0	.0	.1		
ALL OTHER	8	8	48	96	44	41		237
		3.4	20.3	40.5	18.6	17.3		.4
		.4	.4	.4	.4	.4		
	COLUMN TOTAL	1896	10889	23645	11819	11106	44	59399
		3.2	18.3	39.8	19.9	18.7	.1	100.0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MAL	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
NONE	0	1178	7369	11753	4030	1982	55	26367
		4.5	27.9	44.6	15.3	7.5	.2	99.2
		99.8	99.1	99.1	99.2	99.0	100.0	
741	1		1	4	1			6
			16.7	66.7	16.7			.0
			.0	.0	.0			
745,746	2		1	3				4
			25.0	75.0				.0
			.0	.0				
749	3		2	7	1	1		11
			18.2	63.6	9.1	9.1		.0
			.0	.1	.0	.0		
752.6	4			4	2			6
				66.7	33.3			.0
				.0	.0			
754.5 - 754.7	5			4	4			8
				50.0	50.0			.0
				.0	.1			
755.0	6	1	27	40	11	8		87
		1.1	31.0	46.0	12.6	9.2		.3
		.1	.4	.3	.3	.4		
758.0	7		2	1				3
			66.7	33.3				.0
			.0	.0				
ALL OTHER	8	1	31	39	13	11		95
		1.1	32.6	41.1	13.7	11.6		.4
		.1	.4	.3	.3	.5		
	COLUMN TOTAL	1180	7433	11855	4062	2002	55	26587
		4.4	28.0	44.6	15.3	7.5	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

STATE LIBRARY OF NORTH CAROLINA
3 3091 00795 5081

Department of Human Resources
Division of Health Services
State Center for Health Statistics
P.O. Box 2091
Raleigh, N.C. 27602-2091
919/733-4728

BULK RATE
U.S. Postage PAID
Raleigh, N.C. 27602-2091
Permit No. 1862

CHERYL W. MCLEAN
ASST. DOCUMENTS LIBRARIAN
DIVISION OF STATE LIBRARY
ARCHIVES/LIBRARY BLDG.